



# U.S. PACKAGING & WRAPPING LLC

**20  
26**

1-800-441-5090 • [USPACKAGINGANDWRAPPING.COM](http://USPACKAGINGANDWRAPPING.COM)



***SUPER FLEXIBLE***  
**PACKAGING MATERIALS**

**FIND THE RIGHT PRODUCT AT THE RIGHT PRICE!**

**PRODUCT CATALOG**

**INDUSTRIAL & FOOD  
PACKAGING SUPPLIES**



Enter Coupon Code: **2026** at checkout online  
or call and mention this one-time discount for

# 10% OFF!

This is a single use coupon to be used once per customer Before Jan 1, 2027.  
This coupon can not be combined with any additional sales or special pricing.



ABOUT  
THE COVER

IN A HEROIC BID TO OUT-FLEX U.S. PACKAGING  
& WRAPPING'S FILM, OUR CAPED CONQUEROR  
SPLIT HIS TIGHTS—AND HIS PRIDE—WHILE  
THE SUPERIOR SHRINK AND STRETCH FILM  
FLEXED FURTHER WITHOUT A SINGLE TEAR.



# TABLE OF CONTENTS

## Polyolefin Shrink Wrap

Polyolefin Shrink Film

Polyolefin Shrink Bags

## PVC Shrink Wrap

Polyethylene Shrink Bundling Film

PVC Shrink Tubing

PVC Shrink Bags

Choosing Wrap and Film

**5 - 13**

5 - 13

13

14 - 18

15

16

17 - 18

19



## Shrink Wrap Machines

Impulse Heat Sealers

Heat Guns

I Bar Sealers

L Bar Sealers

Combo Shrink Wrap Machines

Shrink Tunnels

**20 - 35**

22 - 23

23

24 - 25

25 - 29

29 - 32

32 - 35



## Shrink Bundling Machines Auto Shrink Bundler Combo Auto Side Seal Machine Auto L Bar Sealer Conveyors

Rotary Conveyors

Skatewheel Conveyors

Gravity Conveyors

Belted Infeed Conveyors

**36 - 37**

**38**

**39**

**40**

**41 - 43**

41

41

42

43



## Pallet Stretch Film

Hand Stretch Film

Extended Core Stretch Film

Bundling Stretch Film

Machine Stretch Film

**44 - 59**

45 - 50

50 - 51

52 - 53

54 - 59

## Stretch Film Dispensers and Tools

Choosing Stretch Film

## Stretch Wrap Machines

## Packaging Tape

Hand Packaging Tape

Machine Packaging Tape

## Tape Dispensers

## Tape Machines

**60 - 61**

62

**63 - 73**


**74 - 79**

74 - 76

77

**78**

**79**



# TABLE OF CONTENTS



## Strapping

Machine Polypro Strapping

Hand Poly Strapping

Strapping Kit/Buckles

## Strapping Machines

**80 - 84**

81 - 82

82

83

**84**



## Laundry Film

## Laundry Wrapping Machine

## Poly Garment Bags

## Perforated Plastic Cling & Shrink Rolls

## Poly Bag Sealers

## Poly Bags & Tubing

Poly Bags

Poly Tubing

**85**

**86**

**87**

**88 - 89**

**90 - 93**

**94 - 107**

95 - 104

105 - 107

## Poly Sheeting

## Pallet Covers

## Vacuum Packaging

Vacuum Bags

Black Vacuum Bags

Vacuum Zipper Bags

Notched Vacuum Bags

Meat Vacuum Bags w/Black Background

3 Mil Vacuum Tubing

## Barrier Bags

## Vacuum Sealers

**108 - 109**

**110 - 111**

**112 - 125**

113 - 116

117

118

118

119

119

**120 - 122**

**123 - 125**



## Food Packaging

Aluminum Foil Rolls & Sheets

## Food Cling Wrap

## Meat Film & Machines

## Pizza Packaging

## Made in America

**126 - 135**

126 - 129

**130**

**131 - 132**

**133**

**134 - 135**



# POLYOLEFIN SHRINK WRAP

## What is Polyolefin?

(Poly-ole-fin) is a plastic polymer, the root word olefin refers to any member of the alkene series. An alkene is any unsaturated chemical compound containing at least one carbon double bond. Ethylene is one of the most common olefins. Polyolefins are used in a variety of industries including: automotive, cosmetics, adhesives, packaging and more. Polyolefin shrink film is the most common form of polyolefin used in the packaging industry. Polyolefin shrink wrap offers many advantages over PVC shrink wrap. In recent years, polyolefin has become the preferred shrink material for most shrink packaging applications. Our polyolefin shrink film is FDA approved for direct food contact.

## 60 Gauge Polyolefin Shrink Film

The 60 gauge centerfold shrink film is considered a lightweight film ideal for wrapping lighter objects that do not have sharp corners and edges. Many customers use the lighter POF film for both food and nonfood products. The 60 gauge polyolefin film offers easy unwrapping, a low shrink rate, and excellent clarity. All polyolefin rolls are on a three inch core. Polyolefin is FDA approved for direct contact with consumable products.

**POF shrink film is used for retail, food packaging, and many more applications.**

SKU	WidthxLength	Weight	Qty
DU-POF-600-08	8"x4370'	18 lbs	1 Roll
DU-POF-600-10	10"x4370'	20 lbs	1 Roll
DU-POF-600-12	12"x4370'	24 lbs	1 Roll
DU-POF-600-14	14"x4370'	28 lbs	1 Roll
DU-POF-600-16	16"x4370'	36 lbs	1 Roll
DU-POF-600-18	18"x4370'	38 lbs	1 Roll
DU-POF-600-20	20"x4370'	40 lbs	1 Roll
DU-POF-600-22	22"x4370'	44 lbs	1 Roll
DU-POF-600-24	24"x4370'	48 lbs	1 Roll



## 75 Gauge Polyolefin Shrink Film

Our 75 gauge centerfold polyolefin shrink wrap is the most common thickness used and optimal for wrapping toys, games, packaged foods, electronics, etc. Polyolefin shrink wrap features include:

<b>Superior Gloss</b>	<b>Protection from Tampering</b>
<b>Low Haze</b>	<b>Packaging for Various Products</b>
<b>Remarkable clarity</b>	<b>FDA Approved</b>

**POF shrink film is an all purpose centerfold heat shrink wrap, ideal for high speed machine applications as well as manual and semi-automatic machines.**

**All POF rolls are on a three inch core.**

SKU	WidthxLength	Weight	Qty
DU-POF-750-08	8"x3500'	16 lbs	1 Roll
DU-POF-750-10	10"x3500'	20 lbs	1 Roll
DU-POF-750-12	12"x3500'	24 lbs	1 Roll
DU-POF-750-14	14"x3500'	28 lbs	1 Roll
DU-POF-750-16	16"x3500'	32 lbs	1 Roll
DU-POF-750-18	18"x3500'	36 lbs	1 Roll
DU-POF-750-20	20"x3500'	40 lbs	1 Roll
DU-POF-750-22	22"x3500'	44 lbs	1 Roll
DU-POF-750-24	24"x3500'	48 lbs	1 Roll
DU-POF-750-26	26"x3500'	52 lbs	1 Roll
DU-POF-750-28	28"x3500'	56 lbs	1 Roll
DU-POF-750-30	30"x3500'	60 lbs	1 Roll



### How to order the right shrink film size!

Centerfold Shrink Film Measurement Formula

**Width + Height x 1.1 = Centerfold Film Width Needed**

The width and height of the largest product being wrapped is needed to accurately measure for centerfold shrink film.

## 100 Gauge Polyolefin Shrink Film

The 100 gauge polyolefin rolls are heavy duty centerfold shrink film typically rated for products up to 30-45 lbs. in weight. It is considered ideal for medium weight boxes and products.

The thicker 100 gauge POF film is great for cold storage food items and dry goods. Obtain excellent seal strength and tear resistance with 100 gauge polyolefin shrink film. All 100 gauge polyolefin rolls are on a three inch core.

**POF shrink film is FDA approved packaging film suited for packaging products across multiple industries.**

SKU	WidthxLength	Weight	Qty
DU-POF-1000-08	8"x2625'	16 lbs	1 Roll
DU-POF-1000-10	10"x2625'	20 lbs	1 Roll
DU-POF-1000-12	12"x2625'	36 lbs	1 Roll
DU-POF-1000-14	14"x2625'	39 lbs	1 Roll
DU-POF-1000-16	16"x2625'	48 lbs	1 Roll
DU-POF-1000-18	18"x2625'	24 lbs	1 Roll
DU-POF-1000-22	22"x2625'	29 lbs	1 Roll
DU-POF-1000-24	24"x2625'	42 lbs	1 Roll



## 45 Gauge Polyolefin Cross Linked Shrink Film

Centerfolded 45 gauge polyolefin cross linked shrink film offers excellent clarity, seal strength, and tear resistance. A variety of industries including pharmaceutical, cosmetic, electronics, food, and multiple other industries packaging lighter products choose 45 gauge cross linked shrink film.

Cross linked shrink film benefits include:

**Stronger Seals**  
**Improved Tensile Strength**  
**Excellent Clarity**  
**Ideal for Automatic Machines**  
**FDA Approved for Direct Food Contact**  
**Increase Puncture Resistance**





**45 Gauge Polyolefin Cross Linked Shrink Film** (Continued)

Prices listed below are 1-4 roll prices. For price breaks on five or more rolls call us at 1-800-441-5090.

SKU	WidthxLength	Weight	Qty
EX-QSIR-1045	10"x5250'	26 lbs	1 Roll
EX-QSIR-1245	12"x5250'	30 lbs	1 Roll
EX-QSIR-1445	14"x5250'	34 lbs	1 Roll
EX-QSIR-1645	16"x5250'	38 lbs	1 Roll
EX-QSIR-1845	18"x5250'	42 lbs	1 Roll
EX-QSIR-2045	20"x5250'	46 lbs	1 Roll

**60 Gauge Polyolefin Cross Linked Shrink Film**

A 60 gauge polyolefin cross linked shrink film is stronger and more durable than a standard 60 gauge shrink film. This enables users to use a thinner film with increased strength. A variety of industries choose a 60 gauge cross linked shrink film for packaging. Rolls of 60 gauge shrink film are longer and more cost effective than thicker film rolls. Below are some of the many benefits to cross linked shrink film.

**Stronger Seals**  
**Improved Tensile Strength**  
**Excellent Clarity**  
**Ideal for Automatic Machines**  
**FDA Approved for Direct Food Contact**  
**Increase Puncture Resistance**

Prices displayed below are 1-4 roll prices. Price breaks begin at 5 or more rolls.

SKU	WidthxLength	Weight	Qty
EX-QSIR-660	8"x4370'	16 lbs	1 Roll
EX-QSIR-860	8"x4370'	18 lbs	1 Roll
EX-QSIR-1060	10"x4370'	20 lbs	1 Roll
EX-QSIR-1260	12"x4370'	24 lbs	1 Roll
EX-QSIR-1460	14"x4370'	28 lbs	1 Roll
EX-QSIR-1660	16"x4370'	36 lbs	1 Roll
EX-QSIR-1860	18"x4370'	36 lbs	1 Roll
EX-QSIR-2060	20"x4370'	40 lbs	1 Roll
EX-QSIR-2260	22"x4375'	44 lbs	1 Roll
EX-QSIR-2460	24"x4375'	48 lbs	1 Roll





## 75 Gauge Polyolefin Cross Linked Shrink Film

Centerfolded 75 gauge cross linked polyolefin shrink film is the most common thickness sold. A 75 gauge cross linked shrink film is stronger than a standard 75 gauge polyolefin shrink film. The stronger cross linked shrink film is ideal for high speed machines as well as down gauging from a 100 gauge standard shrink film.

Below are some benefits to using a cross linked shrink film.

**Stronger Seals**

**Improved Tensile Strength**

**Excellent Clarity**

**Ideal for Automatic Machines**

**FDA Approved for Direct Food Contact**

**Increase Puncture Resistance**

Prices listed in the chart below are 1-4 roll prices.

SKU	WidthxLength	Weight	Qty
EX-QSIR-675	6"x3500'	14 lbs	1 Roll
EX-QSIR-875	8"x3500'	16 lbs	1 Roll
EX-QSIR-1075	10"x3500'	20 lbs	1 Roll
EX-QSIR-1275	12"x3500'	24 lbs	1 Roll
EX-QSIR-1475	14"x3500'	28 lbs	1 Roll
EX-QSIR-1675	16"x3500'	32 lbs	1 Roll
EX-QSIR-1875	18"x3500'	36 lbs	1 Roll
EX-QSIR-2075	20"x3500'	40 lbs	1 Roll
EX-QSIR-2275	22"x3500'	44 lbs	1 Roll
EX-QSIR-2475	24"x3500'	44 lbs	1 Roll
EX-QSIR-2675	26"x3500'	52 lbs	1 Roll
EX-QSIR-2875	28"x3500'	56 lbs	1 Roll
EX-QSIR-3075	30"x3500'	60 lbs	1 Roll
EX-QSIR-3275	32"x3500'	64 lbs	1 Roll



### How to perform a 3 foot drop test:

Drop a package 5 times from a 3 ft height. The package should fall on top, flat on base, flat long side, flat short side, and on a corner. Passing a drop test with no tears or rips helps to ensure the right film thickness is being used.

## 100 Gauge Polyolefin Cross Linked Shrink Film

A durable 100 gauge cross linked polyolefin shrink film is ideal for heavy products up to 40 lbs. The irradiation process strengthens the film resulting in stronger seals and puncture resistance.

Industries wrapping metal products, liquids, industrial products, and heavy boxes often choose a cross linked 100 gauge shrink film for packaging. Cross linked film is a favorite for high-speed automatic machines and semi-automatic machines.

Many customers use a crosslinked 100 gauge crosslinked shrink film for sending products via USPS. With multiple in-house tests, we have had packages up to 20 lbs. shipped with 100 gauge crosslinked shrink film still intact upon arrival.

Some benefits include:

Below are some benefits to using a cross linked shrink film.

**Superior Seal Strength**  
**Ability to Wrap Heavy Products**  
**Better Clarity than Standard 100 Gauge Film**  
**Ideal For Automatic Machines w/Hot Knife**  
**FDA Approved for Direct Food Contact**  
**Ship Products via USPS**

Pricing listed in the chart below is 1-4 roll prices.  
 For orders of 5 or more rolls, call us at 1-800-441-5090.  
 Most orders ship within 24 hours of a completed order.



SKU	WidthxLength	Weight	Qty
EX-QSIR-08100	8"X2625'	20 lbs	1 Roll
EX-QSIR-10100	10"X2625'	22 lbs	1 Roll
EX-QSIR-12100	12"X2625'	24 lbs	1 Roll
EX-QSIR-14100	14"X2625'	29 lbs	1 Roll
EX-QSIR-16100	16"X2625'	36 lbs	1 Roll
EX-QSIR-18100	18"X2625'	39 lbs	1 Roll
EX-QSIR-20100	20"X2625'	41 lbs	1 Roll
EX-QSIR-22100	22"X2625'	42 lbs	1 Roll
EX-QSIR-24100	24"X2625'	48 lbs	1 Roll
EX-QSIR-30100	30"X2625'	64 lbs	1 Roll
EX-QSIR-32100	32"X2625'	68 lbs	1 Roll



## 60 Gauge Low Temp Polyolefin Shrink Film

Using a low temperature shrink film can help protect sensitive products and increase production times. A low shrink polyolefin film reduces required heat exposure for faster sealing and shrinking. Shorter seal times increase production and reduce shrink machine wear.

Low temp shrink film features:

**Superior Seal Strength**  
**Lowered Seal Temps.**  
**Lowered Shrink Temps.**  
**Food Safe**  
**Puncture Resistant**

Multiple widths are available below, with discounts starting at five or more rolls.

SKU	WidthxLength	Weight	Qty
TL-VLS-600-08	8"x4370'	18 lbs	1 Roll
TL-VLS-600-10	10"x4370'	20 lbs	1 Roll
TL-VLS-600-12	12"x4370'	24 lbs	1 Roll
TL-VLS-600-14	14"x4370'	28 lbs	1 Roll
TL-VLS-600-16	16"x4370'	36 lbs	1 Roll
TL-VLS-600-18	18"x4370'	38 lbs	1 Roll
TL-VLS-600-20	20"x4370'	44 lbs	1 Roll



**All centerfolded rolls are FDA approved for direct food contact and perfect for: Chocolates, candies, heat-sensitive electronics, and more. Standard required shrink temperatures are between 180 – 200 degrees Fahrenheit.**

### Common Shrink Wrapping Problems:

**Ballooning** - Excess air trapped inside the sealed shrink film. Ballooning happens after the seals have been made and heat is applied. It is hard to determine which products will balloon. If ballooning is experienced, small needle sized vent holes can be used to prevent future ballooning.

**Burn Holes** - Burn holes are when too much heat is applied to the shrink film being used. If using a heat gun, back heat gun further away from the product. If using a shrink tunnel, speed up conveyor or decrease heat.

## 75 Gauge Low Temp Polyolefin Shrink Film

Low temperature POF shrink film is designed to reduce the amount of heat exposure required to fully shrink the film. The lower heat exposure is perfect for heat sensitive items. Reduced heat exposure also enables faster conveyor speeds and quicker production times. Low temp. shrink film shrinks at 180-215 degrees Fahrenheit.

**Superior Seal Strength**

**Lowered Seal Temps.**

**Lowered Shrink Temps.**

**Food Safe**

**Puncture Resistant**

All rolls are centerfolded rolls, available in multiple widths listed below.

SKU	WidthxLength	Weight	Qty
TL-VLS-750-08	8"x3500'	16 lbs	1 Roll
TL-VLS-750-10	10"x3500'	20 lbs	1 Roll
TL-VLS-750-12	12"x3500'	24 lbs	1 Roll
TL-VLS-750-14	14"x3500'	28 lbs	1 Roll
TL-VLS-750-16	16"x3500'	32 lbs	1 Roll
TL-VLS-750-18	18"x3500'	36 lbs	1 Roll
TL-VLS-750-22	22"x3500'	42 lbs	1 Roll



## Perforated POF Shrink Film (75 GAUGE)

Perforated polyolefin shrink film is a food-safe shrink film with tiny holes throughout the film. The small holes are needle sized and difficult to see. They are perfect for letting smells through and quickly allowing air to escape when the package is shrinking. The holes are unnoticeable after shrinking is complete. Pre-cut holes are spaced 2.5 centimeters apart throughout the roll. The pre-cut holes are perfect for wrapping soaps and candles. The holes allow the product smells to easily come through the packaging. An excellent option for clearly displaying products with sight and smell.

**Scent Friendly Packaging**

**Less Ballooning**

**Excellent Clarity**

**Food Safe**

**Limited Sizes Available**

SKU	WidthxLength	Weight	Qty
DU-PPOF-750-08	8"x3500'	16 lbs	1 Roll
DU-PPOF-750-10	10"x3500'	20 lbs	1 Roll
DU-PPOF-750-12	12"x3500'	24 lbs	1 Roll
DU-PPOF-750-14	14"x3500'	28 lbs	1 Roll
DU-PPOF-750-16	16"x3500'	32 lbs	1 Roll
DU-PPOF-750-18	18"x3500'	36 lbs	1 Roll





## Biodegradable POF Shrink Film

Biodegradable POF shrink film (Eco-olefin) is a cutting-edge centerfold packaging solution designed for use with various shrink wrap machines. Made from crosslinked polyolefin, it provides the same durability and clarity as traditional shrink films, while its biodegradable additive allows it to break down naturally in landfills or when exposed to exterior elements, reducing long-term plastic waste.

Eco-olefin Biodegradable Shrink Film Features:

**Low Shrink Temperature**

**Excellent Clarity**

**Strong Seals**

**Crosslinked**

**Stable Shelf Life**

**Used Across Multiple Industries**

**Centerfolded for L Bar Sealers**

**Thin Seal Seams**

**Standard Stock Item**

**Ships in 24 hours or less**



Price breaks start at five or more rolls.

SKU	WidthxLength	Weight	Qty
FL-ECOPOF-750-08	8"x3500'	16 lbs	1 Roll
FL-ECOPOF-750-10	10"x3500'	20 lbs	1 Roll
FL-ECOPOF-750-12	12"x3500'	24 lbs	1 Roll
FL-ECOPOF-750-14	14"x3500'	28 lbs	1 Roll
FL-ECOPOF-750-16	16"x3500'	32 lbs	1 Roll
FL-ECOPOF-750-18	18"x3500'	36 lbs	1 Roll
FL-ECOPOF-750-20	20"x3500'	40 lbs	1 Roll

## Polyolefin Shrink Bags

Polyolefin shrink bags are perfect for packaging retail items of all sizes. They provide excellent clarity, perfect for displaying products on store shelves. Polyolefin shrink bags are FDA approved for direct food contact making them a great option for bakeries, delis, confectionaries, and more!

SKU	WidthxLength	Weight	Qty
SS-OSB-4-6-75A	4"x6"	1 lbs	500 bgs
SS-OSB-6-6.5-75A	6"x6.5"	2 lbs	500 bgs
SS-OSB-6.5-10.5-75A	6.5"x10.5"	3 lbs	500 bgs
SS-OSB-8-12-75A	8"x12"	3 lbs	500 bgs
SS-OSB-12-16-75B	12"x16"	3 lbs	250 bgs



### How to Measure for Shrink Bags:

Measure the circumference of the widest point on the object being wrapped. Then measure the length of the product being wrapped. Add 10-15% to the circumference of the width and divide by 2.

# PVC SHRINK WRAP

## What is PVC?

PVC stands for polyvinyl chloride, one of the most commonly produced plastics in the world. PVC plastic has been around since the early 19th century. Today, one of the most well known uses for PVC plastic is in pipe. PVC pipe is often used for water and sewer transportation applications. PVC plastic is also found in a variety of other objects around us. PVC plastic is in everything from clothes, signs, flooring, and packaging. PVC shrink wrap is one of the most commonly used materials in the packaging industry.

PVC shrink wrap is ideal for a variety of packaging situations. Known to be an excellent shrink film for manually operated machines. PVC shrink film is commonly found in centerfold rolls.

## PVC Shrink Wrap 500 Ft. Rolls

PVC shrink wrap rolls are an excellent option for wrapping a variety of products including: Boxed Packages, tools, toys, and any other non food products. Centerfold PVC shrink wrap offers supreme clarity, and great strength. Unshrunk PVC shrink wrap is crinkly; after heat is applied the film becomes harder and stronger.

**All PVC shrink wrap rolls are on a three inch core.**

SKU	WidthxLength	Weight	Qty
DU-PVC-355-10	10"X500'	5 lbs	1 Roll
DU-PVC-355-12	12"X500'	6 lbs	1 Roll
DU-PVC-355-14	14"X500'	8 lbs	1 Roll
DU-PVC-355-16	16"X500'	10 lbs	1 Roll
DU-PVC-355-18	18"X500'	10 lbs	1 Roll
DU-PVC-355-20	20"X500'	12 lbs	1 Roll
DU-PVC-355-22	22"X500'	12 lbs	1 Roll
DU-PVC-355-24	24"x500'	13 lbs	1 Roll
DU-PVC-355-26	26"x500'	14 lbs	1 Roll
DU-PVC-355-28	28"x500'	14 lbs	1 Roll
DU-PVC-355-30	30"x500'	16 lbs	1 Roll
DU-PVC-355-32	32"x500'	16 lbs	1 Roll
DU-PVC-355-36	36"x500'	18 lbs	1 Roll

PVC shrink film begins to shrink at 180 degrees Fahrenheit. Proper ventilation is required when shrinking PVC shrink film. Do not apply heat in confined areas.





## PVC Shrink Wrap 2000 Ft. Rolls

Large 2000 ft. centerfold shrink wrap rolls are ideal for anyone running higher daily output. They require a low seal and shrink temperature and offer an easy unwind. PVC shrink wrap rolls are an excellent choice for wrapping a variety of objects including: CD'S, DVD's, Boxes, Calendars, and more! All rolls are centerfold to offer quick and efficient sealing. We offer widths from 10 inches to 30 inches. All PVC shrink wrap rolls are on a three inch core. See the chart below for the complete list of our 2000 ft. PVC shrink rolls with SKU's, and pricing.

SKU	WidthxLength	Weight	Qty
DU-PVC-750-10	10"x2000'	22 lbs	1 Roll
DU-PVC-750-12	12"x2000'	24 lbs	1 Roll
DU-PVC-750-14	14"x2000'	26 lbs	1 Roll
DU-PVC-750-15	15"x2000'	27 lbs	1 Roll
DU-PVC-750-16	16"x2000'	27 lbs	1 Roll
DU-PVC-750-18	18"x2000'	32 lbs	1 Roll
DU-PVC-750-20	20"x2000'	33 lbs	1 Roll
DU-PVC-750-22	22"x2000'	34 lbs	1 Roll
DU-PVC-750-24	24"x2000'	38 lbs	1 Roll
DU-PVC-750-26	26"x2000'	41 lbs	1 Roll
DU-PVC-750-28	28"x2000'	42 lbs	1 Roll
DU-PVC-750-30	30"x2000'	44 lbs	1 Roll



## Polyethylene Shrink Bundling Film

Polyethylene shrink bundling film is a heavy duty bundling film used for heavy duty packaging applications. All of our shrink bundling rolls are single wound rolls. This means they are wound flat onto the core. This is different than our centerfold polyolefin and PVC shrink rolls. Shrink bundling film can be used with a shrink bundler and shrink tunnel for high-speed packaging applications. Our stock polyethylene rolls offer up to a 15% shrink rate. All widths come on a 3" core size.

SKU	WidthxLength	Weight	Qty
LA-13550	16"x4200'	54 lbs	1 Roll
LA-13552	18"x4200'	61 lbs	1 Roll
LA-13554	20"x4200'	67 lbs	1 Roll
LA-13556	22"x4200'	74 lbs	1 Roll
LA-13558	24"x4200'	80 lbs	1 Roll



## PVC Shrink Tubing

Shrink tubing is ideal for cylindrical products or bundling more than one product together. Many companies use shrink tubing to wrap bottles and tubular containers. Shrink tubing offers the same benefits as shrink wrap bags, with the ability to change the length of the tube. Shrink tubing comes in a variety of roll lengths to help accommodate different production levels. It works well with manual or automatic shrink wrap machines. PVC shrink tubing has a low temp. shrink rate (200°F-250°F) which helps to make sealing quick and easy. It offers an overall shrink rate of up to 40% in all directions.

SKU	WidthxLength	Weight	Qty
DU-PVC-415-02	2.5"x1500'	3 lbs	1 Roll
DU-PVC-415-04	4"x1500'	5 lbs	1 Roll
DU-PVC-415-06	6"x1500'	7 lbs	1 Roll
DU-PVC-415-08	8"x1500'	10 lbs	1 Roll
DU-PVC-415-10	10"x1500'	12 lbs	1 Roll
DU-PVC-415-12	12"x1500'	14 lbs	1 Roll
DU-PVC-415-14	14"x1500'	16 lbs	1 Roll
DU-PVC-425-16	16"x250'	5.3 lbs	1 Roll
DU-PVC-415-16	16"x1500'	19 lbs	1 Roll
DU-PVC-415-18	18"x1500'	26 lbs	1 Roll
DU-PVC-415-20	20"x1500'	30 lbs	1 Roll
DU-PVC-425-24	24"x250'	8 lbs	1 Roll
DU-PVC-415-24	24"x750'	24 lbs	1 Roll
DU-PVC-425-28	28"x250'	9 lbs	1 Roll
DU-PVC-425-28H	28"x250'	10.5 lbs	1 Roll



### How To Measure for Shrink Tubing:

Measure the circumference of the widest point of the object being wrapped, then add 10 percent, and divide by two.

**Circumference x 1.10 ÷ 2 = Tubing Size needed**

#### Example

If an object had a circumference of 10, the equation would be:  $10 \times 1.10 = 11$  then divide by 2,  $11 \div 2 = 5.5$  inches. If the exact size needed is not available, go to the next largest size available.



## PVC Shrink Bags

Shrink bags are ideal for wrapping CD's, DVD's, gift bags, and other products. They offer excellent clarity and require low heat to shrink. Shrink temperatures required are approximately 180° - 220° Fahrenheit. They are easy to use and excellent for professionally wrapping and protecting products. To obtain a professional look with flat shrink bags, a sealer, and heat gun or shrink tunnel is recommended.

SKU	WidthxLength	Weight	Qty
DU-PVC-360-46	4" X 6"	2 lbs	500
DU-PVC-360-66	6" x 6"	2 lbs	500
DU-PVC-360-67	6" x 7"	2 lbs	500
DU-PVC-360-69	6" x 9"	2.5 lbs	500
DU-PVC-360-611	6" X 11"	2.5 lbs	500
DU-PVC-360-812	8" X 12"	3 lbs	500
DU-PVC-360-914	9" X 14"	3 lbs	500
DU-PVC-360-1216	12" X 16"	8 lbs	500
DU-PVC-360-1216A	12" X 16"	4 lbs	250
DU-PVC-360-1218	12" x 18"	12 lbs	500
DU-PVC-360-1218A	12" X 18"	6 lbs	250
DU-PVC-360-1420	14" X 20"	14 lbs	500
DU-PVC-360-1420A	14" X 20"	7 lbs	250

### Popular Shrink Bag Sizes:

6"x7" CDs

6"x9" DVDs

8"x12" Books & Magazines

12"x16" Mailers & Tablets



## Gift Basket Shrink Bags

Gift basket shrink bags offer the same advantages as flat PVC shrink wrap bags, with the ability to fit baskets and different sized objects. All cases of these domed PVC shrink wrap bags sell in quantities of 100 or 250 shrink wrap bags per case. These shrink wrap bags require a low shrink temperature (200°F to 250°F) for shrinkage. Users can get up to a 40% shrink rate in all directions with these shrink wrap bags. They are ideal for a variety of gift and fruit bags. Be sure to always order bags larger than the product being wrapped.



SKU	Dimensions	Weight	Qty
DU-PVC-380-1214A	12 1/2" x 14"	3 lbs	100
DU-PVC-380-1214	12 1/2" x 14"	7 lbs	250
DU-PVC-380-1418A	14" x 18"	3.5 lbs	100
DU-PVC-380-1418	14" x 18"	8 lbs	250
DU-PVC-380-1618A	16" x 18"	4 lbs	100
DU-PVC-380-1618	16" x 18"	9 lbs	250
DU-PVC-380-1622A	16" x 22"	4.25 lbs	100
DU-PVC-380-1622	16" x 22"	9.5 lbs	250
DU-PVC-380-1820A	18" x 20"	4.5 lbs	100
DU-PVC-380-1820	18" x 20"	11 lbs	250
DU-PVC-380-1822	18" x 22"	4.75 lbs	250
DU-PVC-380-1824A	18" x 24"	5 lbs	100
DU-PVC-380-2018	20" x 18"	5 lbs	100
DU-PVC-380-2022	20" x 22"	5.25 lbs	100
DU-PVC-380-2222	22" x 22"	5.25 lbs	100
DU-PVC-380-2224	22" x 24"	5.5 lbs	100
DU-PVC-380-2418	24" x 18"	5.25 lbs	100
DU-PVC-380-2424	24" x 24"	5.75 lbs	100
DU-PVC-380-2430	24" x 30"	6 lbs	100
DU-PVC-380-2436	24" x 36"	6.25 lbs	100
DU-PVC-380-2624	26" x 24"	5.75 lbs	100
DU-PVC-380-2628	26" x 28"	6.25 lbs	100
DU-PVC-380-2824	28" x 24"	6.5 lbs	100
DU-PVC-380-2828	28" x 28"	6.25 lbs	100
DU-PVC-380-2840	28" x 40"	7.25 lbs	100
DU-PVC-380-3230	32" x 30"	7 lbs	100
DU-PVC-380-3240	32" x 40"	7.5 lbs	100

### How to shrink gift basket shrink bags with a heat gun:

Turn the heat gun to the low setting and keep the heated end of the gun 6" – 10" from the shrink film.

Never stop moving the gun around the shrink bag. As film begins to shrink, slowly move the heat gun around the bag until it tightly conforms to the basket being wrapped.

If burn holes occur, move the heat gun further away from the shrink bag. Use in a well ventilated area when applying heat.



## Looking for the perfect shrink wrap product to secure your items? These are the top considerations:

- **Material:** It's best to select a shrink wrap material that suits your specific needs, such as polyolefin or PVC. Essential factors to consider are durability, clarity, and compatibility with your product.
- **Transportation Security:** Consider if the item will be case packed after shrink wrapping or if the material will be exposed during shipping.
- **Application and Equipment:** Manual and semi-auto machines do not require cross-linked shrink film the same as automatic shrink wrap machines.
- **Heat Resistance:** Heat-sensitive products will need materials that shrink at lower temperatures.
- **Film Performance:** Review the film's performance characteristics, such as clarity, cling, and noise level during application.
- **Film Thickness:** Consider the film thickness needed to adequately protect your product.

Gauge	Properties
45 - 50	Used to wrap consumer products such as chocolates, cosmetics, kitchen items, and more.
60	Best for tamper-evident seals for lighter products under five pounds. Crosslinked 60 gauge is better for withstanding sharp edges.
75	The most common thickness for retail heat shrink wrap.
100	Commonly used for retail packaging involving multiple heavier items up to 25lbs, including metal objects.
125-150	Best for product sleeves and tamper seals. Excellent hold strength for multi-packs.
2 Mil - 4 Mil	Can hold a cases of drinks and cans.
4 Mil - 10 Mil	Beyond 4 mil, shrink wrap is often made for larger industrial jobs or covering larger items like patio furniture or industrial equipment.

### Shrink Wrap Machine Reference Guide

What Are the Different Types of Shrink Wrap Machines?			
Name	Image	Items They're Used For	Best Materials to Use with Them
Automatic L-Bar or side seal Machines		Food Products, Beverages, Bottles, Pharmaceuticals, Electronics, Retail Products.	Crosslinked Polyolefin (POF) Shrink Film
Manual Shrink Wrapping Machines		Smaller Bottles or Cans, Stationery and Office Supplies, Pizzas, Retail Products, Baked Goods or Prepared Meals.	PVC, Polyolefin (PO), Polyethylene (PE)
Shrink Bundling Machines		Multipack Bottles or Cans, Household Products, Boxes, Charcoal, Wood, and Cartons.	Polyethylene (PE), Single-round
Semi-Auto Shrink Combo Machines		Food Products, Books, and Electrical Components.	Centerfold Polyethylene (PE), Polyolefin (PO), PVC
Heat Shrink Guns		Boxes and Packages, as well as CDs, DVDs, and other Media Products.	Polyethylene (PE), Polyolefin (PO), PVC
Shrink Chambers		Injection molding, Pharmaceuticals, Retail, and Manufacturing, commercial printing, office and confined area shrink wrapping.	Light gauged centerfold Polyolefin (POF), Centerfold PVC

The process of using a shrink wrap machine typically involves the following steps:

- **Film Unwinding:** A roll of shrink film is unwound for the product to be placed within the material
- **Sealing:** The machine uses heat to seal the film around the product. This can be done using various sealers.
- **Cutting:** If necessary, the machine may also have a cutting mechanism to trim excess film and create a neat, sealed edge.
- **Shrinkage:** Once sealed, the product is moved into a heat tunnel or chamber. Heat is applied to the film, causing it to shrink tightly around the item.

# SHRINK WRAP MACHINES



- Custom Sizes • Custom Perforations
- Single Wound Rolls
- Stainless Steel Machine Options



# **SHRINK WRAPPING MATERIALS AND MACHINES FOR LARGE & SMALL BUSINESSES**



**In stock and ships within 24 hours  
of a completed payment.**

# ROUND WIRE IMPULSE SEALERS

## Round Wire Impulse Sealers

Round wire impulse sealers are perfect for seal and cut packaging. The round wire produces a thin seal seam and cuts excess film once the seal is made. All sealers come with a light indicator and timer setting to show when a seal is complete.

Each round wire sealer is made from durable metal with strong components. An 110V power supply is required for each machine. Made different from many impulse sealers on the market that cost much less. Each sealer comes with replacement wires and tape that can easily be changed.

SKU	Seal Dimensions	Weight	Seal Width
HI-AIE-100TR	4" Impulse Sealer	6 lbs	2mm
HI-AIE-200HR	8" Impulse Sealer	9 lbs	2mm
HI-AIE-300HR	12" Impulse Sealer	13 lbs	2mm
HI-AIE-400PR	16" Impulse Sealer	17 lbs	2mm
HI-AIE-500HR	20" Impulse Sealer	20 lbs	2mm
HI-AIE-600TR	24" Impulse Sealer	24 lbs	2mm
HI-AIE-800TR	32" Impulse Sealer	35 lbs	2mm
HI-AIE-1000TR	40" Impulse Sealer	46 lbs	2mm



## Flat Wire Impulse Sealers

Flat wire sealers can be used with many different materials. A flat wire sealer produces a wider seal than round wire sealers. Wider seals can be used with heavier products and thicker materials. All of our flat wire sealers are made for durability.

Each sealer requires an 110V power supply. All new sealers come with a replacement sealing wire. All parts and machines are in stock!

SKU	Seal Dimensions	Weight	Seal Width
AIE-100T	4" Impulse Sealer	8 lbs	2mm
AIE-200	8" Impulse Sealer	10 lbs	2mm
AIE-205	8" Impulse Sealer	10 lbs	5mm
AIE-300	12" Impulse Sealer	15 lbs	2mm
AIE-305	12" Impulse Sealer	15 lbs	5mm
AIE-400P	16" Impulse Sealer	20 lbs	2mm
AIE-405	16" Impulse Sealer	20 lbs	5mm
AIE-500	20" Impulse Sealer	24 lbs	2mm
AIE-505	20" Impulse Sealer	24 lbs	5mm
AIE-600T2	24" Impulse Sealer	30 lbs	2mm
AIE-800T2	32" Impulse Sealer	35 lbs	2mm
AIE-1000T2	40" Impulse Sealer	42 lbs	2mm



**Parts and support are  
one call away!**



## Flat Wire Impulse Sealers w/Cutter Blade

Hand Impulse sealers with a cutter blade are ideal for polyethylene tubing and shrink wrap tubing. The cutter blade is positioned on top of the sealing bar for quick and easy cutting. A wider seal width establishes a stronger seal. Wider seal widths are recommended for heavier products that may break a thinner seal. Call us if you have any questions about our hand sealers.



SKU	Seal Dimensions	Weight	Seal Width
AIE-200C	8" Impulse Sealer With Cutting Blade	12 lbs	2mm
AIE-205C	8" Impulse Sealer With Cutting Blade	13 lbs	5mm
AIE-300C	12" Impulse Sealer With Cutting Blade	13 lbs	2mm
AIE-305C	12" Impulse Sealer With Cutting Blade	15 lbs	5mm
AIE-400C	16" Impulse Sealer With Cutting Blade	16 lbs	2mm
AIE-405C	16" Impulse Sealer With Cutting Blade	18 lbs	5mm
AIE-500C	20" Impulse Sealer With Cutting Blade	19 lbs	2mm
AIE-505C	20" Impulse Sealer With Cutting Blade	20 lbs	5mm



## 2-Speed Heat Gun

This 120 volt, 1200 watt heat shrink gun is great for a variety of heat shrink wrap applications. It features two temperature settings of 750 and 1100 degrees Fahrenheit. The easy to adjust switch allows easy temperature control for use on a variety of shrink films. The high and low settings of this heat gun can accommodate a variety of thicknesses of PVC and polyolefin shrink film. We recommend the two-speed heat gun for any of our shrink bags, rolls, or tubing.

SKU
HI-AIE-HG1

## Variable Temperature Heat Gun

This variable temperature shrink gun is durable and easy to use. Great for wrapping products at the heat setting you need. A hand guard provides additional safety with heat shrink operations. This heat shrink gun has great air velocity along with an adjustable temperature dial to obtain the exact heat setting desired. Temperatures range from 0 to 1100 degrees, 120 volt, 1200 watts. This product comes with a limited 1 year manufacturer's warranty.

SKU
IP-SWVHG



## I Bar Shrink Wrap Systems

Shrink wrap systems come with an I bar sealer, two-speed heat gun and holder, film rack, parts kit, and choice of 75 gauge PVC or Polyolefin shrink wrap roll. This system is an ideal start up kit for shrink wrapping books, crafts, baked goods, gift baskets, stationary, and more. The three-step system allows for a quick, professional shrink wrap look to all your products.

The Skus with POF indicate food safe polyolefin shrink film.

SKU	Seal Dimensions	Weight	Film Included
HI-AIE-2013-13PVC	13" I Bar Sealer	30 lbs	PVC
HI-AIE-2013-13POF	13" I Bar Sealer	30 lbs	Polyolefin
HI-AIE-2018-18PVC	18" I Bar Sealer	37 lbs	PVC
HI-AIE-2018-18POF	18" I Bar Sealer	37 lbs	Polyolefin
HI-AIE-2024-24PVC	24" I Bar Sealer	43 lbs	PVC
HI-AIE-2024-24POF	24" I Bar Sealer	43 lbs	Polyolefin
HI-AIE-2032-32PVC	32" I Bar Sealer	52 lbs	PVC
HI-AIE-2040-40PVC	40" I Bar Sealer	58 lbs	PVC



## I Bar Super Sealer

The American made Super Sealer is a UL listed option for lower production shrink wrapping. Made from durable materials, the super sealer is capable of wrapping up to 300 products daily. The durable nichrome wire is perfect for sealing up to a 2 mil material thickness. For overall performance, the Super Sealers out perform our imported I bar sealers in number of seals made and material thickness capable of being sealed. Super sealers are made in seal lengths from 13 inches to 40 inches. All systems come with a starter roll of shrink film and a variable temperature heat gun. Each machine features a quick adjust timer, film tension adjuster, a film separator, and UL listed parts. All sizes have a standard 110/120 volt plug with prong. The 5 ft. power cord ensures plenty of room for plugging into a wall outlet. Parts and machine are in stock and ready to ship. Contact us with questions and quantity discount requests today!

SKU	Seal Dimensions	Weight	Film Included
TR-13-PMK	13" I Bar Sealer	32 lbs	Polyolefin
TR-18-PMK	18" I Bar Sealer	40 lbs	Polyolefin
TR-24-PMK	24" I Bar Sealer	47 lbs	Polyolefin
TR-32-PMK	32" I Bar Sealer	57 lbs	Polyolefin
TR-40-PMK	40" I Bar Sealer	63 lbs	Polyolefin



## Portable Impulse Sealers

Portable I-Bar shrink wrap sealers make sealing easier and faster. The hand held unit utilizes a micro switch to activate the shrink wrap sealing/cutting wire. Users simply hold the sealing bar down to the silicone pad while pushing the sealing trigger. Once each side is sealed, the package is ready for heat to be applied. The sealer base has an 8' cord connecting the temp controller to the hand held unit. It also features an adjustable temperature timer. Ideal for the toughest shrink wrap jobs.



SKU	Seal Dimensions	Weight
HI-AIE-300PI 12	12" Portable I Bar Sealer	55 lbs
HI-AIE-300PI 18	18" Portable I Bar Sealer	58 lbs
HI-AIE-300PI 24	24" Portable I Bar Sealer	62 lbs
HI-AIE-300PI 32	32" Portable I Bar Sealer	69 lbs

## 13" x 13" Portable L Bar Shrink Wrap Sealer



The Portable L-Bar sealer makes two seals at one time, saving energy and making shrink wrapping easier. It is an ideal shrink wrap machine to be used in a variety of applications. Great for increasing production while reducing energy and costs. Users can package thousands of products per day with an L-Bar sealer and shrink tunnel. Users with an L-Bar sealer and heat gun can package hundreds of products per day.


SKU	Seal Dimensions	Weight	Power Supply
HI-AIE1313L-STD	13"x13"	32 lbs	110V

## 18"X18" Deluxe L-Bar Shrink Wrap System

This L-Bar shrink wrap machine is durable and made for professional shrink wrapping applications. Made from all steel construction, the L bar design is intended for quick and efficient shrink wrap applications.

### Machine Features:

- \*Built in timer
- \*Adjustable Shrink Film Dispenser
- \*Twin Perforated Hole Punchers
- \*Film Separator
- \*Work Table
- \*Film Guide (when used with a shrink tunnel, users can seal thousands of products per day.)



SKU	Seal Dimensions	Weight	Power Supply
HI-AIE1818L-STD	18"x18"	61 lbs	110V



## 24" X 32" Deluxe L-Bar Shrink Wrap System

The 24x32 L-Bar shrink wrap sealer is durable and made for professional shrink wrapping applications. Made from all steel construction, the machine is intended for quick and efficient shrink wrap applications. Features include: a built in timer, an adjustable shrink wrap dispenser, twin perforated hole punchers, a film separator, and a work area. Users can professionally package thousands of products per day when using an L bar sealer with a shrink tunnel.



SKU	Seal Dimensions	Weight	Power Supply
24"x32"	HI-AIE2432-L	90 lbs	110V

## 1519 L Bar Sealer

The stand alone 1519 L Bar sealer features micro knife technology, magnetic hold down and an auto discharge conveyor. The 15"x19" sealing bar can accommodate most products and ensures a clean crisp seal time-after-time.

The auto discharge feature transports products from the sealing area into a tunnel or exit bin of choice. The magnetic hold down increases efficiency allowing operators to begin the next product while the seal is finishing. The micro knife technology is designed for high production. With proper upkeep, the micro knife will last tens of thousands of seals before needing to be replaced.

The wheels and locking casters allow users to easily move the sealer to a desired location and quickly lock into place. The 1519 L Bar sealer can be coupled with any of our shrink tunnels for increased packaging efficiency.



SKU	Seal Dimensions	Weight	Power Supply
TL-1519LMC	15"x19"	310 lbs	110V

### See machine details below.

- \* 15"x19" Sealing Bar
- \* Micro Knife Technology
- \* Easy Load Film Dispenser
- \* Work Table
- \* Magnetic Hold
- \* Wheels and Locking Casters
- \* Automatic Film Discharge Conveyor
- \* 110v Electrical Supply
- \* 41"x26"x49" Crated Dimensions
- \* 1 Year Warranty on all non-wearable parts

### 1 Year Warranty on all non-wearable parts

- Extended warranties available
- Parts always in stock

\*Wearable Parts Include: Sealing Knife, Tape, Transit Channels, fuses, and bumper pads.



**Order online today or call us at 1-800-441-5090 with questions or freight quote requests!**

## 1622 L Bar Sealer

The 1622 L bar sealer is a 220v sealer designed for sealing thousands of products daily. The large 16"x22" sealing area is capable of accommodating a large variety of products. The revolutionary micro knife sealing blade is a durable long-lasting sealing blade capable of withstanding tens of thousands of seals with proper cleaning and maintenance.

Once the sealing bar is closed, the magnetic hold down keeps the bar in place until the seal is complete. This enables operators to begin wrapping the next product while the seal is completing. Directly under the sealing area is the discharge conveyor that transports the products to a tunnel or exit bin of choice after the seal is complete. All 1622 L bar sealers ship with bare 220v wires. This allows buyers to match the appropriate male and female plugs upon arrival. All of our stand-alone L bar sealers come with legs and locking casters for easy transportation. The 1622 L Bar sealer can be coupled with any of our shrink tunnels for increased packaging efficiency.

### See machine details below.

- \* 16"x22" Sealing Bar
- \* Micro Knife Technology
- \* Easy Load Film Dispenser
- \* Work Table
- \* Magnetic Hold
- \* Wheels and Locking Casters
- \* Automatic Film Discharge Conveyor
- \* 220v Electrical Supply, 15 Amps
- \* 53"x29"x45" Crated Dimensions
- \* 1 Year Warranty on all non-wearable parts



SKU	Seal Dimensions	Weight	Power Supply
TL-1622MKS	16"x22"	400 lbs	220V



## 2028 L Bar Sealer

The 2028 L bar sealer offers a large 20"x28" sealing area capable of sealing large and small products. The heavy duty 2028 L bar sealer is made to package thousands of products daily. The sealing bar features a heavy duty torsion bar to easily lift and close the bar each seal. Each 2028 L bar sealer is made with micro knife technology for higher output sealing.

### See machine details below.

- \* 20"x28" Sealing Bar
- \* Micro Knife Technology
- \* Easy Load Film Dispenser
- \* Work Table
- \* Magnetic Hold
- \* Wheels and Locking Casters
- \* Automatic Film Discharge Conveyor
- \* 220v Electrical Supply, 28 Amps
- \* 72"x36"x48" Crated Dimensions
- \* 1 Year Warranty on all non-wearable parts

The micro knife sealing feature is a stronger, more durable sealing blade to last tens of thousands of seals with proper maintenance. Directly under the sealing area is the discharge conveyor. The discharge conveyor transports products from the sealing area into a shrink tunnel or exit bin of choice once the seal is complete and the sealing bar releases. The 2028 L Bar sealer can be coupled with any of our shrink tunnels for increased packaging efficiency.

SKU	Seal Dimensions	Weight	Power Supply
TL-2028MKS	20"x28"	636 lbs	220V

**Order online today or call us at 1-800-441-5090 with questions or freight quote requests!**

## 48ST L Bar Sealer and Shrink Chamber Combo

The sealer, shrink chamber combo enables efficient and consistent package sealing time and time again. Great for PVC shrink wrap and polyolefin shrink wrap films. Once film is dispensed and products are placed in the film, the combo system does the rest. Simply close the lid and allow the shrink system to seal and shrink in one motion.

### Below are the specifications for this machine.

L-Bar Sealer and Shrink chamber combos offer: Compact L Sealer design and Hooded Shrink Chamber in one complete unit. Machine features include: Band Seal Technology, Magnetic Hold Down for seal and shrink Cycle, Pinwheel Hole Punch, and Casters. Adjustable grates allow for sealing and shrinking taller products.



### See machine details below.

\*Seal Dimensions:  
Length 18.5", Width 12", Height 6"  
\*Sealer/Chamber Combo  
\*Machine Dimensions:  
Length 50", Width 26", Height 45"

\*Weight: 270 Lbs.  
\*Power Supply 110 Volts= 20 amps  
\*Crate Dimensions:  
Length 44", Width 27", Height 44"  
\*1 year limited warranty on all non-wearable parts

SKU	Weight	Power Supply	Seal Dimensions
TL-48ST	275 lbs	110V	18.5"x12"x6"

## 76ST L Bar Sealer and Shrink Chamber Combo

The sealer, shrink chamber combo enables efficient and consistent package sealing time and time again. Great for PVC shrink wrap and polyolefin shrink wrap films. Once film is dispensed and products are placed in the film, the combo system does the rest. Simply close the lid and allow the shrink system to seal and shrink in one motion.

L-Bar Sealer and Shrink chamber combos offer:

Compact L Sealer and Hooded Shrink Chamber in one complete unit. Machine comes with "Band Seal Technology," Magnetic Hold Down For seal and shrink Cycle, Pinwheel Hole Punch, and Casters. Adjustable grates allow for sealing and shrinking taller products.

### Below are the specifications for this machine.

\*Seal Dimensions: Length 22", Width 16", Height 8"  
\*Sealer/Chamber Combo  
\*Machine Dimensions: Length 42", Width 28", Height 36"  
\*Weight: 350 Lbs.  
\*Power: 220 Volts, 20 amps  
\*Crate Dimensions: Length 42", Width 32", Height 42"  
\*1 year limited warranty on all non-wearable parts



SKU	Weight	Power Supply	Seal Dimensions
TL-76ST	350 lbs	220V	22"x16"x8"

**Order online today or call us at 1-800-441-5090 with questions or freight quote requests!**



## One-Step L Bar Sealer and Chamber Combo

One-step shrink wrap machines feature a seal and shrink process completed with the closing of a lid. Users place products into the shrink material, then slide the product into the chamber. With the close of the lid, the magnet holds down to make a seal, after the seal, heat shrinks the material to the product. The HSE-50 one step machine is capable of wrapping up to 5 products per minute. The speed varies based on the product size and thickness. Thicker materials requiring more heat will take longer for seals to be made and material to be shrunk. Compared to the TL-76ST one-step shrink chamber, the HSE-50 is capable of shrinking thicker crosslinked 100 film, when the TL-76ST could not. Easy touch digital controls make adjustments to each package easy. Capable of storing up to 10 pre-set packages, the user chooses the right pre-set for the product and begins shrink wrapping. Each machine ships crated and ready to work after being removed from the pallet. All HSE-50 machines are single phase 220v/208v power with a 22 amp draw. See specifications and details below.

### Key Features:

- \*Sealing Area: 15"x21"
- \* Maximum Product Height: 7.8"
- \* Maximum Product size: 14.5"x19.5"
- \* Maximum Shrink Film Width: 22"
- \* Max Products Per Minute: 5

SKU	Weight	Power Supply	Seal Dimensions
HS-HSE50	232 lbs	220V	15"x21"

## 1519 Shrink Wrapping Combo System

The TL-1519 ECMC shrink combo system is a great option for wrapping several hundreds of products per day to several thousands of products per day. The TL-1519 can wrap from 8-12 products per minute.

### Each combo system includes:

- \* 15"x19" L-Bar Sealer
- \* 16"x20"x6" Shrink Tunnel
- \* Tunnel Speeds up to 60 FPM
- \* Easy Load Film Dispenser
- \* Work Table
- \* Sealer with Magnetic Hold
- \* Automatic Film Discharge Conveyor
- \* Available in 110V or 220V
- \* 76" Total Length
- \* 1 Year Warranty on all non-wearable parts

SKU	Weight	Power Supply	Seal Dimensions
TL-1519ECMC-110V	460 lbs	110V	15"x19"x5.5"
TL-1519ECMC-210V	460 lbs	210V	15"x19"x5.5"



Call for assistance with new machine setup.  
Our customer support is available M-F, 8-5 central time.

**220v machines ship bare wire. A matching male 220V plug is required upon arrival.**

## HSE 100 Shrink Combo System

The American made HS-HSE100 Combo System is designed to be a tabletop or stand alone model. Both models are designed for efficiency and consistency. The magnetic hold down on the L-bar sealer enables hands-free product sealing once the sealer is closed. After the magnets are released, the discharge conveyor transports the sealed product into the shrink tunnel.

### The HS-HSE100 shrink combo system features:

- \* 16"x20" L-Bar Sealer
- \* 14"x20"x6.5" Shrink Tunnel
- \* Easy-Load Film Rack and Tension Rollers
- \* Adjustable Film Separator and Work Area
- \* Adjustable Take-Away Conveyor
- \* Single Plug 115V, 20 Amp Power
- \* Auto Tunnel Cool Down
- \* Adjustable Product Transition Piece
- \* Easy Operation Control Panel
- \* 1 Year Warranty on all non-wearable parts



SKU	Seal Dimensions	Weight	Power Supply
HS-HSE100-LK	16"x20"x6"	400 lbs	115V

## 1622 Shrink Wrapping Combo Systems

The TL-1622MK is an excellent option for companies shrink wrapping up to 5,000 products per day. This combo system features an L-Bar sealer and shrink tunnel. The L-Bar system offers an automatic film discharge conveyor to transport products directly into the shrink tunnel after the seal has been completed. This allows the users to begin inserting the product into the film as soon as the sealing bar has been closed.

### Features Include:

- \* 16"x22" L-Bar Sealer
- \* Magnetic Hold
- \* Automatic Discharge conveyor
- \* Easy Load Film Dispenser
- \* Work Table
- \* 18"x28"x8" Shrink Tunnel
- \* Perforated Hole Punch
- \* Heavy-Duty Locking Casters
- \* 1 Year Warranty on all non-wearable parts
- \* 103" Machine Length
- \* 220v Single Phase



SKU	Weight	Power Supply	Seal Dimensions
TL-1622MK	950 lbs	220V	16"x22"x7.5"

**All shrink combo systems ship via motor freight.**

## HS-HDX350 Shrink Combo System

The HDX350 is a large shrink wrapping combo system made in the U.S.A. The 21 inch by 25 inch sealing area is perfect for large and small products. Height adjustments can quickly be made with the easy turn knob.

### Features Include:

- \* UL 508A Standard Compliant
- \* Easy Setup and Operation
- \* Digital Temperature Controls for Exact Settings
- \* 21"x25" Sealing Area
- \* Strong, Durable Magnetic Hold Downs
- \* Adjustable Discharge Conveyor for Different Product Sizes
- \* Standard Durable Mesh Belt to Reduce Excess Heat
- \* Heavy Duty Locking Casters and Levelers
- \* 20"x12"x27" Shrink Tunnel Dimensions
- \* Easy Set Digital Conveyor Speed
- \* Auto Cool Down Feature for Reduced Wear
- \* (1) 220V, Single Phase, 60 Amp Bare Wire Plug for the Whole Machine
- \* Machine Dimensions: 95"L x 35"W x 59"H



## HS-HDX250 Shrink Combo System

The American made HDX model shrink combo units are built for all-day shrink wrapping. The primary difference? The hot knife sealing element. The hot knife sealing blade is designed to make hundreds of thousands of seals before needing to be replaced. The HDX250 includes many other features engineered for all-day shrink wrapping.

### Features Include:

- \* UL 508A Standard Compliant
- \* 30 Minute Set Up and Easy Operation
- \* Precise Digital Temperature Controls
- \* 17"x21" Sealing Area
- \* Strong, Durable Magnetic Hold Down
- \* Discharge Conveyor for Hands-Free Sealer-to-Tunnel Transport
- \* Standard Durable Mesh Belt
- \* Heavy Duty Locking Casters and Levelers
- \* 16"x8"x21" Shrink Tunnel Dimensions
- \* Easy Set Digital Conveyor Speed
- \* Auto Cool Down Feature for Reduced Wear
- \* (1) 220V, Single Phase, 23 Amp Bare Wire Plug for the Whole Machine
- \* Machine Dimensions: 82"L x 32"W x 59"H



- \* Ships in 5 - 10 Business Days
- \* American Made



## 2028 Shrink Wrapping Combo System

The TL-2028MK is an excellent option for companies shrink wrapping up to 5,000 products per day. This combo system features an L-Bar sealer and shrink tunnel. The 20"x28" wide sealing bar allows users to shrink wrap large packages in a variety of shapes. The L-Bar system offers an automatic film discharge conveyor to transport products directly into the shrink tunnel after the seal has been completed. This allows the users to begin inserting the product into the film as soon as the sealing bar has been closed.

### Features Include:

- \* 20"x28" L-Bar Sealer
- \* Magnetic Hold
- \* Automatic Discharge conveyor
- \* Easy Load Film Dispenser
- \* Work Table
- \* 22"x48"x8" Shrink Tunnel
- \* Perforated Hole Punch
- \* Heavy-Duty Locking Casters
- \* 1 Year Warranty on all non-wearable parts
- \* 153" Machine Length
- \* 220v Single Phase Sealer, 20 amp
- \* 220v Three Phase Tunnel, 50 amp.



SKU	Chamber Dimensions	Weight	Power Supply
TL-2028MK	20"x28"x7.5"	1480 lbs	220V

## 1606-20 Tabletop Shrink Tunnel

The 1606-20 shrink tunnel is a tabletop shrink tunnel with an optional leg kit. The 1606-20 is often paired with our 13"x13" tabletop L-Bar Sealer. It features Teflon coated rollers, re-circulating air chamber, digital temperature control, AC variable speed drive conveyor, and an automatic cool down with shut off. Legs and Locking casters are not included in base price. The 1606-20 is offered in 110 or 220 volts. Ideal for smaller packaging operations, this shrink tunnel is economic, light weight, and provides consistent shrinking. Variable tunnel settings enable the tunnel to work great with PVC shrink and Polyolefin shrink.

See the dimensions below to see if this tunnel will meet your packaging needs.

### Chamber Dimensions:

Length 20", Width 16", Height 6"

### Machine Dimensions:

Length 35", Width 22", Height 24"

### Shrink Tunnel Weight:

300 Lbs.

### Shrink Tunnel Power Options:

115Volts= 20 amps or 220 Volts= 10 amps

### Crate Dimensions:

Length 36", Width 24", Height 29"

### Tunnel Warranty:

1 year limited manufacturer's warranty on all non-wearable parts



Tabletop price shown, add \$350 for legs and Casters

SKU	Chambers Dimensions	Weight	Power Supply
TL-1606-20-110V	16"x20"x6"	300 lbs	115V
TL-1606-20-220V	16"x20"x6"	300 lbs	220V

**220v machines ship bare wire. A matching male 220V plug is required upon arrival.**

## T2016 Table Top Shrink Tunnel

The American made T2016 shrink tunnel features a patented high velocity air flow design to decrease recovery times and offer more consistent shrink rates. As a tabletop model, users often pair the T2016 with a tabletop L-Bar sealer. The tunnel offers a non-stick mesh belt overlay, auto cool down cycle, patented high velocity air flow design, variable speed drive conveyor, analog controls, 2-year manufacturer's warranty on parts, and optional legs and casters.

The entry level T2016 is an option for companies running thousands of products daily. Full temperature controls and conveyor settings enable the T2016 to shrink a wide variety of films. Be sure to view the dimensions below to ensure the tunnel will fit your products. We also offer the ability to send products to our facility and we will shrink the products in-house to be sure the machine will work with the desired products.

### Chamber Dimensions:

Length 20", Width 15", Height 6.5"

### Machine Dimensions:

Length 40", Width 20", Height 28"

### Shrink Tunnel Weight:

170 Lbs.

### Shrink Tunnel Power Options:

110 Volts= 20 amps, 2,000 watts

### Crate Dimensions:

Length 44", Width 30", Height 59"

Tunnel Warranty: 2 year limited manufacturer's warranty on all non-wearable parts

**\*Tabletop price shown, add \$450 for legs and Casters**

SKU	Weight	Power Supply	Seal Dimensions
HS-T2016	200 lbs	110V	15"x20"x6.5"



## Compact Stand Alone Shrink Tunnel

This compact medium duty heat shrink tunnel features a live roller rod conveyor capable of running up to 95 feet per minute. The Fully re-circulating air system ensures an even shrink every time. An Automatic cool down feature reduces wear on machine parts. All tunnels come with a powerful ½ HP Blower Motor to produce precise shrink rates. Locking casters with leveling pads allow easy moving and transport.

This tunnel is ideal for a variety of packages and offers a range of settings that can be adjusted to accommodate the shrink film being used. Centerfold shrink rolls, shrink bags, and shrink wrap tubing all work well with this tunnel.

**Chamber Dimensions:** Length 28", Width 18", Height 8" or 12"

**Machine Dimensions:** Length 40", Width 26", Height 61"

**Shrink Tunnel Weight:** 500 Lbs.

**Shrink Tunnel Power Options:** 220 Volts= 40 amps

**Crate Dimensions:** Length 41", Width 28", Height 66"

### Tunnel Warranty:

1 year limited manufacturer's warranty on all non-wearable parts

SKU	Weight	Power Supply	Seal Dimensions
TL-1808-28	500 lbs	220V	18"x28"x8"
TL-1812-28	540 lbs	220V	18"x28"x12"



## Mid Sized Stand Alone Shrink Tunnel

The 1808-44 tunnel is a general purpose high capacity shrink wrap tunnel machine with a live roller rod conveyor capable of running thousands of products per hour. The AC variable speed drive allows detailed dwell time settings. Variable air velocity control ensures even shrink rates. The digital temperature control is easy to use and set. Locking casters with leveling pads increase mobility for a large unit.

With regular chain lubrication, tunnels can last years with minimal maintenance.

**Chamber Dimensions:** Length 44", Width 18", Height 8" or 12"

**Machine Dimensions:** Length 61", Width 26", Height 61"

**Shrink Tunnel Weight:** 725 Lbs.

**Shrink Tunnel Power Options:** 220 Volts, 40 amps

**Crate Dimensions:** Length 62", Width 28", Height 66"

**Tunnel Warranty:** 1 year limited manufacturer's warranty on all non-wearable parts



SKU	Weight	Power Supply	Chamber Dimensions
TL-1808-44	750 lbs	220V	18"x44"x8"
TL-1812-44	810 lbs	220V	18"x44"x12"

## Long Shrink Tunnel

The 1808-72 shrink tunnel is a longer shrink tunnel for high speed output. The long 72" tunnel chamber increases belt speed and allows the packaging of thousands of products hourly. The dual chamber controls allow air velocity adjustments for a perfect finished product time after time. Popular applications include neck shrink banding, shrink sleeves, centerfold shrink film, or a curing tunnel. Each tunnel has a maximum belt speed of 75 FPM.

**Chamber Dimensions:** Length 72", Width 18", Height 8" or 12"

**Machine Dimensions:** Length 97", Width 26", Height 61"

**Shrink Tunnel Weight:** 1175 Lbs.

**Shrink Tunnel Power Options:** 220 Volts, 50 amps, 3 Phase Electric

**Crate Dimensions:** Length 98", Width 28", Height 67"

**Tunnel Warranty:** 1 year limited manufacturer's warranty on all non-wearable parts



**Call our Sales Department for formal quote requests and questions!**

SKU	Weight	Power Supply	Chamber Dimensions
TL-1808-72	1175 lbs	220V	18"x72"x8"
TL-1812-72	1240 lbs	220V	18"x72"x12"



## Wide Shrink Tunnel

The 2208-48 recirculating shrink tunnel is a large tunnel made to accommodate a variety of products. The 48" long chamber allows room for longer products to shrink quickly. The chamber air velocity is fully adjustable promoting ideal shrink settings for a variety of materials and thicknesses. Each tunnel comes with a roller rod conveyor or an optional mesh belt overlay for an additional cost. The roller rods are perfect for medium sized products and bottles. The mesh belt is often preferred for smaller, thinner products.

SKU	Weight	Power Supply	Chamber Dimensions
TL-2208-48	840 lbs	220V	22"x48"x8"
TL-2212-48	870 lbs	220V	22"x48"x12"

### Chamber Dimensions:

Length 48", Width 22", Height 8" or 12"

### Machine Dimensions:

Length 72.5", Width 30", Height 64"

### Shrink Tunnel Weight:

800 Lbs. Shrink Tunnel

### Shrink Tunnel Power Options:

220 Volts= 50 amps, 3 phase

### Crate Dimensions:

Length 72", Width 32", Height 70"

### Tunnel Warranty:

1 year limited manufacturer's warranty on all non-wearable parts



## Wide and Long Shrink Tunnel

The 3612-60 shrink tunnel is the widest stock tunnel we offer, capable of fitting products up to 34 inches wide. The long 60 inch chamber allows longer objects to fit through quickly and easily. The 3612-60 comes with dual air velocity controls and a strong chain fed conveyor. Standard tunnels come with roller rods with optional mesh belts available. Conveyors can run up to 75 feet per minute. The 220V system heats up to 300° F in 15 minutes or less.

### Chamber Dimensions:

Length 60", Width 36", Height 12" or 16"

### Machine Dimensions:

Length 85", Width 44", Height 77"

### Shrink Tunnel Weight:

800 Lbs. Shrink Tunnel Power Options: 220 Volts= 50 amps, 3 Phase

### Crate Dimensions:

Length 89", Width 48", Height 81"

### Tunnel Warranty:

1 year limited manufacturer's warranty on all non-wearable parts



SKU	Chamber Dimensions	Weight	Power Supply
TL-3612-60	36"x60"x12"	800 lbs	220V
TL-3616-60	36"x60"x16"	880 lbs	220V

**Call our Sales Department for formal quote requests and questions!**

# SHRINK BUNDLING MACHINES

## Shrink Bundling Sealer

The American made SW2414 shrink bundler is made to wrap heavier products for transportation and storage. The 24" wide by 14" tall sealer is perfect for cases of water, carbonated beverages, canned food, and more. All bundlers come with a heavy duty hot knife made for high production sealing. All machines feature a two-button air operated sealing bar. The sealing bar is held with adjustable magnets and released when the seal is complete. Locking casters and adjustable levelers allow easy mobility throughout the warehouse. The powered exit conveyor transports products from sealer to a tunnel after the seal is complete. Users are capable of packaging hundreds of products hourly. The semi-auto shrink bundler can be used with shrink bundling film up to 8 mils thick.

### View machine specs and details below.

- \* Seal Bar Width: 24 Inches
  - \* Seal Bar Height: 14 Inches
  - \* Maximum Seal Width: 23.5 Inches
  - \* Maximum Seal Height: 13 Inches
  - \* Machine Dimensions: 48"Wx40"Lx77"H
  - \* Table and Conveyor Height: 35 Inches
  - \* Power Requirements: 115 Volts, 15 Amps, Single Phase
  - \* Air Requirements: 1-2 cu. Ft per minute @ 80 psi
  - \* Machine weight: 480 Lbs.
  - \* Shrink Bundler is the sealer only.
- A shrink bundling tunnel is strongly recommended.

SKU	Size	Weight
HS-SW2414	48"x40"x77"	480 lbs



## Shrink Bundling Tunnel

The large 4832 shrink bundling tunnel is made for shrinking polyethylene bundling film. Made to package heavier products with polyethylene bundling film. The standard non-stick mesh belt prevents film from sticking to the conveyor belt. The conveyor motor is larger to move heavier products. The 4832 bundling tunnel features three heating zones for faster heating and cooling. Dual adjustable airflow controls allow precision adjustments to the chamber temperature. The external fans further the cooling process after the products exit the shrink tunnel.

### View machine specs and details below.

\* Tunnel Chamber Dimensions: 48"L x 32"W x 12"H

\* Tunnel Dimensions: 74"Lx41"Wx58"H

\* Tunnel Weight: 860 lbs.

\* Power: 208~240 Volts, 54 Amps

\* Wattage: 12,900 Watts

\* Max Conveyor Speed: 70 Fpm Included Features: Non-stick Teflon mesh belt, external cooling fans, 2-year warranty on parts, triple heat zones, high-velocity blower fans, Quarter horsepower conveyor motor.

SKU	Size	Weight
HS-T4832-Mesh-PC	74"x48"x58"	860 lbs





# AUTO SHRINK BUNDLER COMBO

The fully auto 800NFE shrink bundler is a one-piece combo shrink bundling sealer and tunnel. The inline design makes integration into existing lines easy. Products are auto fed into the sealing area. After the seal is finished, cases move into the tunnel via a conveyor for shrinking. The quick set Delta PLC makes machine adjustments fast and efficient. The wide 29.5-inch sealing bar is capable of sealing boxes, cases, and other large items. The tunnel can fit products up to 16 inches tall. This machine is made to operate with two polyethylene shrink bundling rolls. One roll of film is held in a film carriage above the products and another below. The powered infeed rollers smoothly and evenly dispense film as it passes on the conveyor. The hot knife sealing bar is fully adjustable to accommodate up to 6 mil bundling film. As the hot knife closes, a pneumatic product hold-down keeps film and products in place during the seal. Upon completion, the sealing knife and hold down raise and the products are released to the tunnel. The shrink tunnel features a metal mesh conveyor belt for even airflow and reduced film tact. The shrink tunnel has a maximum temperature of 450 degrees Fahrenheit. The tunnel chamber height is 18 inches; we do not recommend products much over 16 inches in height. The top blowers can cause burn holes on film too close to the blower motors. The tunnel exit features an adjustable cooling fan to help speed up cooling upon tunnel exit. Emergency stops are located on the infeed conveyor and control panel. See the list of features below and call us if you have any questions. We try to keep (1) bundler in stock. If not in stock, standard lead times are 12 – 16 weeks. Ask a sales associate about the current stock today!

## View machine specs and details below.

- \* Seal Bar Width: 29.5 Inches
- \* Seal Bar Height: 18 Inches
- \* Maximum Seal Width: 28 Inches
- \* Maximum Seal Height: 16 Inches
- \* Machine Dimensions: 53"Wx136"Lx84"H
- \* Crated Dimensions: 142" L x 63" W x 84" H
- \* Control Panel: Delta Touchscreen
- \* Power Requirements: 220/ Volts, 75 Amps, Three Phase
- \* Air Requirements: 3 CFM @ 80 psi
- \* Machine weight: 2,800 Lbs.
- \* Maximum Film Width: 29"




SKU	Size	Weight
TL-SFE-800NF	53"x136"x84"	2800 lbs

# AUTO SIDESEAL MACHINE


The INT-20 automatic side seal machine is made to package thousands of products per hour. The touch screen Delta PLC makes adjustments quick and easy. Run up to 35 packages per minute! A memory of 20 different product sizes makes adjustments foolproof. The INT-20 is capable of sealing products 16" wide and 6" high. The continuous side seal allows product lengths up to 48" or more! A belted infeed conveyor is recommended for the machine infeed with a tunnel of choice to properly shrink products after the seal is complete. The machine does require a 220v/208v single phase 20 amp power supply.

## See the machine details for air requirements and more.

- \* Seal Area: 20" Cross Seal x 8" Height
- \* Machine Speed: 35 Products per Minute
- \* Electrical Supply: 220v/208v, 20 amp Single Phase
- \* Air Supply: 1CFM @ 80 PSI
- \* Min Package Size: 4"x6"
- \* Max Film Width: 24"
- \* Machine Dimensions: 73"L x 49"W x 67"H
- \* Shipping Weight: 1500 lbs.



SKU	Size	Weight
TL-INT-20	73"x49"x67"	1500 lbs



# AUTO L BAR SEALER

The 5600 automatic L bar sealer makes shrink wrapping more efficient. The 5600 is capable of sealing thousands of products per hour. The hot knife sealing bar lowers as products pass by the photo-eye. The finished products are sealed consistently time and again. Infeed conveyors are required to feed products into the tunnel during production. The stop-and-start internal conveyors keep products spaced as needed to pass through the sealing bar.

The 5600 auto L bar sealer is capable of packaging up to 40 products per minute. The sealing area of 25"x20" can seal longer products up to 24 inches long. The Delta touchscreen control panel has a 20 product memory capable of quickly adjusting sealing sizes as needed.

The sealer requires a single phase 208/220v, 20 amp power supply. The machine will come bare wire to be matched to the available outlet. An air line is necessary with 3 CFM or 80 PSI to operate the sealing bar. All machines are quoted with onsite setup and training. Call 1-800-441-5090 with calls and questions about automating your packaging line!

## See the machine specifications, size, and requirements below.

- \* 25"Lx20"W L Bar Sealer
- \* Vertical Auto L Seal Bar
- \* Vertical and Horizontal Photo-Eye
- \* Easy Pinwheel Perforating Adjustments
- \* Hot Knife Seal Technology
- \* Delta Touchscreen Controls
- \* Store 30 Product Sizes
- \* Scrap Feed Unwind
- \* Quick Sync Infeed Conveyor Option
- \* Heavy-Duty Locking Casters
- \* 1 Year Warranty on all non-wearable parts
- \* 69"Lx51"Wx67"H Machine Dimensions
- \* 220v Single Phase, 20 amp
- \* 3 CFM @ 80 PSI



SKU	Size	Weight
TP-5600C	72"x51"x67"	1500 lbs



# CONVEYORS

A conveyor is a horizontal, inclined, or vertical device for moving or transporting bulk materials or objects in a path predetermined by the design of the device. Principally, a conveyor is a device to move objects from one location to another by gravity or with external power. At U.S. Packaging & Wrapping we sell both gravity conveyors and motorized conveyors. The integration of an exit conveyor for packaging machines is the primary use of our conveyor products. Although our conveyors can be used for a variety of different uses; product size, weight, and shape should be considered when choosing a conveyor.



## Rotary Conveyors

Rotary conveyors often referred to as lazy Susan conveyors are excellent options for companies wanting to increase production levels. We offer a variety of rotary conveyor sizes made to accommodate different product sizes.

SKU	Size	Weight	Dish Height	Rotations Per Minute
TL-36LS	36" Rotary Conveyor	250 lbs	3"	0-12
TL-48LS	48" Rotary Conveyor	300 lbs	3"	0-10
TL-60LS	60" Rotary Conveyor	350 lbs	4"	0-8

**Please see product specifics below.**

- \* 110V Electric 5 amp Motor
- \* Turntables Made of Durable Aluminum
- \* Max weight for all sizes 200 lbs.
- \* Adjustable speed control knob
- \* All Rotary Conveyors Ship Via Best Way Freight
- \* Adjustable Height Settings

## Skatewheel Conveyors

Skate wheel conveyors are gravity style conveyors used in warehouses and manufacturing facilities around the world. Skate wheel conveyors are able to adjust to a variety of spacing needs. All skate wheel conveyors are capable of handling up to 175 lbs. per linear ft. Ideal for light and heavy products. All skate wheel conveyors feature durable aluminum adjustable legs to accommodate a variety of needs. See the chart for details and capabilities of each conveyor size.



SKU	Size	Weight	Min/Max Height	Number of Legs
TL-4-16SW	4-16 Skate Wheel Conveyor	175 lbs	28"/41"	3
TL-6-18SW	6-18 Skate Wheel Conveyor	215 lbs	28"/41"	4
TL-8-24SW	8-24 Skate Wheel Conveyor	240 lbs	28"/41"	5

## 180 Degree Gravity Conveyor

A 180 degree gravity conveyor is an excellent solution for a one operator system. We often pair the 180 degree gravity conveyors with our 1519 shrink combo systems or the 1622 shrink combo systems. All 180 degree gravity conveyors are made with stainless steel rollers and durable aluminum legs. Each size of conveyor is capable of holding up to 225 lbs. per linear ft.



SKU	Size	Weight	Min/Max Height	Length of Straight Section
TL-180-24	2 ft. 180 Degree Gravity Conveyor	125 lbs	28"/42"	2'
TL-180-36	3 ft. 180 Degree Gravity Conveyor	140 lbs	28"/42"	3'
TL-180-72	6 ft. 180 Degree Gravity Conveyor	180 lbs	28"/42"	6'

## Straight Gravity Conveyor

Straight gravity roller conveyors use gravity to move products from one location to another. Many customers choose a straight gravity conveyor to be placed at the end of a shrink tunnel as an exit conveyor. Each conveyor is made from stainless steel rollers with durable aluminum legs and is capable of holding up to 200 lbs. per linear ft.



SKU	Size	Weight	Min/Max Height	Length of Straight Section
TL-24	2 ft. Straight Gravity Roller Conveyor	40 lbs	28"x42"	2'
TL-36	3 ft. Straight Gravity Roller Conveyor	60 lbs	28"/42"	3'
TL-72	6 ft. Straight Gravity Roller Conveyor	110 lbs	28"/42"	6'

# BELTED INFEED CONVEYORS

Belted infeed conveyors use a motorized belt to transport product into or from a production machine. The belt is made from durable polyurethane for superior strength. The belting is FDA approved for food packaging. Adjustable side guides can fit a wide range of products. The guides help to ensure products are properly aligned during transit on the conveyor. The digital control panel is simple and easy to use. The quick-adjust turn knob makes speed adjustments quick and easy. The 36 and 72-inch conveyors are used for both infeed and exit applications. The easy access emergency stop button will immediately shut down the conveyor when needed.

## Conveyor Specifications

- \* 0-75 Feet per Minute
- \* 18" Wide Belt
- \* Adjustable Leg height 32"-42"
- \* Adjustable Side Guides
- \* FDA Approved Belt
- \* 220V Single Phase, 20 amp

## 3 ft. Belted Infeed Conveyors

SKU	Size	Weight
TL-36B	36"L x 18"W	150 lbs



## 6 ft. Belted Infeed Conveyors

SKU	Size	Weight
TL-72B	72"Lx18" W	150 lbs





# PRINTED STRETCH FILM WRAP IN STYLE!



**CUSTOM  
PRINT LOGO  
STRETCH**

**Full pallet stretch film orders  
SHIP FREE!**

# PALLET STRETCH FILM

Stretch film is a plastic film used to secure, bundle, and stabilize products. Stretch film is made from linear low-density polyethylene. When applying, the film is to be pulled and stretched around products to obtain tight and secured product loads. Stretch film comes in a variety of widths, thicknesses, and colors.

## Hand Stretch Film

Hand stretch film is considered any stretch film roll that is easily applied by hand. Most hand stretch film rolls weigh less than ten pounds. Hand rolls can come in a variety of widths, but the most common widths are 15 and 18 inch wide rolls. Hand stretch rolls can be applied with or without a stretch film dispenser. The dispensers often have a braking system to help obtain a tighter stretch when applying the film. Our hand pallet wrap comes with a standard 3 inch core size allowing rolls to easily fit any dispensers.



SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty
WP-PSF05	60 Gauge	15"x2000'	29 lbs	4	1 Case
WP-PSF06	60 Gauge	18"x2000'	35 lbs	4	1 Case
WP-PSF10	70 Gauge	15"x1500'	26 lbs	4	1 Case
WP-PSF11	70 Gauge	18"x1500'	31 lbs	4	1 Case
WP-PSF01	80 Gauge	12"x1500'	23 lbs	4	1 Case
WP-PSF02	80 Gauge	15"x1500'	29 lbs	4	1 Case
WP-PSF03	80 Gauge	18"x1500'	35 lbs	4	1 Case
WP-PSF16	90 Gauge	12"x1500'	25 lbs	4	1 Case
WP-PSF22	90 Gauge	15"x1500'	33 lbs	4	1 Case
WP-PSF17	90 Gauge	18"x1500'	39 lbs	4	1 Case

## Custom Hand Stretch Film:

Hand stretch film is considered any stretch film roll that is easily applied by hand. Most hand stretch film rolls weigh less than ten pounds. Hand rolls can come in a variety of widths, but the most common width is 18 inch wide rolls. We offer a large selection of stock rolls, but also offer custom options. Common custom options include UV additives, one sided cling, and custom widths and thicknesses.

**Call our sales team for assistance with custom capabilities and lead times.**

## Micron Hand Stretch Film

Eco-Wrap micron hand cast stretch wrap offers the benefits of durable stretch film at an affordable price. Along with affordability, Eco-Wrap micron hand stretch film allows users to downgrade in film thickness and still maintain superior load tension. Eco-Wrap micron stretch wrap is made from a metallocene technology using linear low density polyethylene (LLDPE). This formula helps to produce a stiffer, stronger stretch film that results in less waste and cost savings for stretch film users.



**The gauge to micron conversion is stated below:**

1 Gauge=.254 Micron

SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty
WP-ECO06	13 Micron	12"x2000'	19.6 lbs	4	1 Case
WP-ECO04	13 Micron	15"x2000'	24.48 lbs	4	1 Case
WP-ECO02	13 Micron	18"x2000'	29.36 lbs	4	1 Case
WP-ECO05	16 Micron	12"x1500'	18.44 lbs	4	1 Case
WP-ECO03	16 Micron	15"x1500'	23.04 lbs	4	1 Case
WP-ECOPL	16 Micron	16"x1500'	24.56 lbs	4	1 Case
WP-ECO01	16 Micron	18"x1500'	27.64 lbs	4	1 Case
WP-ECO23	19 Micron	12"x1500'	21.88 lbs	4	1 Case
WP-ECO15	19 Micron	15"x1500'	27.36 lbs	4	1 Case
WP-ECO16	19 Micron	18"x1500'	32.84 lbs	4	1 Case
WP-ECO20	29 Micron	15"x1000'	27.36 lbs	4	1 Case
WP-ECO21	29 Micron	18"x1000'	32.84 lbs	4	1 Case

## Hybrid Hand Stretch Film

New hybrid cast stretch film technology promotes less waste and at an affordable price! Due to rising stretch film costs, manufacturers have been focused on producing a stretch wrap that lowers waste, reduces costs, and still maintains a superior hold. Hybrid stretch film is that film. Hybrid stretch film is a multi-layer cast stretch film that is made to be thinner and stronger than standard hand stretch film. This multi-layered stretch film has a metallocene additive that increases stretch resistance and strengthens load retention. Down gauging possibilities are encouraged. Our 12 micron film is an excellent replacement for standard gauged stretch film up to 90 gauge.



SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty
WP-HYB56	12 Micron	16"x1480'	27 lbs	4	1 Case
WP-HYB58	12 Micron	18"x1480'	29.3 lbs	4	1 Case



## Pre-Stretched Hand Film

Hand Pre-stretched film offers many advantages over traditional stretch film. The primary advantage to pre-stretched hand stretch film is equal or increased load stability with less stretch film used. That equals lower packaging costs for you. Other benefits include:

1. Less energy needed to apply.
2. Lighter Rolls.
3. Consistent wrapping tension.

**Pallet orders to commercial facilities ship free!**



SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty
WP-WXP46	9 Micron	13.7"x1500'	18 lbs	4	1 Case
WP-WXP49	9 Micron	17"x1500'	25 lbs	4	1 Case
WP-HPL27	8 Micron	18.25"x1500'	6 lbs	1	1 Roll

## Color Tinted Hand Stretch Film

Colored stretch film can be advantageous for companies that need to quickly identify products. The user can color code pallets for instant identification. Colored stretch films make tampered loads quickly identifiable as well. Prices are comparable to clear stretch film. We offer a wide variety of hand stretch film dispensers at great prices to assist you in applying this product. View all in the stretch film dispensers section!



SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty	Color
WP-BLU15	80 Gauge	15"x1500'	29 lbs	4	1 Case	BLUE
WP-RED15	80 Gauge	15"x1500'	29 lbs	4	1 Case	RED
WP-YEL15	80 Gauge	15"x1500'	29 lbs	4	1 Case	YELLOW
WP-GRN15	80 Gauge	15"x1500'	29 lbs	4	1 Case	GREEN
WP-BLU18	80 Gauge	18"x1500'	35 lbs	4	1 Case	BLUE
WP-RED18	80 Gauge	18"x1500'	35 lbs	4	1 Case	RED
WP-GRN18	80 Gauge	18"x1500'	35 lbs	4	1 Case	GREEN
WP-YEL18	80 Gauge	18"x1500'	35 lbs	4	1 Case	YELLOW
WP-ORN18	80 Gauge	18"x1500'	35 lbs	4	1 Case	ORANGE

## Color Tinted Hybrid Hand Stretch Film

New hybrid stretch film technology promotes less waste and at an affordable price! Due to rising stretch film costs, manufacturers have been focused on producing a stretch wrap that lowers waste, reduces costs, and still maintains a superior hold. Hybrid stretch film is that film. Hybrid stretch film is a multi-layer stretch film that is made to be thinner and stronger than standard hand stretch film. This multi-layered stretch film has a metallocene additive that increases stretch resistance and strengthens load retention.

SKU	Thickness	Width xLength	Weight	Rls./Case	Min. Order Qty	Color
WP-HYB23	16 Micron	18"x1500'	27.6 lbs	4	1 Case	RED
WP-HYB21	17 Micron	18"x1500'	27.6 lbs	4	1 Case	BLUE
WP-HYB24	18 Micron	18"x1500'	27.6 lbs	4	1 Case	GREEN
WP-HYB22	19 Micron	18"x1500'	27.6 lbs	4	1 Case	BLACK



## Opaque Hand Stretch Film


View the chart below for different sizes and roll quantities.

All hand rolls feature a 150% stretch. Premium opaque stretch film offers excellent stretch and opacity. All rolls offered online come with a standard 30 day UV additive. Increased UV protection is available with pallet minimum orders. Most rolls in stock and ready to ship within 24 hours of a completed order.



### Conceal Shipments

Opaque stretch film is the perfect way to conceal shipments. Keep product loads private with white or black opaque stretch film. Ask about our custom UV opaque stretch film for outdoor storage.



SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty	Color
WP-BLA15	80 Gauge	15"x1500'	29 lbs	4	1 Case	BLACK
WP-WHT15	80 Gauge	15"x1500'	29 lbs	4	1 Case	WHITE
WP-BLA18	80 Gauge	18"x1500'	35 lbs	4	1 Case	BLACK
WP-WHT18	80 Gauge	18"x1500'	35 lbs	4	1 Case	WHITE
WP-HYB22	63 Gauge	18"x1500'	32 lbs	4	1 Case	BLACK

## VCI Hand Stretch Film

Hand stretch film comes four rolls per case. Rolls are smaller and lighter than machine film rolls and have slightly less stretch. What is the reason for a VCI hand film? The acronym VCI stands for vapor corrosive inhibitor. Any VCI material is used to limit the amount of vapor or moisture within the contents of a package. Preserving metal products is the primary use of VCI materials. They are used in shipment and storage to prevent rust and corrosion. A choser favorite for overseas shipments and storage near saltwater. To fully protect products, we recommend covering the top of the pallet with VCI film to fully enclose the wrapped pallet. All case orders ship free!



SKU	Thickness	Width x Length	Weight	Rls./Case	Min. Order Qty
LA-14205	80 Gauge	18"x1500'	35 lbs	4	1 Case



## Static Dissipative Hand Stretch Film

Hand anti static stretch wrap provides the same great stretch film qualities, minus the static. Our static dissipative hand stretch wrap is puncture resistant, has superior cling, and offers the ability to successfully unitize a load minus the static. Anti static stretch wrap is perfect for: electronics, chemicals, paints, etc.

SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty
WP-DSF17	80 Gauge	17"x1500'	33 lbs	4	1 Case

## Airflow Vented Hand Stretch Film

Airflow vented stretch film offers the advantages of regular stretch film with die cut holes used to prevent spoilage in products. Airflow pallet wrap can be used in a variety of applications: Vegetables, Bottled Products, Lumber, Meats, Fruits, Dairy Products, Baking Powders, Frozen Products, Flowers, Grains, Animal Feed, Etc. Airflow vented stretch film reduces product condensation and enables faster cooling of products after being wrapped.



SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty
WP-WAF04	80 Gauge	17"x3000'	9 lbs	1	1 Roll





### Wrapnet Vented Hand Stretch Film

Wrapnet pallet netting is comparable to our Airflow pallet wrap; they both offer the ability to ventilate shipments. The difference is Wrapnet is a light weight knitted netting and Airflow pallet wrap is a pallet wrap with die cut holes. Wrapnet is more economical than Airflow pallet wrap, but does not offer the same amount of stretch.

SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty
WP-WSN04	N/A	20"x3000'	9 lbs	1	1 Roll

### Extended Core Hand Stretch Film

Extended core stretch film handles ensure users have a product ready for use directly out of the box. No need for a special dispenser or machine. Our clear extended core stretch film comes with a sturdy disposable handle focused on making stretch applications easy and effective.



**Pallet orders ship free to commercial addresses within the continental US!**

SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty
WP-DSW01	80 Gauge	10"x1000'	13 lbs	4	1 Case
WP-DSW22	80 Gauge	15"x1000'	20 lbs	4	1 Case
WP-DSW08	60 Gauge	20"x1000'	20 lbs	4	1 Case
WP-DSW03	70 Gauge	20"x1000'	23 lbs	4	1 Case
WP-DSW04	80 Gauge	20"x1000'	26 lbs	4	1 Case
WP-DSW06	120 Gauge	20"x700'	27 lbs	4	1 Case
WP-DSW11	115 Gauge	20"x700'	26 lbs	4	1 Case
WP-DSW25	150 Gauge	20"x600'	29 lbs	4	1 Case
WP-DSW07	80 Gauge	30"x1000'	39 lbs	4	1 Case

### Color Tinted Extended Core Stretch Film

Color tinted extended core stretch film can be ideal for companies that need to quickly identify products. Companies can color code pallets for instant identification. Tinted stretch film makes tampered loads quickly evident as well.

SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty	Color
WP-BSW02	80 Gauge	20"x1000'	26 lbs	4	1 Case	BLUE
WP-RSW03	80 Gauge	20"x1000'	26 lbs	4	1 Case	RED
WP-GSW00	80 Gauge	20"x1000'	26 lbs	4	1 Case	GREEN
WP-YSW05	80 Gauge	20"x1000'	26 lbs	4	1 Case	YELLOW
WP-ORN20	80 Gauge	20"x1000'	26 lbs	4	1 Case	ORANGE



## Opaque Extended Core Stretch Film

Secure wrap opaque extended core stretch film with extended core handles offers UV protection directly out of the box. Along with UV protection, users can conceal contents of shipments. Prices are very comparable to clear stretch film. Our opaque extended core stretch film comes in white and black.



SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty	Color
WP-BSW00	80 Gauge	20"x1000'	29 lbs	4	1 Case	BLACK
WP-WSW04	80 Gauge	20"x1000'	29 lbs	4	1 Case	WHITE
WP-BSW10	80 Gauge	10"x1000'	22 lbs	4	1 Case	BLACK

## Airflow Vented Extended Core Stretch Film

Airflow extended core stretch film offers the advantages of regular stretch film with die cut holes used to prevent spoilage in products. Airflow stretch film can be used in a variety of applications: Vegetables, Bottled Products, Lumber, Meats, Fruits, Dairy Products, Baking Powders, Frozen Products, Flowers, Grains, Animal Feed, Etc. Airflow stretch film reduces product condensation and enables faster cooling of products after being wrapped.



SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty
WP-WAF03	80 Gauge	17"x1000'	10.6 lbs	4	1 Case



## Wrapnet Vented Extended Core Stretch Film

Wrapnet is comparable to Airflow stretch wrap; they both offer the ability to ventilate shipments. The difference is Wrapnet is a light weight knitted netting and Airflow pallet wrap is a stretch film with die cut holes. Wrapnet is more economical than Airflow stretch wrap, but does not offer stretch like the Airflow pallet wrap.

SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty
WP-WSN03	N/A	20"x1000'	11 lbs	4	1 Case

## Bundling Stretch Film

Bundling stretch film, also referred to as banding stretch film is great for a variety of uses. Stretch film between 1-5 inches is commonly referred to as bundling film or banding film. Companies often use bundling stretch wrap in place of tape to keep items bundled together. Bundling film is also great for stabilizing smaller product loads. Light and easy to handle rolls enable efficient bundling and applying. Great for bundling wood, PVC pipe, and other cylindrical products. Many businesses use bundling stretch wrap to bundle multiple boxes together for shipping. We offer several different varieties of bundling stretch wrap ideal for different job applications.

SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty
WP-SBF01	80 Gauge	2"x1000'	15.36 lbs	24	1 Case
WP-SBF77	90 Gauge	2"x1000'	17.28 lbs	24	1 Case
WP-SBF09	120 Gauge	2"x700'	16.11 lbs	24	1 Case
WP-SBF08	80 Gauge	3"x1000'	17.28 lbs	18	1 Case
WP-SBF02	90 Gauge	3"x1000'	19.44 lbs	18	1 Case
WP-SBF03	120 Gauge	3"x700'	18.14 lbs	18	1 Case
WP-SBF19	135 Gauge	3"x650'	19 lbs	18	1 Case
WP-SBF23	150 Gauge	3"x600'	19.44 lbs	18	1 Case
WP-SBF04	80 Gauge	4"x1000'	15.36 lbs	12	1 Case
WP-SBF54	90 Gauge	4"x1000'	17.28 lbs	12	1 Case
WP-SBF41	115 Gauge	4"x700'	16 lbs	12	1 Case
WP-SBF32	120 Gauge	4"x700'	17 lbs	12	1 Case
WP-SBF71	150 Gauge	4"x600'	18 lbs	12	1 Case
WP-SBF05	80 Gauge	5"x1000'	20 lbs	12	1 Case
WP-SBF07	90 Gauge	5"x1000'	22 lbs	12	1 Case
WP-SBF51	115 Gauge	5"x700'	20 lbs	12	1 Case
WP-SBF06	120 Gauge	5"x700'	21 lbs	12	1 Case
WP-SBF28	135 Gauge	5"x650'	22 lbs	12	1 Case
WP-SBF57	150 Gauge	5"x600'	22 lbs	12	1 Case





## Hybrid Bundling Stretch Film

Hybrid bundling stretch wrap is a new stretch film that offers users the ability to down gauge in size while maintaining a strong and sturdy wrap. Hybrid technology is a different formula than true 80 gauge stretch film. Hybrid film offers the same load retention and stretch resistance as a true 80 gauge at less cost.



SKU	Thickness	Width xLength	Weight	Rls./Case	Min. Order Qty
WP-HYB01	12 Micron	2"x1000'	13 lbs	24	1 Case
WP-HYB03	12 Micron	3"x1000'	15 lbs	18	2 Case
WP-HYB05	12 Micron	5"x1000'	17 lbs	12	3 Case

## Color Tinted Bundling Stretch Film

Colored bundling film is an excellent way to color code and quickly identify shipments. We offer bundling film in a wide variety of colors to choose from. All cases come with one disposable dispenser that offers a built in brake. Our black and white bundling film is opaque and offers the ability to conceal shipments. All other colors are transparent and are great for color coding and reducing light exposure.



SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty	Color
WP-BLU03	80 Gauge	3"x1000'	17.5 lbs	18	1 Case	BLUE
WP-RED03	80 Gauge	3"x1000'	17.5 lbs	18	1 Case	RED
WP-GRN03	80 Gauge	3"x1000'	17.5 lbs	18	1 Case	GREEN
WP-YLW03	80 Gauge	3"x1000'	17.5 lbs	18	1 Case	YELLOW
WP-ORG03	80 Gauge	3"x1000'	17.5 lbs	18	1 Case	ORANGE
WP-WHT03	80 Gauge	3"x1000'	17.5 lbs	18	1 Case	WHITE
WP-BLK03	80 Gauge	3"x1000'	17.5 lbs	18	1 Case	BLACK
WP-BLU05	80 Gauge	5"x1000'	20 lbs	12	1 Case	BLUE
WP-RED05	80 Gauge	5"x1000'	20 lbs	12	1 Case	RED
WP-GRN05	80 Gauge	5"x1000'	20 lbs	12	1 Case	GREEN
WP-YLW05	80 Gauge	5"x1000'	20 lbs	12	1 Case	YELLOW
WP-ORG05	80 Gauge	5"x1000'	20 lbs	12	1 Case	ORANGE
WP-BLK05	80 Gauge	5"x1000'	20 lbs	12	1 Case	BLACK
WP-WHT05	80 Gauge	5"x1000'	20 lbs	12	1 Case	WHITE

## Machine Stretch Film

Machine stretch film often refers to the length of the stretch film roll. Machine stretch film rolls are commonly available in 5,000 ft. to 9,000 ft. rolls, opposed to 1500 ft. hand stretch film rolls. Widths of machine stretch film generally start at 20 inches wide and increase up to 80 or more inches wide. The standard core size to fit most stretch wrap machines is 3 inches.

### Are you getting what you are paying for?

If you know the weight of an unused roll of stretch wrap you can determine the thickness you have. Use the formula below to be sure you are getting the thickness you are paying for.



### Roll Weight ÷ Roll Width ÷ Roll Length ÷ 12 x 30,000 = Film Thickness

Example for an 18"x1500' stretch wrap roll weighing 8.64 lbs

$$8.64 \div 18 \div 1500 \div 12 \times 30,000 = .80 \text{ or } 80 \text{ gauge}$$

This quick and easy formula can save money and help to ensure you are getting what you pay for.

SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty
WP-WMF60	60 Gauge	20"x7500'	36 lbs	1	1 Roll
WP-WMF70	70 Gauge	20"x6000'	34 lbs	1	1 Roll
WP-WMF75	75 Gauge	20"x5000'	30 lbs	1	1 Roll
WP-WMF80	80 Gauge	20"x5000'	32 lbs	1	1 Roll
WP-WMF86	80 Gauge	20"x6000'	39 lbs	1	1 Roll
WP-WMF95	90 Gauge	20"x5000'	36 lbs	1	1 Roll
WP-WMF00	100 Gauge	20"x5000'	40 lbs	1	1 Roll
WP-WMF15	115 Gauge	20"x4000'	37 lbs	1	1 Roll
WP-WMF13	135 Gauge	20"x3350'	37 lbs	1	1 Roll
WP-WMF40	140 Gauge	20"x3000'	35 lbs	1	1 Roll
WP-WMF30	150 Gauge	20"x3000'	36 lbs	1	1 Roll
WP-WMF35	80 Gauge	30"x5000'	48 lbs	1	1 Roll

## Performance Machine Stretch Film

Performance machine stretch wrap is a superior machine stretch film offering the ability for users to down gauge and save. Performance machine stretch film offers improved load holding, tear resistance, and excellent clarity. Performance machine stretch wrap is made from a new formulation designed to handle the most demanding stretch wrap film applications. The five layer cast extrusion enables maximum stretch and load retention.

### Why is performance stretch film different?

Performance stretch film is designed to offer increased stretch and hold retention. Performance film is made with a different resin formula using a thinner film with comparable higher load retention. A perfect option for wrapping uniform pallets up to 2,200 lbs.

SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty
WP-WXL45	45 Gauge	20"x7000'	27 lbs	1	1 Roll
WP-WXL50	50 Gauge	20"x9000'	37.5 lbs	1	1 Roll
WP-WXL55	50 Gauge	20"x5000'	36 lbs	1	1 Roll
WP-WXL60	60 Gauge	20"x7500'	36 lbs	1	1 Roll
WP-WXL16	63 Gauge	20"x5000'	26.5 lbs	1	1 Roll
WP-WXL70	70 Gauge	20"x6000'	35 lbs	1	1 Roll
WP-WXL75	75 Gauge	20"x6000'	37.5 lbs	1	1 Roll
WP-WXL80	80 Gauge	20"x5500'	37 lbs	1	1 Roll
WP-WXL90	90 Gauge	20"x5000'	38 lbs	1	1 Roll
WP-WXL15	115 Gauge	20"x3500'	34.5 lbs	1	1 Roll
WP-WXL83	80 Gauge	30"x5500'	55 lbs	1	1 Roll
WP-HYB33	63 Gauge	30"x5000'	38 lbs	1	1 Roll



## Wide Machine Stretch Film

Wide machine stretch film for large products! Our wide web machine stretch film is made for large products and large machines. All rolls are true 80 gauge rolls for maximum hold and strength. Wide machine stretch film rolls can reduce the amount of required revolutions per load. We require ordering more than one roll per order due to additional freight charges for the required larger pallets. Free freight on all pallet orders to commercial addresses within the Continental United States!



SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty
WP-WMF45	80 Gauge	40"x5000'	64 lbs	1	16 Rolls
WP-WMF58	80 Gauge	50"x5000'	80 lbs	1	16 Rolls
WP-WMF68	80 Gauge	60"x5000'	96 lbs	1	16 Rolls
WP-WMF78	80 Gauge	70"x5000'	112 lbs	1	16 Rolls
WP-WMF88	80 Gauge	80"x5000'	128 lbs	1	16 Rolls

## Pre Stretch Machine Film

Machine Pre stretch pallet wrap offers many advantages over traditional stretch film. The primary advantage to pre stretch pallet wrap is equal or increased load stability with less film used. That equals lower packaging costs and less waste.

Other benefits include:

1. Less energy needed to apply.
2. Lighter Rolls.
3. Consistent wrapping tension.

We offer competitive prices on automatic machines that allow you to apply stretch film with maximum efficiency.



SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty
WP-WXP30	37 Gauge	18.25"x5000'	26 lbs	1	1 Roll
WP-WXP31	38 Gauge	18.25"x6000'	28 lbs	1	1 Roll
WP-WXP34	39 Gauge	18.25"x7000'	30 lbs	1	1 Roll

## Color Tinted Machine Stretch Film

Colored machine stretch film offers an ideal way to color code and brand pallet loads for quick identification. Each color offers a noticeable tint, while still enabling barcodes to be easily read. View our stretch wrap machine selection for a quick and dependable way to apply tinted film.

SKU	Thickness	WidthxLength	Weight	Rls. /Case	Min. Order Qty	Color
WP-HYB27	63 Gauge	20"x5000'	27 lbs	1	1 Roll	BLUE
WP-HYB28	63 Gauge	20"x5000'	27 lbs	1	1 Roll	RED
WP-HYB25	63 Gauge	20"x5000'	27 lbs	1	1 Roll	GREEN
WP-BLM20	80 Gauge	20"x5000'	32 lbs	1	1 Roll	BLUE
WP-RMG20	80 Gauge	20"x5000'	32 lbs	1	1 Roll	RED
WP-GMG20	80 Gauge	20"x5000'	32 lbs	1	1 Roll	GREEN
WP-YMG20	80 Gauge	20"x5000'	32 lbs	1	1 Roll	YELLOW
WP-OMG20	80 Gauge	20"x5000'	32 lbs	1	1 Roll	ORANGE
WP-BLM30	80 Gauge	20"x5000'	48 lbs	1	1 Roll	BLUE
WP-GMG30	80 Gauge	30"x5000'	48 lbs	1	1 Roll	GREEN



## Opaque Machine Stretch Film

Secure wrap opaque machine stretch film offers protection from UV rays. Along with protection from UV rays, users can conceal contents of shipments and color code shipments. Prices are very comparable to clear machine stretch wrap. Our opaque film comes in white and black stretch film colors. All pallet orders ship free and discounts start at 5 or more rolls.

**Pallet orders of 40 rolls ship free and heavily discounted from chart pricing!**



SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty	Color
WP-BKM20	80 Gauge	20"x5000'	32 lbs	1	1 Roll	BLACK
WP-WMG20	80 Gauge	20"x5000'	32 lbs	1	1 Roll	WHITE
WP-HYB26	63 Gauge	20"x5000'	27 lbs	1	1 Roll	BLACK

## VCI Machine Stretch Wrap

Machine stretch wrap rolls are longer and wider than hand wrap. VCI machine stretch wrap is made with more stretch than hand film for protecting loads from corrosion. The term VCI stands for vapor corrosion inhibitor. Pallet loads fully wrapped in a VCI film will experience reduced vapor within the load. For maximum protection, top wrapping is recommended. VCI materials are perfect for overseas shipments of metal objects. The corrosion inhibitor works to fully conceal and protect shipments from moisture. We recommend a full wrap of VCI materials on the top of the shipment to allow full protection during transport or storage. All roll quantities ship free!



SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty
LA-14210	100 Gauge	20"x5000'	35 lbs	1	1 Roll

## Static Dissipative Machine Stretch Film

Machine anti static stretch film offers the same great stretch film qualities, minus the static. Our static dissipative wrap is puncture resistant, has superior cling, and offers the ability to successfully unitize a load minus the static. Anti static stretch film is perfect for: electronics, chemicals, paints, etc.



### ESD or Electrostatic

**Discharge** is the sudden flow of electricity between two electrically charged objects caused by contact. Static Dissipative film helps to prevent contact of wrapped pallets with any other static charged items.

SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty
WP-DFS20	80 Gauge	20"x5000'	32 lbs	1	1 Roll



## Airflow Vented Machine Stretch Film

Airflow machine vented stretch wrap offers the advantages of regular stretch film with die cut holes to prevent spoilage in products. Airflow pallet wrap can be used in a variety of applications: Vegetables, Bottled Products, Lumber, Meats, Fruits, Dairy Products, Baking Powders, Frozen Products, Flowers, Grains, Animal Feed, Etc. Airflow vented stretch wrap reduces product condensation and enables faster cooling of products after being wrapped.



SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty
WP-WAF02	80 Gauge	17"x8400'	27 lbs	1	1 Roll

## Airflow Vented Machine Stretch Film 250% Stretch

SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty
WP-WAF33	80 Gauge	19"x3300'	32 lbs	1	1 Roll

## Wrapnet Vented Machine Stretch Film

Wrapnet machine stretch netting is comparable to Airflow stretch wrap, because they both offer the ability to ventilate shipments. The difference is Wrapnet is a light weight knitted netting and Airflow pallet wrap is a stretch film with die cut holes. Wrapnet is more economical than Airflow stretch wrap, but does not offer stretch.

### The differences between Wrapnet and Airflow Stretch Film

#### Material:

Airflow is made from LLDPE, Wrapnet is made from HDPE

#### Stretch Rate:

Airflow 250%, Wrapnet 0%

### Advantages of Airflow:

Ventilation to reduce moisture and mold, Up to a 250% stretch rate, and machine rolls work on any machine with a pre-stretched head.

### Advantages of Wrapnet:

Ventilation to reduce moisture and mold, easy no stretch hand application, and light weight rolls.



SKU	Thickness	WidthxLength	Weight	Rls./Case	Min. Order Qty
WP-WSN07	N/A	20"x5000'	14 lbs	1	1 Roll
WP-WSN02	N/A	20"x10,000'	27 lbs	1	1 Roll

# STRETCH FILM DISPENSERS AND TOOLS

A stretch film or stretch wrap dispenser is most often referring to a hand held tool used to dispense stretch film. The advantage most dispensers offer is the ability to control the film tension during the application process. Most dispensers offer a brake that allows users to adjust film tension. Stretch film dispensers help to provide tension during the stretch film application as well as make the application process easier and quicker.

## Two Handed Stretch Film Dispenser

This two handed manual stretch film dispenser is composed of a lightweight metal alloy. Designed to be durable yet light enough to easily and economically dispense a variety of stretch films. The two handles are specifically designed to allow stretch film applications to be less energy intensive. The stretch film tension knob allows the user to set desired film tension for specific loads and applications. This dispenser is ideal for any hand stretch film rolls between 12 and 18 inches.



SKU	Weight	Quantity Per Case	Min. Order Qty
WP-201	3.1 lbs	1	1 Dispenser

## Nelson Stretch Film Dispenser

This adjustable height Nelson stretch wrap dispenser is constructed of a strong lightweight aluminum material. It is designed to easily apply stretch film to a variety of load sizes and heights. A built in brake system is ideal for reducing waste and allowing a tighter stretch film wrap around loads.

SKU	Weight	Quantity Per Case	Min. Order Qty
IP-SHHD-XL	3 lbs	1	1 Dispenser



### Plastic Handle w/Brake for Bundling Stretch Film 3" Core

Lightweight easy to use handle for bundling stretch film and hand grade stretch film. The easy brake black sleeve enables users to increase tension by simply squeezing the handle.

SKU	Weight	Quantity Per Case	Min. Order Qty
WP-DP205	1 lb	1	3 Dispenser



### Handi Ring Stretch Film Dispensers

Handi Ring Stretch Film Dispensers are light weight dispensers that fit any 3" core stretch film roll. Each set comes with two dispensers, one for each side of the roll. The braking system allows users to obtain higher stretch yields. Dispensers can be reused over and over.

SKU	Weight	Quantity Per Case	Min. Order Qty
WP-204	1 lb	1 Set of 2	1 Set



### Stretch Film Protectors

Protect stretch film rolls from damage! Stretch film rolls can be damaged when dropped and not perform well or work at all. Stretch film protectors prevent rolls from being damaged as well as provide an easy way to dispense film. Each set comes with an edge protector for each side of the stretch film roll. Protectors will fit any 3 inch core roll.

SKU	Weight	Quantity Per Case	Min. Order Qty
WP-DP218	1 lb	1 Set of 2	1 Set



### Pocket Stretch Film Cutter

These pocket sized stretch film cutters are durable, easy to use, and great for cutting all sizes of stretch film. The concealed blade ensures safety during use and storage.

SKU	Weight	Quantity Per Case	Min. Order Qty
WP-CT301	1 lb	1	1 Cutter





## How To Choose the Right Stretch Film


With the variety of stretch film options available, it can be difficult to know which option is best for your packaging and wrapping projects.

Below are some considerations to keep in mind when looking for the perfect stretch film product:

- **Load Characteristics:** : Assess the weight, type, and stability of the load you wish to wrap. Some thinner stretch films may not be suitable for wrapping heavier loads or odd shaped loads.
- **Application Method:** Determine whether the wrap will be applied by hand or with a machine. Machines film rolls are longer and offer a higher stretch rate – so, ensure the stretch wrap is suitable for your application method.
- **Film Thickness:** Understand the desired load level and stability of the goods being wrapped. Thicker films provide higher puncture resistance and more stability. Thinner films have more stretch and can be an excellent cost saving option.
- **Stretchability:** Evaluate the stretch potential of the wrap. Higher film stretchability can cut costs by saving on material consumption used when wrapping. Keep in mind while wrapping by hand, operators are only capable of a limited amount of stretch.
- **Load Protection:** Some products will need special protection from corrosive elements, static, or UV rays. It's important to understand the transport and storage requirements of your products and purchase an adequate film.
- **Load Protection:** Some products will need special protection from corrosive elements, static, or UV rays. It's important to understand the transport and storage requirements of your products and purchase an adequate film.
- **Cost-Effectiveness:** Consider the overall cost of the film, including price per roll, waste reduction, and potential labor costs. It's important to strike the right balance between price and performance.
- **Environmental Impact:** If sustainability is a concern, eco-friendly wrapping options may be a particularly important consideration. Biodegradable films can be fully sustainable, and some perform comparably to standard stretch film. Pre-stretched films can reduce overall waste and reduce environmental impact as well.

A stretch wrap machine is a type of packaging equipment primarily used to secure and protect products on pallets or other large items during transportation and storage. It applies highly elastic plastic film tightly around the product – creating a secure and stable load.

### What Are the Different Types of Stretch Wrap Machines?

Machine Name	Image	Best For
Turntable Stretch Wrap Machine[AR1]		Even Wrapping, Pallets, Lower/Medium Volume, and Larger Loads.
Rotary Arm Stretch Wrap Machine[AR2]		Unstable, Tall, and Heavy Loads.
Robot Stretch Wrap Machine[AR3]		Uniform Loads, Wrapping in Multiple Locations.
Orbital Stretch Wrap Machine[AR4]		Long Objects such as Pipes, Lumber, or Doors.

# STRETCH WRAP MACHINES

## American Made Pallet Turntable 77201

Pallet turntables rotate heavy loads for applying stretch film and product stacking pallet loads. The American-made model 77201 pallet turntable features a variable speed foot pedal to prevent product toppling and smoothly stack and wrap pallets.

The compact hi-profile 77201 turntables can hold up to 4,000 LBS pallet loads. The heavy-duty structural tube frame is forklift accessible from the front or back for easy portability. All turntables come with ¾ hp enclosed, fan-cooled motors with 120v power supply. All components are UL-approved.



### Machine Specifications:

Max Load Size: 56"x56"  
Max Load Weight: 4,000 lbs.  
Turntable Speed: Variable up to 12 RPM  
Power Supply: 120v, Three-Prong Plug  
Turntable: 48" Round Diamond Steel Deck  
Turntable Height: 11 ¾"  
Turntable Motor: Fan Cooled ¾ Horsepower

Machine Dimensions: 48"x48"x11 ¾"  
Warranty: 4 Years on non-wearable parts  
Max load Height: 87"  
Max Stretch Film Width: 20"\*  
Machine Dimensions: 96.5"x59"x99"  
Machine Weight: 1,295 lbs.

## American Made Low Profile Turntable Stretch Wrapper NT-77205-LPVM

The American-made 77205 low-profile pallet wrapper features touch screen controls and a fully enclosed 3/4 horsepower motor to wrap pallets up to 5,000 pounds. The sixty-inch turntable can accommodate pallets up to 56"x56".

The formed all-steel tower can fit pallets up to 80 inches tall. Depending on the pallet size, the variable speed film carriage can wrap up to 40 loads per hour. An adjustable film brake can be increased for up to a 150% stretch rate.

Wrap pallet and skid loads quickly and efficiently, increase productivity and reduce worker fatigue. Once the pallet is loaded onto the wrapper, workers press a button and allow the machine to do the rest. After the cycle is finished and the products are wrapped, the turntable returns to the home position for quick unloading.

### Machine Specifications:

Power: 120Vac/60Hz/20 Amps  
Turntable Speed: 15 RPM  
Load Sensor: Automatic load height sensor  
Control Panel: Touchscreen Panel  
Turntable Drive: Chain  
Max Stretch Rate: 250%  
Warranty: 4 Year Manufacturer's Warranty on non-wearable parts  
Ramp: Not Included\*  
Turntable Diameter: 60"  
Turntable Diagonal: 92"  
Turntable Height: 3.625"  
Mast Height: 94"  
Max Load Weight: 5,000 lbs.  
Min. Load Height: 22"  
Max load Height: 80"  
Max Stretch Film Width: 20"\*  
Machine Dimensions: 111"L x 60"W x 86"H  
Machine Weight: 1,100 lbs.



### Shipping Dimensions:

Weight: 1,240 lbs.  
Skid Dimensions: 127"x64"x92"  
Freight Class: 150

\* Denotes Optional Sizes Available Call for Details




## 982 Pallet Stretch Wrap Machine

The 982 Pallet stretch wrap machines are built for performance, efficiency, and durability. The chain-driven, 59" turntable can handle loads up to 4,000 lbs. The photo-eye with easy thread design makes the 982 pallet stretch wrap machine easy to use and set up. Once the film is threaded, the auto-wrap cycle will replicate the designated settings for every pallet.

The ½ horsepower variable speed turntable can produce up to twelve revolutions per minute. The mechanical brake film carriage can produce up to a 150% stretch rate, decreasing film consumption and cost. It can wrap pallets up to 85" in height. An easy-access emergency stop can quickly stop a load when needed. Setup can be completed in minutes upon arrival.

### Machine Specifications:

Power: 110V/15Amp  
Turntable Speed: 0-12 RPM  
Load Sensor: Automatic load height sensor  
Control Panel: LCD Panel  
Turntable Drive: Chain  
Max Stretch Rate: 150%  
Warranty: 3 Year Manufacturer's Warranty on Parts  
Ramp: Standard Pallet Jack Ramp Additional \$  
Turntable Diameter: 59"  
Turntable Diagonal: 80"  
Turntable Height: 4"  
Mast Height: 85"  
Max Load Weight: 4,000 lbs.  
Min. Load Height: 22"  
Max load Height: 85"  
Max Stretch Film Width: 20"  
Machine Dimensions: 108"x59"x102"  
Machine Weight: 1,500 lbs.



## 983 Pallet Stretch Wrap Machine

Stretch film savings, efficiency, and durability are a few qualities the 983 stretch wrap machine features. The power pre-stretched head enables up to a 250% stretch rate with an easy-load film carriage. With a touch of the control panel, users can adjust the turntable speed, film tension, and more.

The chain driven turntable is capable of wrapping loads up to 4,000 lbs. With a 59 inch diameter turntable, pallets up to an 80 inch diagonal and an 85 inch height can be wrapped. The programmable memory holds up to 12 pallet size presets that can be changed with a touch of the screen. Set up can be completed within 30 minutes of arrival.

### Machine Specifications:

Power: 110V/15Amp  
 Turntable Speed: 0-15 RPM  
 Load Sensor: Automatic load height sensor  
 Control Panel: LCD Panel  
 Turntable Drive: Chain  
 Max Stretch Rate: 250%  
 Warranty: 3 Year Manufacturer's Warranty on Parts  
 Ramp: Standard Pallet Jack Ramp Additional \$  
 Turntable Diameter: 59"  
 Turntable Diagonal: 80"  
 Turntable Height: 4"  
 Mast Height: 85"  
 Max Load Weight: 4,000 lbs.  
 Min. Load Height: 22"  
 Max load Height: 85"  
 Max Stretch Film Width: 20"  
 Machine Dimensions: 108"x59"x102"  
 Machine Weight: 1,500 lbs.



## Medium Duty Low Profile Stretch Wrap Machine EP-1000B

Stretch wrap machines can pay for themselves within months. A stretch wrap machine can free employees for other tasks and dramatically reduce stretch film usage. The powered stretching heads on a stretch wrap machine are capable of consistent maximum film stretch. Increasing the film stretch rate reduces film consumption, cost, and environmental impact. The type and quantity of pallet loads being wrapped can determine the best machine for each application.

The 1000B stretch wrap machine is a dependable, cost saving machine built for all-day-use. The 1000B stretch wrapper features a 3,500 lbs. max load capacity with a durable chain-driven turntable and film carriage. The powerful 1/2 hp turntable motor is capable of up to 12 RPM. The 250% powered prestretched head increases film efficiency and savings.

The 1000B is capable of Stretching a standard 5,000 ft. machine roll to over 17,000 ft! The chain-driven film carriage can be easily loaded within seconds. The 1000B features an easy-to-learn analog control panel with a photo eye for hands free wrapping. All 1000B stretch machines can be set up and functional within 30 minutes of arrival. Optional scales can be added to all 1000B models upon request. All machines come with a 3yr warranty on parts!

### Machine Specifications:

Dimensions Power: 110V/60Hz  
Turntable Speed: 12 RPM  
Load Sensor: Automatic load height sensor  
Control Panel: Analog Panel  
Turntable Drive: Chain  
Max Stretch Rate: 250%  
Warranty: 3 Year Manufacturer's Warranty on non-wearable parts  
Ramp: Standard Pallet Jack Ramp Included\*  
Turntable Diameter: 59"  
Turntable Diagonal: 80"  
Mast height: 95"  
Max Load Weight: 3,500 lbs.  
Min. Load Height: 22"  
Max load Height: 87"  
Max Stretch Film Width: 20"\*  
Machine Dimensions: 96.5"x59"x95"  
Machine Weight: 1,100 lbs.

### Shipping Dimensions:

Weight: 1,248 lbs.  
Skid Dimensions: 130"x62"x40"  
Freight Class: 150

\* Denotes Optional Sizes  
Available Call for Details





## Heavy Duty Low Profile Stretch Wrap Machine EP-2000B

The 2000B is our best selling semi-automatic stretch wrap machine. The 2000B stretch wrap machine features a powered pre-stretch up to 250%. The pre-stretched head increases stretch film efficiency and load retention. The 59" turntable diameter will support pallets with a diagonal of up to 80 inches. The 2000B offers a soft start and stop feature to reduce load shifting. This is an excellent feature for wrapping pallets full of boxes. The soft start keeps boxes from flying off the pallet during the initial start-up. The easy plug-and-play set up allows and promotes quick and easy set up.

With the use of a forklift and a few tools each stretch wrap machine can be set up and operating within 30 minutes or less. Film loading is quick and easy and can be done within seconds. All 2000B stretch wrap machines run off of 110v power. Look below for specifications and brochures. View our stretch wrap machine for taller and wider pallets if the specs below do not accommodate current pallet sizes. All pallet orders of machine stretch film ship free and are offered at special pricing.

### Machine Specifications:

Power: 110V/60Hz  
 Turntable Speed: 12 RPM  
 Load Sensor: Automatic load height sensor  
 Control Panel: LCD Panel  
 Turntable Drive: Chain  
 Max Stretch Rate: 250%  
 Warranty: 3 Year Manufacturer's Warranty on non-wearable parts  
 Ramp: Standard Pallet Jack Ramp Included\*  
 Turntable Diameter: 59"  
 Turntable Diagonal: 80"  
 Mast height: 95"  
 Max Load Weight: 5,000 lbs.  
 Min. Load Height: 22"  
 Max load Height: 87"  
 Max Stretch Film Width: 20"\*  
 Machine Dimensions: 96.5"x59"x99"  
 Machine Weight: 1,295 lbs.

### Shipping Dimensions:

Weight: 1,540 lbs.  
 Skid Dimensions: 130"x62"x34"  
 Freight Class: 150



\* Denotes Optional Sizes Available Call for Details

## Extended Mast Stretch Wrap Machine EP-2000BE

The 2000BE extended mast stretch wrapping machine is an excellent option for companies wrapping taller pallet loads up to 120 inches tall. The 2000BE stretch wrapping machine offers a chain driven turntable with 110v power. Each machine comes with a 3 year manufacturer's warranty on parts. All machines come with a photo-eye and standard pallet jack ramp. The film carriage for the 2000BE stretch wrapping machine is a standard 20 inch carriage with an optional 30 inch carriage available.

Be sure to also check out our machine stretch film rolls. We offer a variety of resin mixtures, thicknesses, and widths! View our wider extended base stretch wrap machines for elongated pallets. Call us at 1-800-441-5090 for questions and freight quotes.

### Machine Specifications:

Power: 110V/60Hz  
Turntable Speed: 12 RPM  
Load Sensor: Automatic load height sensor  
Control Panel: LCD Panel  
Turntable Drive: Chain  
Max Stretch Rate: 250%  
Warranty: 3 Year Manufacturer's Warranty on non-wearable parts  
Ramp: Standard Pallet Jack Ramp Included\*  
Turntable Diameter: 59"  
Turntable Diagonal: 80"  
Mast height: 126.5"  
Max Load Weight: 5,000 lbs.  
Min. Load Height: 22"  
Max load Height: 120"  
Max Stretch Film Width: 20"\*  
Machine Dimensions: 96.5"x59"x130"  
Machine Weight: 1,762 lbs.

### Shipping Dimensions:

Weight: 2,060 lbs.  
Skid Dimensions: 149"x62"x34"  
Freight Class: 150



\* Denotes Optional Sizes Available Call for Details

## Extended Base Stretch Wrap Machine EP-2000EB

The 2000EB pallet wrapping machine is an extended base pallet wrapper. The extended base allows the packaging of longer and wider pallet loads. The 2000EB will support pallets with up to a 165" diagonal or pallets that measure up to 140"x90". Obtain a proper diagonal measurement of your largest pallet to be sure the extended base will accommodate the largest pallet you will be wrapping. The 2000EB is equipped with a chain turntable drive and runs on 110v electricity.

### Machine Specifications:

Power: 110V/60Hz  
 Turntable Speed: 12 RPM  
 Load Sensor: Automatic load height sensor  
 Control Panel: LCD Panel  
 Turntable Drive: Chain  
 Max Stretch Rate: 250%  
 Warranty: 3 Year Manufacturer's Warranty on non-wearable parts  
 Ramp: Standard Pallet Jack Ramp Included\*  
 Turntable Diameter: 78.5"  
 Turntable Diagonal: 170"  
 Mast height: 95"  
 Max Load Weight: 5,000 lbs.  
 Min. Load Height: 22"  
 Max load Height: 87"  
 Max Stretch Film Width: 20"\*  
 Machine Dimensions: 151"x78.5"x99"  
 Machine Weight: 1,770 lbs.

### Shipping Dimensions:

Weight: 2,068 lbs.  
 Skid Dimensions: 149"x82"x42"  
 Freight Class: 150



\* Denotes Optional Sizes Available Call for Details



## **'Extended Mast and Base Stretch Wrap Machine EP-2000EBT**

The 2000EBT stretch wrapper is a large extended mast and base stretch wrapper. The 2000EBT is built for large pallet loads. It comes with a 3 year manufacturer's warranty on parts. The machine turntable is operated by a chain drive and runs on a 110v motor. The standard carriage with the machine fits a 20 inch wide roll of stretch film. We do offer an extended carriage that will fit up to a 30" wide roll of machine stretch film. We offer a large selection of machine stretch film, in many thicknesses. We offer free shipping and discounted pricing on all pallet orders of machine stretch film. Call us at 1-800-441-5090 with questions and quote requests.

Machine Specifications: Power: 110V/60Hz  
Turntable Speed: 12 RPM  
Load Sensor: Automatic load height sensor  
Control Panel: LCD Panel  
Turntable Drive: Chain  
Max Stretch Rate: 250%  
Warranty: 3 Year Manufacturer's Warranty on non-wearable parts  
Ramp: Standard Pallet Jack Ramp Included\*  
Turntable Diameter: 78.5"  
Turntable Diagonal: 170"  
Mast height: 126.5"  
Max Load Weight: 5,000 lbs.  
Min. Load Height: 22"  
Max load Height: 120"  
Max Stretch Film Width: 20"\*  
Machine Dimensions: 151"x78.5"x130"  
Machine Weight: 2,502 lbs.

### **Shipping Dimensions:**

Weight: 2,800 lbs.  
Skid Dimensions: 149"x82"x34"  
Freight Class: 150



\* Denotes Optional Sizes Available Call for Details

## Automatic Stretch Wrap Machine EP-2000F

The 2000F automatic stretch wrapper is an automatic stretch wrapper designed for efficiency and time savings. The 2000F enables forklift operators to set pallets onto the turntable and push a button on the wireless remote to begin wrapping. This keeps drivers from having to get on and off of the forklift to begin wrapping and cutting the pallet loads. The film cutter and clamp cuts the stretch film and holds the film to begin wrapping the next pallet. The film wiper presses the film against the pallet load once the film is cut. After the load is finished the turntable returns to the home position for quick and easy pick up. The 2000F Automatic stretch wrapper will only work with standard sized uniform pallet loads. See specifications below for further details.

Power: 110V/60Hz  
 Required Air: 80 psi  
 Wireless Remotes: 3 Included  
 Recommended Pallet Sizes: 55"x52", 40"x48", 42"x40", 42"x42"  
 Recommended Pallet Loads: Uniform loads  
 Turntable Speed: 12 RPM  
 Load Sensor: Automatic load height sensor  
 Control Panel: LCD Panel  
 Turntable Drive: Chain  
 Max Stretch Rate: 250%  
 Warranty: 3 Year Manufacturer's Warranty on non-wearable parts  
 Ramp: Not Applicable  
 Turntable Diameter: 65"  
 Mast height: 99"  
 Max Load Weight: 5,000 lbs.  
 Min. Load Height: 22"  
 Max load Height: 87"  
 Max Stretch Film Width: 20"  
 Machine Dimensions: 105.75"x65"x99"  
 Machine Weight: 1,640 lbs.

### Shipping Dimensions:

Weight: 1,800 lbs.  
 Skid Dimensions: 135"x70"x99"  
 Freight Class: 150



## Heavy Duty Low Profile Stretch Wrap Machine with Scale EP-2000BWS

The 2000BWS stretch wrap machine is a standard sized stretch wrap machine with a scale. A stretch wrap machine with a scale is an ideal option for a variety of warehouses and distribution centers. The 2000BWS will weigh pallets up to 5,000 lbs. All machines are chain driven and manufactured durably to handle day-to-day wear and tear. Set up for the 2000BWS is easily accomplished within 30 minutes of arrival. The standard film carriage will accommodate machine stretch film rolls up to 20 inches wide. We offer extended film carriages up to 30 inches in width upon request. Be sure to check out our machine stretch film options. We offer discounts and free shipping on all pallet stretch film options. Call us at 1-800-441-5090 with quotes and questions. This machine Does Not come with a ramp.

Machine Specifications: Power: 110V/60Hz  
Turntable Speed: 12 RPM  
Load Sensor: Automatic load height sensor  
Control Panel: LCD Panel  
Turntable Drive: Chain  
Max Stretch Rate: 250%  
Warranty: 3 Year Manufacturer's Warranty on non-wearable parts  
Ramp: Not Included\*  
Turntable Diameter: 59"  
Turntable Diagonal: 80"  
Mast height: 95"  
Max Load Weight: 5,000 lbs.  
Min. Load Height: 22"  
Max load Height: 87"  
Max Stretch Film Width: 20"\*  
Machine Dimensions: 96.5"x59"x99"  
Machine Weight: 1,295 lbs.

### Shipping Dimensions:

Weight: 1,540 lbs.  
Skid Dimensions: 130"x62"x34"  
Freight Class: 150



\* Denotes Optional Sizes Available Call for Details



# PACKAGING TAPE

Packaging tape is used around the world for enclosing and securing containers for transport, retail sales, and storage. Packaging tape is made from varied materials using many different adhesives to adhere to containers. The most used packaging tapes are made from polypropylene with an acrylic adhesive and come in either clear or tan colors. Packaging Tape is an important part of any packaging operation. Companies using boxes, envelopes, or any other containers for packaging normally use a tape for sealing. Tapes specifically made for packaging come in a variety of lengths, colors, and widths. They also vary in materials and adhesives they are made from. Below is a brief explanation of the types of tapes we offer and what they are recommended to be used for.

## Hand Packaging Tape

Hand packaging tape plays an important role in most warehouses. The ability for workers to quickly apply tape to close and secure containers increases efficiency and reduces product damage. All of our hand packaging tapes provide different strengths to accommodate an assortment of products being wrapped. A thicker mil and stronger adhesives can secure heavy boxes during transit via UPS and Fed Ex.



## 3M Tartan 302 Box Sealing Tape

This 3M Tartan economical brand packing/sealing tape is a great general purpose tape used for a variety of applications. Specifically wide temperature applications as well as damp applications. It is a commonly used tape for refrigerated product cases. It can also be used for packaging electronics, paper, print, etc.

Product Specifications: **Adhesive Material** Acrylic, **Backing Material** Polypropylene, **Material** Polypropylene, **Tensile Strength** 23 lbs., **Core Size** 3 inch.

SKU	Thickness	WidthXLength	Weight	Rolls Per Case	Min. Order Quantity
3M 302 48x110 CLR	1.6 Mil	48mmx100m	20.38 lbs	36	1 Case

### 3M Tartan 305 Box Sealing Tape

The Tartan 305 tape has many of the same characteristics as Tartan 302 packing tape. The major difference is strength and thickness. This 3M Tartan tape is a great general purpose tape used for a variety of applications. Specifically wide temperature applications as well as damp applications. It is a common tape used in refrigerated product cases. It can also be used for packaging electronics, paper, print, etc.

SKU	Thickness	WidthxLength	Weight	Rolls Per Case	Min. Order Quantity
HI-3M 305 48X100 CLR	1.6 Mil	48mmx100m	17.64 lbs	36	1 Case
HI-3M 305 48X50 CLR	1.6 Mil	48mmx50m	10.08 lbs	36	1 Case
HI-3M 305 72x100 CLR	1.6 Mil	48mmx100m	17.52 lbs	24	1 Case

### 3M Tartan 369 Box Sealing Tape

Tartan 369 packing tape is a value performance tape from 3M. Designed to offer an aggressive adhesive to provide a secure and durable closure. Tartan 369 packing tape offers consistent performance and a quiet unwind. Great for: General industrial use, food, beverage, medical pharmaceutical, paper, print, and more!

SKU	Thickness	WidthxLength	Weight	Rolls Per Case	Min. Order Quantity
HI-3M 369 48X100 CLR	1.6Mil	48mmx100m	18 lbs	36	1 Case
HI-3M 369 72X100 CLR	1.6Mil	72mmx100m	29 lbs	24	1 Case
HI-3M 369 48X100 TAN	1.6Mil	48mmx100m	19 lbs	36	1 Case
HI-3M 369 72X100 TAN	1.6Mil	72mmx100m	29 lbs	24	1 Case

### Bopp Packing Tape

Strong BOPP packing tape is affordable and gets the job done. Made from an acrylic water based adhesive, this packing tape sticks instantly and offers a great seal. Considered a high performance private label tape intended for the toughest of jobs. The quick and easy release allows for faster sealing. A great packing tape option for hot and cold environments.

SKU	Thickness	WidthxLength	Weight	Rolls Per Case	Min. Order Quantity
WP-BT20	1.8 Mil	2"x110yds.	21 lbs	36	1 Case
WP-BT30	1.8 Mil	3"x110yds.	22 lbs	24	1 Case

### 3m scotch 371 Box Sealing Tape

This 3M Scotch 371 packing tape is ideal for a variety of packing and box sealing operations. Commonly used for general industrial, food, beverage, medical, paper, print, electronics box, and carton sealing applications. Designed to resist abrasion, moisture, chemicals, and tear. It is easy to apply and considered a premium packing tape.

SKU	Thickness	WidthxLength	Weight	Rolls Per Case	Min. Order Quantity
HI-3m371 48x100 CLR	1.9 Mil(.048mm)	48mmx100m	21 lbs	36	1 Case
HI-3m371 72x100 CLR	1.9 Mil(.048mm)	72mmx100m	21 lbs	24	1 Case

### 3m scotch 372 Box Sealing Tape

The Scotch 372 packing tape is comparable to Scotch 371 packing tape. The most common difference is the overall strength and thickness. This 3M Scotch brand packing tape is ideal for a variety of packing and box sealing operations. Commonly used for general industrial, food, beverage, medical, paper, print, electronics box, and carton sealing applications. Designed to resist abrasion, moisture, chemicals, and tear. It is easy to apply and considered a premium packing tape.

SKU	Thickness	WidthxLength	Weight	Rolls Per Case	Min. Order Quantity
HI-3m372 48x100 CLR	2.2Mil(.056mm)	48mmx100m	23 lbs	36	1 Case
HI-3m372 72x100 CLR	2.2Mil(.056mm)	72mmx100m	24 lbs	24	1 Case

### 3m scotch 375 Box Sealing Tape

The Scotch 375 packing tape has many common attributes and uses as the 371 and 372 packing tapes. The most common difference is the overall strength and thickness. This 3M Scotch brand tape is ideal for a variety of packing and box sealing operations. Commonly used for general industrial, food, beverage, medical, paper, print, electronics box, and carton sealing applications. Designed to resist abrasion, moisture, chemicals, and tear. It is easy to apply and considered a premium packing tape.

Product Details: **Adhesive Material** Hot Melt, **Backing Material** Scotchpro, **Polypropylene Material** Hot Melt Synthetic Rubber, **Tensile Strength** 35 lbs., **Core Size** 3 Inches

SKU	Thickness	WidthxLength	Weight	Rolls Per Case	Min. Order Quantity
HI-3m375 48x50 CLR	3.1Mil	48mmx100m	25 lbs	36	1 Case
HI-3m375 72x50 CLR	3.1Mil	72mmx100m	26 lbs	24	1 Case

# MACHINE PACKAGING TAPE

## 3M Tartan 369 Machine Packaging Tape

Tartan 369 3M machine tape is considered a value performance tape ideal for lightweight box sealing applications. Product Details: Rubber Resin adhesive, Polypropylene backing material, 19 lbs. tensile strength, and a 3 inch core size.

SKU	Thickness	WidthxLength	Weight	Rolls Per Case	Min. Order Quantity
HI-3M 369 48X914 CLR	1.6 Mil	48mmx914m	24 lbs	6	1 Case
HI-3M 369 72X914 CLR	1.6 Mil	72mmx914m	26 lbs	4	1 Case

## 3m Scotch 311 Machine Packing Tape

The Scotch 311 box sealing tape provides high quality at an affordable price. The strong backing and aggressive adhesive provide a secure and durable closure. It can be used in a variety of industries for box sealing. It is designed to maintain a consistent seal in a wide variety of temperatures. Product Details: Acrylic adhesive, Polypropylene backing Material, Tensile Strength 25 lbs, and a 3 Inch core size.

SKU	Weight	Rolls Per Case	Min. Order Quantity
HI-3M 311 48X914 CLR	32 lbs	6	1 Case
HI-3M 311 48X1500 CLR	30 lbs	6	1 Case
HI-3M 311 72X914 CLR	20 lbs	4	1 Case

## 3m Scotch 313 Machine Packing Tape

3M Scotch 313 Machine tape is considered a premium sealing tape that is stronger than Scotch 311 box packing tape. Features include: instant adhesion, edge tear and split resistant, ages well in sunlight, long life, and wide temperature ranges. Tape rolls are made with: Acrylic adhesives, polypropylene backing, 35 lbs Tensile Strength, and a 3 inch core size.

SKU	Thickness	WidthxLength	Weight	Rolls Per Case	Min. Order Quantity
HI-3M 313 48X914	2.5Mil(.065mm)	48mmx914m	38 lbs	6	1 Case
HI-3M 313 72X914	2.5Mil(.065mm)	72mmx914m	33 lbs	4	1 Case



# TAPE DISPENSERS

Package faster with a tape dispenser. Each dispenser is made for all-day tape applications. Users simply hold the tape dispenser to the box being sealed and pull the tape along the box seams. Once at the end of the box seam, the serrated edges can be used to quickly cut the tape.

## 3m Scotch H180 Tape Dispenser

The H180 3m Scotch tape dispenser is a light weight tape dispenser ideal for portable usage. It is designed to accommodate a 60 yard roll of tape up to 2 inches wide. An adjustable tape break allows control of tension and tape delivery.

SKU	Material	WidthxLength	Min. Order Quantity
HI-3M H-180 BOX SEAL	Plastic & Metal	2 Inches	1

## 3m Scotch H183 Tape Dispenser

The Scotch H183 box packing tape dispenser features the same design and benefits as the Scotch H180 tape dispenser except the H183 is made for up to 3 inch wide tape. The H183 is recommended for a center sealing box application. The lightweight, durable plastic and metal construction is designed for durability.

SKU	Material	Width/Length	Min. Order Quantity
HI-3M H-183 BOX SEAL	Plastic & Metal	3 Inches	1



# TAPE MACHINES

Carton sealing machines can be adjusted to seal a large variety of box sizes. Carton sealers can help increase production times and reduce product damage. Each carton sealer comes with a 1 year warranty on parts. We can also price out special tape machines based on project needs. Call our sales team and inquire today!

## Eagle T100 Carton Sealer

The side belt drives ensure proper carton sealing even with cartons that are short in height, but have an extended length. Best suited for medium volume production. The tape head can accept 2" or 3" tape with simple adjustments. All machines come with a 1 year warranty on parts!

Machine Details:

Max Carton Size 6"Lx19.75"Wx19.75"H

Tape Size 2" - 3"

Power Requirements 110V



SKU	Power supply	Products per minute	Weight
EP-T100	110V	30	520 lbs



## Eagle T200 Carton Sealer

The Eagle T200 takes the rigidity and simple design of the Eagle T100 and adds a set of top belts to stabilize tall, narrow cartons for proper sealing. The Eagle T200 comes with a 1 year warranty on all parts.

Machine Details

Max Carton Size 6"Lx19.75"x19.75H"

Tape Width 2" - 3"

Tape Length 1000' - 2000'

Max Load 80 Lbs.

SKU	Power supply	Products per minute	Weight
EP-T200	110V	30	552 lbs

# **STRAP PRODUCTS FOR SHIPPING PROTECTION & SAVINGS!**



**Bundle items and reduce shipping costs  
with polypropylene strapping!**

# STRAPPING

Plastic strapping is ideal for multiple uses when shipping a variety of products. Polypropylene strapping is often used to complement stretch film during load stabilization. Poly strapping is also used to bundle products together for retail sales. Polyester strapping is great for heavier loads and is commonly used in place of metal strapping. Polyester strapping offers many benefits over steel strapping. If you have any questions about our plastic strapping products, feel free to call us at 1-800-441-5090.

## Machine Poly Strapping

Machine poly strapping is used around the world for various reasons. Strapping is a great way to bundle multiple products together during shipping. Strapping also adds strength to boxes with heavy items. Call our sales team for quantity discounts or size inquiries.


SKU	Thickness	WidthxLength	Weight	Quantity Per Case	Color
M4850-6616B	350/.027	1/2"x6,600'	40 lbs	1 Coil	BLACK
M4850-6616W	350/.028	1/2"x6,600'	40 lbs	1 Coil	WHITE
M4860-7216B	300/.022	1/2"x7,200'	40 lbs	1 Coil	BLACK
M4860-7216Y	500/.028	1/2"x7,200'	40 lbs	1 Coil	Yellow
M4853-8216W	500/.029	1/2"x8,200'	40 lbs	1 Coil	WHITE
MM5004-W	110/.017	5mmx24,000'	36 lbs	1 Coil	WHITE
MM5005-W	130/.017	5mmx23,000'	36 lbs	1 Coil	WHITE
M2820-188W	200/.023	1/4"x18,000'	28 lbs	1 Coil	WHITE
M2820-188Y	200/.024	1/4"x18,000'	28 lbs	1 Coil	YELLOW
M3830-128B	300/.024	3/8"x12,900'	32 lbs	1 Coil	BLACK
M3830-128C	300/.024	3/8"x12,900'	32 lbs	1 Coil	CLEAR
M4835-998B	350/.024	1/2"x9,900'	32 lbs	1 Coil	BLACK
M4835-998C	350/.024	1/2"x9,900'	32 lbs	1 Coil	CLEAR
M4835-998W	350/.024	1/2"x9,900'	32 lbs	1 Coil	WHITE
M4835-998Y	350/.024	1/2"x9,900'	32 lbs	1 Coil	YELLOW
M4850-668B	500/.027	1/2"x6,600'	32 lbs	1 Coil	BLACK
M4850-668W	500/.027	1/2"x6,600'	32 lbs	1 Coil	WHITE
M2818-209W	180/.020	1/4"x20,000'	32 lbs	1 Coil	WHITE



SKU	Thickness	WidthxLength	Weight	Quantity Per Case	Color
M3830-129B	300/.024	3/8"x12,900'	32 lbs	1 Coil	BLACK
M3830-129C	300/.024	3/8"x12,900'	32 lbs	1 Coil	CLEAR
M3830-129W	300/.024	3/8"x12,900'	32 lbs	1 Coil	WHITE
M3830-129Y	300/.024	3/8"x12,900'	32 lbs	1 Coil	YELLOW
M4835-999B	350/.024	1/2"x9,900'	32 lbs	1 Coil	BLACK
M4835-999C	350/.025	1/2"x9,900'	32 lbs	1 Coil	CLEAR
M4835-999W	350/.026	1/2"x9,900'	32 lbs	1 Coil	WHITE
M4835-999Y	350/.027	1/2"x9,900'	32 lbs	1 Coil	YELLOW
M4850-669B	500/.027	1/2"x6,600'	32 lbs	1 Coil	BLACK
M4850-669W	500/.028	1/2"x6,600'	32 lbs	1 Coil	WHITE

**Call for pricing and freight discounts on pallet orders of strapping.**

**Substantial discounts from listed prices!**



### Hand Poly Strapping

Hand polypropylene strapping can be used to bundle multiple items together or reinforcing cartons with heavy items. Hand poly strapping is fastened with buckles or a hand sealing machine. The strapping thickness and strength should be determined by the items being wrapped. All hand strapping listed below has an embossed surface for additional grip when using buckles. Don't hesitate to call our customer service team with questions and pallet quote request!

SKU	Tensile Strength	WidthxLength	Weight	Quantity Per Case	Color
4830-9016B	300	1/2"x9,000'	32 lbs	1 Coil	BLACK
4845-7216B	450	1/2"x7,200'	32 lbs	1 Coil	BLACK
4850-7216B	500	1/2"x7,200'	32 lbs	1 Coil	BLACK
4860-7216B	600	1/2"x7,200'	32 lbs	1 Coil	BLACK
4860-7216Y	600	1/2"x7,200'	32 lbs	1 Coil	YELLOW
5870-6016B	700	5/8"x6,000'	32 lbs	1 Coil	BLACK

## Strapping Kits


Strapping kits are a great option for companies not producing a high amount of output or companies that only use strapping for specific products. They are ideal for securing multiple products together as well as securing entire pallet loads when used with stretch film. \*Quick-pac Strapping Kits- The quick-pac strapping kits are offered in wire and plastic buckle options. Both kits come with 1/2 inch plastic strapping, option of 2,000 or 3,000 ft. coils, 300 wire or plastic buckles, and a strap puller. The quick-pac kits are great for companies who are looking for an all-in-one strapping option.



SKU	Buckle Material	WidthxLength	Weight	Quantity Per Case	Color
UP-W	Wire	1/2"x3000'	16 lbs	300 Buckles	BLACK
UP-P	Plastic	1/2"x3000'	12 lbs	300 Buckles	BLACK

## Strapping Seals

Find a variety of strapping seals to assist in securing loads and bundling items in multiple industries. Our strapping seals are compatible with poly strapping and polyester strapping. We offer a variety of strapping seals that include: open metal strapping seals, closed metal strapping seals, and serrated metal strapping seals. If you have any questions about the seals we offer, feel free to call us at 1-800-441-5090.



SKU	Weight	Quantity Per Case
USL-1/2	10 lbs	1000
USL-5/8	15 lbs	1000
USL-3/4	20 lbs	1000
USL-1/2CTS	13 lbs	1000
USL-5/8CTS	21 lbs	1000

**Ask about steep skid discounts and how to get free shipping to any commercial address within the Continental United States!**

## Eagle 710 Automatic Strapping Machine

Automatic strapping machines make strapping more efficient and economical. Automatic strapping machines help to reduce waste and increase strapping times. The Eagle 710 strapping machine is offered in a variety of arch dimensions. View the chart below for pricing on different arch dimensions.

### Features

- \* LCD Screen Read Out
- \* Self Threading
- \* Auto-Loop Ejector
- \* Low & High Tension Settings
- \* Tool-Free General Maintenance
- \* Quick Release Lock-on Coil
- \* 110v
- \* Fits 8"x8" Core
- \* Strap Size 5mm/6mm, 3/8"
- \* 65 Straps per Minute
- \* Tension 2.5 lbs -70.5 lbs.
- \* Table Top Height 32.75"
- \* Machine Dimensions 37" x 26.5" x 65"



SKU	Weight	Straps Per Minute	Arch Dimensions
EP-710	450 lbs	65	22" W x 20" H
EP-710L	450 lbs	65	30" W x 20" H
EP-710S	450 lbs	65	20" W x 17" H
EP-710XL	450 lbs	65	40" W x 31" H

# LAUNDRY FILM

Laundry film and garment bags are two forms of flexible plastics used in commercial laundries. Laundry film is made from PVC and is often used with a heat pad to seal up wrapped laundry. Most laundry film offers some stretch to help pull tight around clean linens. These laundry wrap rolls are made from a premium PVC resin that encourages strong durable wrap at an affordable cost.

## Laundry Film

These laundry wrap rolls are made from a premium PVC resin that encourages strong durable wrap at an affordable cost. A stronger laundry wrap means less waste and less cost than many other wraps currently available on the market.

High cling reduces slipping on the roll. The ultra clear wrap makes seeing laundry easy and helps to keep out dirt, moisture, and other external elements. We offer two thicknesses of laundry wrap, both on 3" core rolls. All rolls are 5000 ft. long. For savings on orders over 5 rolls, call our sales team at 1-800-441-5090.



SKU	Thickness	WidthxLength	Weight	Quantity Per Case
WP-WLW06	40 Gauge	24"x5000'	37 lbs	1 Roll
WP-WLW13	50 Gauge	24"x5000'	44 lbs	1 Roll
WP-WLW02	40 Gauge	30"x5000'	47 lbs	1 Roll
WP-WLW07	50 Gauge	30"x5000'	53 lbs	1 Roll
WP-WLW08	40 Gauge	32"x5000'	50 lbs	1 Roll
WP-WLW11	50 Gauge	32"x5000'	57 lbs	1 Roll
WP-WLW03	40 Gauge	34"x5000'	52 lbs	1 Roll
WP-WLW14	50 Gauge	34"x5000'	60 lbs	1 Roll
WP-WLW04	40 Gauge	36"x5000'	55 lbs	1 Roll
WP-WLW09	50 Gauge	36"x5000'	63 lbs	1 Roll

**Ask about steep skid discounts and how to get free shipping to any commercial address within the Continental United States!**



# LAUNDRY WRAPPING MACHINE

## Laundry Wrapping Table

The HS series laundry wrapping table is a full sized wrapping table made from durable aluminum and stainless steel. The HS model laundry wrappers feature a double roll rack enabling a seamless transition between films. The easy-glide heating drawer promotes easy operation during wrapping and sealing production. The HS laundry wrapper is capable of holding rolls up to 40 inches wide. The large 12"x30" hot plate makes it a great option for professionally wrapping towels, sheets, clothes, and many other products.

Each table includes:

Laundry Wrapping Table Dimensions

- \* Easy-Glide Heating Area
- \* Large 12"x30" Hot Plate
- \* Standard 115v Power
- \* Stainless Steel Work Station
- \* Dual Film Rack
- \* Adjustable Film Tension
- \* Easy-to-Use Film Selector
- \* Quick-Adjust Heat Dial
- \* Fast Lock Casters
- \* Durable Solid Cut-off Rod
- \* Easy Open Work Area for Faster Film Threading

The HS laundry wrappers are used by schools, hospitals, and professional cleaners around the world. All wrappers ship via best way freight.



SKU	Weight
HS-HS10440LW	220 lbs

**Call 1-800-441-5090 with questions and quote requests!**

## How to properly overwrap packages

- Place package to be wrapped in the center of the package rest. Using both hands, grasp film at outer edges and with an even, steady, outward motion pull toward yourself enough film to fit over and around the entire package to be wrapped.
- Place film over package and tuck under around 2 inches of film along the edge farthest from you. As you tuck the film, begin to pull the package towards you. At this time the package will be enclosed within the film.
- Hold turned under film in place and using both hands, place the package on the hot plate to make the first seal.
- Lift the wrapped package and tuck under the excess film on the sides of the package to make a tight package and then run across the hot plate to make the final seal.

# POLY GARMENT BAGS

## Poly Garment Bags

Our Plastic Garment Bags are made with protection and strength in mind. All garment bags are made from a strong 60 gauge poly plastic that protects clean garments from dust, moisture, and other elements. All bags offer slanted shoulders and a hanger slip for easy use and a close fit. All bags have a suffocation warning printed on them. All sizes of bags come on a roll. Rolls range from 270 to 650 bags per roll.

**For orders larger than 5 rolls, call our sales team at 1-800-441-5090.**

SKU	Weight	Bags Per Roll	Arch Dimensions
LA-8009	24 lbs	650	21"x30"x4"
LA-8010	24 lbs	510	21"x38"x4"
LA-8012	24 lbs	360	21"x54"x4"
LA-8014	24 lbs	270	21"x72"x4"



# PERFORATED PLASTIC CLING & SHRINK ROLLS

## Perforated Plastic Wrap

These rolls of perforated plastic wrap (cling sheets) work well in any kitchen, deli, or bakery. Perforated plastic wrap is often preferred because the premeasured sheets are easy to use and reduce waste. All of the perforated all purpose cling sheets come in a 35 gauge thickness.



SKU	Sheets Per Roll	Sheet Size	Weight
WP-301	3000	6"x5"	1.6 lbs
WP-304	2400	8"x8"	2.7 lbs
WP-305	2200	9"x9"	3.1 lbs
WP-307	1900	10"x10"	3.3 lbs
WP-309	1700	11"x11"	3.6 lbs
WP-311	1600	12"x12"	4.1 lbs
WP-313	1200	14"x14"	4.1 lbs
WP-314	1100	15"x15"	4.4 lbs
WP-316	900	18"x18"	5.1 lbs
WP-317	700	18"x24"	5.3 lbs
WP-320	600	22"x22"	5.1 lbs
WP-323	500	24"x24"	5.1 lbs
WP-324	400	24"x28"	4.7 lbs

## Perforated Shrink Rolls

These perforated shrink wrap rolls are commonly used in deli's and meat departments to help package a variety of meats at an affordable price. All of our perforated shrink rolls come in a 35 gauge thickness. Multiple sheet sizes are available and all rolls are FDA approved for direct food contact.

SKU	Sheets Per Roll	Sheet Size	Weight
WP-503	2000	9"x9"	4.6 lbs
WP-504	1700	10"x10"	4.8 lbs
WP-506	1400	12"x12"	5.7 lbs
WP-508	1100	14"x14"	6.3 lbs
WP-509	1000	15"x15"	6.5 lbs
WP-510	1000	16"x16"	6.6 lbs
WP-512	900	18"x18"	8.4 lbs
WP-515	500	24"x24"	8.7 lbs

## Printers Cling Film

Perforated printers cling film is ideal for a variety of printing applications. Our cling film is often used to wrap printed papers, post cards, and more. It offers a high amount of cling and is a durable cling film. We offer a variety of sheet sizes and all sheets are offered in a 75 gauge thickness.



SKU	Sheets Per Roll	Sheet Size	Weight
WP-PCW01	1000	12"x12"	4 lbs
WP-PCW02	700	15"x15"	6 lbs
WP-PCW03	600	18"x18"	11 lbs
WP-PCW07	600	20"x20"	15 lbs
WP-PCW04	500	22"x22"	17 lbs
WP-PCW05	500	24"x24"	19 lbs
WP-PCW06	500	24"x28"	23 lbs

## Printers Shrink Film

Our perforated printers shrink film is a durable 60 ga. shrink film that works great with a variety of printed products. Users often use a heat wand to shrink the perforated film to printed products. We offer a variety of sizes to choose from. The printers shrink film should not come into direct contact with food. We offer food grade perforated shrink rolls which are thinner and work great with printed products as well.

SKU	Sheets Per Roll	Sheet Size	Weight
WP-PSW01	1000	12"x12"	11 lbs
WP-PSW02	700	15"x15"	13 lbs
WP-PSW03	600	18"x18"	14 lbs
WP-PSW07	600	20"x20"	10 lbs
WP-PSW04	500	22"x22"	12 lbs
WP-PSW05	500	24"x24"	14 lbs
WP-PSW06	500	24"x28"	17 lbs

**Discounts on orders of 5 or more rolls!**

**Mix and match any products for discounts!**



## Single Tiered Film Dispensers

This sturdy metal plastic wrap dispenser is made to dispense perforated plastic wrap and perforated shrink wrap. Designed for countertop or wall mounting options. Operators can easily tear sheets from the roll. Each dispenser can fit rolls up to 24 inches wide.

SKU	Weight
WP-423	4 lbs



# POLY BAG SEALERS

## Continuous Band Sealer

The CBS-880 continuous band sealer is a high-speed band sealer made to seal thousands of products daily. The CBS-880 band sealer features a control panel capable of adjusting conveyor speed, cooling fan, and seal temperature.

The conveyor height and width settings are fully adjustable to accommodate the bag size being used. Operators can quickly and easily adjust the 880 band sealer to fit the material being used.

The CBS 880 also offers an option vertical mount to allow customers to package a variety of gusseted and stand-up pouches. The machine is popular for retail packaging, industrial parts, food packaging, and more. Quickly seal up to an 8 mil material thickness. With continuous bag placement, the machine is capable of sealing up to 30 bags per minute. See machine details below.



### Please see product specifics below.

- \* Digital Temp. Control
- \* Stainless Steel Frame
- \* Fully Adjustable Speed Control
- \* Bag Guide for Straight Seals
- \* Wide 8mm Seal
- \* Air Cooling Systems to Extend the Life of the Sealer
- \* Fast Warm-Up Time
- \* Optional Date Printing Coder
- \* Portable Design
- \* Machine Dimensions

## Vertical Band Sealer

A vertical band sealer is made to seal stand up pouch bags. Once contents are placed into the pouch, they can be placed onto the vertical bag sealer conveyor for quick seal and closure. The upright bag sealer features a wide 8 mm air-tight seal for barrier bags or standard pouch bags.

Once operations begin, the seal temperature and belt speed will have variable adjustments to set as needed for the bag being sealed. The maximum vertical seal height is twelve inches. The maximum recommended weight for the conveyor is 6.6 lbs. The sealer conveyor has a maximum speed of 39 feet per minute.

Vertical band sealers can speed up production and efficiency. Once all the heights and temperatures are set, bags can quickly be placed through the sealer for full closure. A print and embossing option accommodates three sections with up to fifteen characters per line.

For setup, the vertical stand and sealer will need to be attached before operation. In addition to the stand, a vertical umbrella shaft will need to be installed. The vertical shaft connects the sealer and belt for a synced seal. Daily maintenance and monthly service can be performed to lengthen the band sealer's life.

Daily maintenance includes cleaning the sealing belts from any build-up from the upright pouches. It is also advised to wipe down the conveyor daily to keep any excess materials from being caught in the belt.

Users can expect to seal between 20 – 30 stand-up pouches per minute with the vertical band sealer. The easily accessible e-stop allows immediate stoppage if needed. An excellent way to prevent injuries and stop jamming and machine damage with loose elements.

### Please see product specifics below.

- \*Standard Three Prong 120v Power Supply
- \*Adjustable Speed Conveyor Belt
- \*Wide 8 mm Seal Width
- \*Seals Bags Up To 8 Mils Thick
- \*Seal up to 30 Products Per Minute
- \*Date Printing Coder Included



## Band Sealer with Gas Flush

Band sealers with gas flush can quickly flush and seal packages for high-speed production. The stand-alone band sealer features locking casters and a standard electrical plug, allowing it to be easily moved to any desired location. The bag conveyor moves products along the sealing band after the bags are placed over the nozzle. The gas flushing nozzle activates when the foot pedal is pressed. Once the flushing process is complete, the nozzle pivots, allowing the bag to move down the conveyor belt for sealing swiftly. The conveyor speeds are fully adjustable and can move up to 40 feet per minute.

### Features Include:

- \*110V Power Supply for Standard Wall Outlets
- \*Belt Speed Up To 40 Feet Per Minute
- \*Digital Temperature Controls
- \*Easy-Press E-Stop
- \*Pressure Gauge
- \*Locking Wheels and Casters for Easy Mobility
- \*Thick 10mm Sealing Band
- \*Optional Solid Ink Rollers Included
- \*Max Conveyor Load 7 lbs.
- \*Overall Maximum Machine Dimensions 41"L x 21.5"W x 43.5"H
- \*Overall Machine Weight 154 lbs



## Impulse Foot Sealers

Each impulse foot sealer is made from heavy-duty materials and components. Impulse foot sealers are designed to increase efficiency and output. The foot pedal height can be adjusted to accommodate multiple operating heights. All sealer sizes come with a flat sealing wire. A flat sealing wire is a perfect sealing option for polyethylene, polypropylene, co-extruded bags, and more. The thicker flat is perfect for materials up to an 8 mil thickness.

For a round wire foot sealer click on the link. A round wire foot sealer will seal and cut the excess film for thinner materials. Replacing PTFE tape as needed is recommended for proper maintenance and longer wire life.

### Features Include:

- \* Adjustable Seal Timer
- \* 110V Power Supply
- \* Replacement Wire Kit
- \* Adjustable Foot Pedal
- \* Parts and Phone Support Included with Purchase



SKU	Product	Max Seal Length	Max Material Thickness	Seal Width	Watts	Weight
AIE-300FL	12" Impulse Foot Sealer	12"	6 mil	2mm	400	65 lbs
AIE-450FL	18" Impulse Foot Sealer	18"	6 mil	2mm	600	68 lbs
AIE-600FL	24" Impulse Foot Sealer	24"	6 mil	2mm	800	74 lbs
AIE-800FL	32" Impulse Foot Sealer	32"	6 mil	2mm	1000	82 lbs

## Tabletop Foot Sealers

Tabletop foot sealers can be used in two different settings. Sealers can be used on an automatic seal setting or a foot pedal seal setting. The automatic setting closes the seal bar at timed intervals. Perfect for poly bags, shrink bags, or polypropylene bag sealing.


A flat wire is used to make thicker seals on heavier bags. The long 12' power cord and foot pedal allow working in many different areas.



SKU	Product	Max Seal Length	Max Material Thickness	Wire Type	Watts	Weight
AIE-300A1	14" 2mm Tabletop Impulse Sealer	14"	6 Mil	Flat	600	43 lbs
AIE-300AR	14" Round Wire Tabletop Impulse Sealer	14"	2 Mil	Round	600	43 lbs
AIE-305A1	14" 5mm Tabletop Impulse Sealer	14"	8 Mil	Flat	1000	45 lbs
AIE-310A1	14" 10mm Tabletop Impulse Sealer	14"	8 Mil	Flat	1000	45 lbs
AIE-450A1	18" 2mm Tabletop Impulse Sealer	18"	6 Mil	Flat	700	48 lbs
AIE-450AR	18" Round Wire Tabletop Impulse Sealer	18"	2 Mil	Round	700	48 lbs
AIE-455A1	18" 5mm Tabletop Impulse Sealer	18"	8 Mil	Flat	1000	49 LBS
AIE-410A1	18" 10mm Tabletop Impulse Sealer	18"	8 Mil	Flat	1000	49 lbs
AIE-600A1	24" 2mm Tabletop Impulse Sealer	24"	6 Mil	Flat	900	54 lbs
AIE-600AR	24" Round Wire Tabletop Impulse Sealer	24"	2 Mil	Round	900	54 lbs
AIE-605A1	24" 5mm Tabletop Impulse Sealer	24"	8 Mil	Flat	1000	56 lbs
AIE-610A1	24" 10mm Tabletop Impulse Sealer	24"	8 Mil	Flat	1000	56 lbs



**SHOP OUR FULL POLY TUBING  
& BAG SELECTION ONLINE!**



**Printed bags and  
custom sizes available!**

# POLY BAGS & TUBING

Poly tubing and bags are used in a variety of packaging applications all around the world. Polyethylene abbreviated PE, is the most common plastic in the world. Polyethylene is classified based on density. Three common polyethylene classifications are: High Density Polyethylene (HDPE), Low-Density Polyethylene (LDPE), and Linear Low-Density Polyethylene (LLDPE). All of our polyethylene bags and tubing are made from Low-Density Polyethylene. LDPE is used in a variety of products, but is preferred in some packaging films for a variety of reasons. LDPE offers low cost, easy processing, and a great moisture barrier.

Each Flat Poly Bag is:

- \* FDA Approved
- \* Made From Virgin Low Density Polyethylene
- \* Recyclable
- \* Crystal Clear
- \* Non-Toxic

All orders are quantity based. Our first price break begins at five cases.

## 2 Mil Flat Poly Bags

2 Mil Flat Poly bags are considered standard strength bags. Ideal for a large variety of products. The 2 Mil thickness is our most popular poly bag thickness. They are ideal for food storage, clothing, small parts, and more. We offer a large selection of sizes to choose from.



SKU	Qty./Case	WidthxLength	Weight
IP-PB20202	1000	2"x2"	2 lbs
IP-PB20203	1000	2"x3"	2 lbs
IP-PB20204	1000	2"x4"	2 lbs
IP-PB20205	1000	2"x5"	2 lbs
IP-PB20206	1000	2"x6"	2 lbs
IP-PB20207	1000	2"x7"	2 lbs
IP-PB20208	1000	2"x8"	2 lbs
IP-PB20210	1000	2"x10"	2 lbs
IP-PB20212	1000	2"x12"	2 lbs
IP-PB20216	1000	2"x16"	2 lbs
IP-PB20224	1000	2"x24"	2 lbs
IP-PB20303	1000	3"x3"	5 lbs
IP-PB20304	1000	3"x4"	5 lbs
IP-PB20305	1000	3"x5"	5 lbs
IP-PB20306	1000	3"x6"	5 lbs
IP-PB20308	1000	3"x8"	5 lbs
IP-PB20310	1000	3"x10"	5 lbs
IP-PB20312	1000	3"x12"	5 lbs
IP-PB20314	1000	3"x14"	5 lbs
IP-PB20316	1000	3"x16"	5 lbs
IP-PB20318	1000	3"x18"	5 lbs
IP-PB20320	1000	3"x20"	5 lbs
IP-PB20324	1000	3"x24"	5 lbs
IP-PB20404	1000	4"x4"	7 lbs
IP-PB20405	1000	4"x5"	7 lbs
IP-PB20406	1000	4"x6"	7 lbs
IP-PB20407	1000	4"x7"	7 lbs
IP-PB20408	1000	4"x8"	7 lbs
IP-PB20410	1000	4"x10"	7 lbs
IP-PB20412	1000	4"x12"	7 lbs
IP-PB20414	1000	4"x14"	7 lbs
IP-PB20416	1000	4"x16"	7 lbs
IP-PB20418	1000	4"x18"	7 lbs
IP-PB20420	1000	4"x20"	7 lbs
IP-PB20424	1000	4"x24"	7 lbs
IP-PB20505	1000	5"x5"	7 lbs
IP-PB20506	1000	5"x6"	7 lbs
IP-PB20507	1000	5"x7"	7 lbs

SKU	Qty./Case	WidthxLength	Weight
IP-PB20508	1000	5"x8"	7 lbs
IP-PB20509	1000	5"x9"	7 lbs
IP-PB20510	1000	5"x10"	7 lbs
IP-PB20512	1000	5"x12"	7 lbs
IP-PB20514	1000	5"x14"	7 lbs
IP-PB20515	1000	5"x15"	7 lbs
IP-PB20516	1000	5"x16"	7 lbs
IP-PB20520	1000	5"x20"	7 lbs
IP-PB20524	1000	5"x24"	7 lbs
IP-PB20528	1000	5"x28"	7 lbs
IP-PB20530	1000	5"x30"	7 lbs
IP-PB20606	1000	6"x6"	9 lbs
IP-PB20607	1000	6"x7"	9 lbs
IP-PB20608	1000	6"x8"	9 lbs
IP-PB20609	1000	6"x9"	9 lbs
IP-PB20610	1000	6"x10"	9 lbs
IP-PB20612	1000	6"x12"	9 lbs
IP-PB20614	1000	6"x14"	9 lbs
IP-PB20615	1000	6"x15"	9 lbs
IP-PB20616	1000	6"x16"	9 lbs
IP-PB20618	1000	6"x18"	9 lbs
IP-PB20620	1000	6"x20"	9 lbs
IP-PB20624	1000	6"x24"	9 lbs
IP-PB20628	1000	6"x28"	9 lbs
IP-PB20630	1000	6"x30"	9 lbs
IP-PB20707	1000	7"x7"	9 lbs
IP-PB20708	1000	7"x8"	9 lbs
IP-PB20709	1000	7"x9"	9 lbs
IP-PB20710	1000	7"x10"	9 lbs
IP-PB20712	1000	7"x12"	9 lbs
IP-PB20714	1000	7"x14"	9 lbs
IP-PB20715	1000	7"x15"	9 lbs
IP-PB20716	1000	7"x16"	9 lbs
IP-PB20718	1000	7"x18"	9 lbs
IP-PB20720	1000	7"x20"	9 lbs
IP-PB20724	1000	7"x24"	9 lbs
IP-PB20728	1000	7"x28"	9 lbs
IP-PB20730	1000	7"x30"	9 lbs



SKU	Qty./Case	WidthxLength	Weight
IP-PB20808	1000	10"x16"	11 lbs
IP-PB20810	1000	8"x10"	11 lbs
IP-PB20812	1000	8"x12"	11 lbs
IP-PB20814	1000	8"x14"	11 lbs
IP-PB20815	1000	8"x15"	11 lbs
IP-PB20816	1000	8"x16"	11 lbs
IP-PB20818	1000	8"x18"	11 lbs
IP-PB20820	1000	8"x20"	11 lbs
IP-PB20824	1000	8"x24"	11 lbs
IP-PB20828	1000	8"x28"	11 lbs
IP-PB20830	1000	8"x30"	11 lbs
IP-PB20836	1000	8"x36"	11 lbs
IP-PB20840	1000	8"x40"	11 lbs
IP-PB20909	1000	9"x9"	11 lbs
IP-PB20910	1000	9"x10"	11 lbs
IP-PB20912	1000	9"x12"	11 lbs
IP-PB20914	1000	9"x14"	11 lbs
IP-PB20915	1000	9"x15"	11 lbs
IP-PB20916	1000	9"x16"	11 lbs
IP-PB20918	1000	9"x18"	11 lbs
IP-PB20920	1000	9"x20"	11 lbs
IP-PB20924	1000	9"x24"	11 lbs
IP-PB20928	1000	9"x28"	11 lbs
IP-PB21010	1000	10"x10"	15 lbs
IP-PB21012	1000	10"x12"	15 lbs
IP-PB21013	1000	10"x13"	15 lbs
IP-PB21014	1000	10"x14"	15 lbs
IP-PB21015	1000	10"x15"	15 lbs
IP-PB21016	1000	10"x16"	15 lbs
IP-PB21018	1000	10"x18"	15 lbs
IP-PB21020	1000	10"x20"	15 lbs
IP-PB21024	1100	10"x24"	15 lbs
IP-PB21028	1000	10"x28"	15 lbs
IP-PB21030	1000	10"x30"	15 lbs
IP-PB21036	1000	10"x36"	15 lbs
IP-PB21112	1000	11"x12"	15 lbs
IP-PB21114	1000	11"x14"	15 lbs
IP-PB21116	1000	11"x16"	15 lbs

SKU	Qty./Case	WidthxLength	Weight
IP-PB21118	1000	11"x18"	15 lbs
IP-PB21212	1000	12"x12"	15 lbs
IP-PB21214	1000	12"x14"	15 lbs
IP-PB21215	1000	12"x15"	15 lbs
IP-PB21216	1000	12"x16"	15 lbs
IP-PB21218	1000	12"x18"	15 lbs
IP-PB21220	1000	12"x20"	15 lbs
IP-PB21224	1000	12"x24"	15 lbs
IP-PB21230	1000	12"x30"	15 lbs
IP-PB21236	500	12"x36"	15 lbs
IP-PB21313	1000	13"x13"	15 lbs
IP-PB21314	1000	13"x14"	15 lbs
IP-PB21316	1000	13"x16"	15 lbs
IP-PB21318	1000	13"x18"	15 lbs
IP-PB21320	1000	13"x20"	15 lbs
IP-PB21324	1000	13"x24"	15 lbs
IP-PB21328	1000	13"x28"	15 lbs
IP-PB21414	1000	14"x14"	18 lbs
IP-PB21416	1000	14"x16"	18 lbs
IP-PB21418	1000	14"x18"	18 lbs
IP-PB21420	1000	14"x20"	18 lbs
IP-PB21424	500	14"x24"	18 lbs
IP-PB21430	500	14"x30"	18 lbs
IP-PB21436	500	14"x36"	18 lbs
IP-PB21440	500	14"x40"	18 lbs
IP-PB21515	1000	15"x15"	18 lbs
IP-PB21518	1000	15"x18"	18 lbs
IP-PB21520	1000	15"x20"	18 lbs
IP-PB21524	500	15"x24"	18 lbs
IP-PB21530	500	15"x30"	18 lbs
IP-PB21536	500	15"x36"	18 lbs
IP-PB21616	1000	16"x16"	18 lbs
IP-PB21618	1000	16"x18"	18 lbs
IP-PB21620	1000	16"x20"	18 lbs
IP-PB21624	500	16"x24"	18 lbs
IP-PB21628	500	16"x28"	18 lbs
IP-PB21630	500	16"x30"	18 lbs
IP-PB21636	500	16"x36"	18 lbs

SKU	Qty./Case	WidthxLength	Weight
IP-PB21818	500	18"x18"	23 lbs
IP-PB21820	500	18"x20"	23 lbs
IP-PB21824	500	18"x24"	23 lbs
IP-PB21830	500	18"x30"	23 lbs
IP-PB21836	250	18"x36"	23 lbs
IP-PB21842	500	18"x42"	23 lbs
IP-PB21848	250	18"x48"	23 lbs
IP-PB22020	500	20"x20"	23 lbs
IP-PB22024	500	20"x24"	23 lbs
IP-PB22030	500	20"x30"	23 lbs
IP-PB22036	250	20"x36"	23 lbs
IP-PB22042	250	20"x42"	23 lbs
IP-PB22048	250	20"x48"	23 lbs
IP-PB22224	500	22"x24"	23 lbs
IP-PB22230	250	22"x30"	27 lbs
IP-PB22424	500	24"x24"	27 lbs
IP-PB22426	500	24"x26"	27 lbs
IP-PB22430	250	24"x30"	27 lbs
IP-PB22436	250	24"x36"	27 lbs
IP-PB22440	250	24"x40"	27 lbs
IP-PB22442	250	24"x42"	27 lbs
IP-PB22448	250	24"x48"	27 lbs
IP-PB22460	250	24"x60"	27 lbs
IP-PB22626	500	26"x26"	32 lbs
IP-PB22636	250	26"x36"	32 lbs
IP-PB22642	250	26"x42"	32 lbs
IP-PB22648	250	26"x48"	32 lbs
IP-PB22828	500	28"x28"	32 lbs
IP-PB22832	250	28"x32"	32 lbs
IP-PB22836	250	28"x36"	32 lbs
IP-PB22840	250	28"x40"	32 lbs
IP-PB22848	250	28"x48"	32 lbs
IP-PB22860	250	28"x60"	32 lbs
IP-PB23030	250	30"x30"	35 lbs
IP-PB23036	250	30"x36"	35 lbs
IP-PB23040	250	30"x40"	35 lbs
IP-PB23042	250	30"x42"	35 lbs
IP-PB23048	250	30"x48"	35 lbs

<b>SKU</b>	<b>Qty./Case</b>	<b>WidthxLength</b>	<b>Weight</b>
IP-PB23060	250	30"x60"	35 lbs
IP-PB23232	250	32"x32"	35 lbs
IP-PB23240	250	32"x40"	35 lbs
IP-PB23244	250	32"x44"	35 lbs
IP-PB23248	250	32"x48"	35 lbs
IP-PB23256	250	32"x56"	35 lbs
IP-PB23436	250	34"x36"	40 lbs
IP-PB23440	100	34"x40"	40 lbs
IP-PB23448	250	34"x48"	40 lbs
IP-PB23636	250	36"x36"	40 lbs
IP-PB23642	250	36"x42"	40 lbs
IP-PB23648	250	36"x48"	40 lbs
IP-PB23660	100	36"x60"	40 lbs
IP-PB23842	250	38"x42"	40 lbs
IP-PB23850	100	38"x50"	40 lbs
IP-PB24042	250	40"x42"	40 lbs
IP-PB24048	100	40"x48"	40 lbs
IP-PB24050	100	40"x50"	40 lbs
IP-PB24054	100	40"x54"	40 lbs
IP-PB24060	100	40"x60"	40 lbs
IP-PB24448	100	44"x48"	40 lbs
IP-PB24460	100	44"x60"	40 lbs
IP-PB24448	100	44"x48"	40 lbs
IP-PB24460	100	44"x60"	40 lbs
IP-PB24848	100	48"x48"	40 lbs
IP-PB24854	100	48"x54"	40 lbs
IP-PB24860	100	48"x60"	40 lbs
IP-PB24848	100	48"x48"	40 lbs
IP-PB24854	100	48"x54"	40 lbs
IP-PB24860	100	48"x60"	40 lbs
IP-PB25260	100	52"x60"	40 lbs
IP-PB25260	100	52"x60"	40 lbs
IP-PB25660	100	56"x60"	40 lbs
IP-PB25660	100	56"x60"	40 lbs



## 4 Mil Flat Poly Bags

4 Mil Flat Poly Bags are considered heavy weight poly bags made for heavy and sharp products. All 4 Mil bags are made with super clarity and excellent puncture resistance. Bags are often sealed with a flat wire impulse sealer or closed with twist ties. We have a large selection of sizes to choose from.



SKU	Qty./Case	WidthxLength	Weight
IP-PB40203	1000	2"x3"	3 lbs
IP-PB40204	1000	2"x4"	3 lbs
IP-PB40206	1000	2"x6"	3 lbs
IP-PB40208	1000	2"x8"	3 lbs
IP-PB40210	1000	2"x10"	3 lbs
IP-PB40303	1000	3"x3"	5 lbs
IP-PB40304	1000	3"x4"	5 lbs
IP-PB40305	1000	3"x5"	5 lbs
IP-PB40306	1000	3"x6"	5 lbs
IP-PB40308	1000	3"x8"	5 lbs
IP-PB40310	1000	3"x10"	5 lbs
IP-PB40312	1000	3"x12"	8 lbs
IP-PB40404	1000	4"x4"	8 lbs
IP-PB40406	1000	4"x6"	8 lbs
IP-PB40408	1000	4"x8"	8 lbs
IP-PB40412	1000	4"x12"	8 lbs
IP-PB40505	1000	5"x5"	8 lbs
IP-PB40507	1000	5"x7"	8 lbs
IP-PB40508	1000	5"x8"	8 lbs
IP-PB40510	1000	5"x10"	8 lbs
IP-PB40512	1000	5"x12"	8 lbs
IP-PB40606	1000	6"x6"	8 lbs
IP-PB40608	1000	6"x8"	8 lbs
IP-PB40609	1000	6"x9"	8 lbs
IP-PB40610	1000	6"x10"	8 lbs
IP-PB40612	1000	6"x12"	12 lbs
IP-PB40714	1000	7"x14"	12 lbs

SKU	Qty./Case	WidthxLength	Weight
IP-PB40808	1000	8"x8"	12 lbs
IP-PB40810	1000	8"x10"	12 lbs
IP-PB40812	1000	8"x12"	12 lbs
IP-PB40814	1000	8"x14"	25 lbs
IP-PB40815	1000	8"x15"	25 lbs
IP-PB40818	1000	8"x18"	25 lbs
IP-PB40912	1000	9"x12"	25 lbs
IP-PB40915	1000	9"x15"	25 lbs
IP-PB40916	1000	9"x16"	25 lbs
IP-PB40918	1000	9"x18"	25 lbs
IP-PB40924	500	9"x24"	25 lbs
IP-PB41010	1000	10"x10"	25 lbs
IP-PB41014	1000	10"x14"	25 lbs
IP-PB41016	1000	10"x16"	25 lbs
IP-PB41018	500	10"x18"	25 lbs
IP-PB41020	500	10"x20"	32 lbs
IP-PB41024	500	10"x24"	32 lbs
IP-PB41212	1000	12"x12"	32 lbs
IP-PB41214	500	12"x14"	20 lbs
IP-PB41215	500	12"x15"	20 lbs
IP-PB41216	500	12"x16"	20 lbs
IP-PB41218	500	12"x18"	20 lbs
IP-PB41220	500	12"x20"	20 lbs
IP-PB41224	500	12"x24"	20 lbs
IP-PB41414	500	14"x14"	20 lbs
IP-PB41416	500	14"x16"	20 lbs
IP-PB41418	500	14"x18"	20 lbs
IP-PB41420	500	14"x20"	20 lbs
IP-PB41424	250	14"x24"	20 lbs
IP-PB41518	500	15"x18"	27 lbs
IP-PB41520	500	15"x20"	27 lbs
IP-PB41524	250	15"x24"	27 lbs
IP-PB41530	250	15"x30"	27 lbs
IP-PB41618	500	16"x18"	27 lbs
IP-PB41620	250	16"x20"	27 lbs
IP-PB41624	250	16"x24"	27 lbs
IP-PB41630	250	16"x30"	27 lbs
IP-PB41636	250	16"x36"	27 lbs

SKU	Qty./Case	WidthxLength	Weight
IP-PB41818	250	18"x18"	27 lbs
IP-PB41820	250	18"x20"	27 lbs
IP-PB41824	250	18"x24"	27 lbs
IP-PB41830	250	18"x30"	27 lbs
IP-PB41836	100	18"x36"	27 lbs
IP-PB41924	250	19"x24"	27 lbs
IP-PB42020	250	20"x20"	32 lbs
IP-PB42024	250	20"x24"	32 lbs
IP-PB42030	250	20"x30"	32 lbs
IP-PB42224	250	22"x24"	32 lbs
IP-PB42230	100	22"x30"	32 lbs
IP-PB42424	250	24"x24"	32 lbs
IP-PB42430	100	24"x30"	22 lbs
IP-PB42436	100	24"x36"	22 lbs
IP-PB42440	100	24"x40"	22 lbs
IP-PB43030	100	30"x30"	22 lbs
IP-PB43036	100	30"x36"	22 lbs
IP-PB43040	100	30"x40"	22 lbs
IP-PB43440	100	34"x40"	22 lbs
IP-PB43648	50	36"x48"	22 lbs
IP-PB43850	50	38"x50"	22 lbs
IP-PB44050	70	40"x50"	22 lbs

### 6 Mil Flat Poly Bags



SKU	Qty./Case	WidthxLength	Weight
IP-PB60606	1000	6"x6"	20 lbs
IP-PB60608	1000	6"x8"	20 lbs
IP-PB60610	1000	6"x10"	20 lbs
IP-PB60612	1000	6"x12"	20 lbs
IP-PB60810	1000	8"x10"	28 lbs
IP-PB60812	1000	8"x12"	28 lbs
IP-PB61014	500	10"x14"	28 lbs
IP-PB61214	500	12"x14"	28 lbs
IP-PB61216	500	12"x16"	28 lbs
IP-PB61218	250	12"x18"	22 lbs
IP-PB61824	250	18"x24"	22 lbs
IP-PB62436	100	24"x36"	18 lbs
IP-PB63036	100	30"x36"	18 lbs
IP-PB63636	50	36"x36"	18 lbs

## 2 Mil Poly Tubing

The 2 mil Poly tubing rolls are used in a variety of situations. They are ideal for packaging single or multiple products in a package. Our 2 mil poly tubing is offered on rolls ranging from 900' to 3000'. The versatile 2 mil poly tubing is ideal for a variety of products. We recommend it for products that are light in weight and do not have sharp edges.



SKU	Length	Width	Weight
LA-1890	1000'	1"	2 lbs
LA-1895	1000'	1.5"	3 lbs
LA-1900	1000'	2"	4 lbs
LA-1905	1000'	2.5"	6 lbs
LA-1910	1000'	3"	7 lbs
LA-1915	3000'	4"	17 lbs
LA-1920	3000'	5"	21 lbs
LA-1925	3000'	6"	25 lbs
LA-1927	3000'	7"	30 lbs
LA-1930	3000'	8"	34 lbs
LA-1935	3000'	9"	37 lbs
LA-1940	3000'	10"	41 lbs
LA-1945	3000'	12"	50 lbs
LA-1947	2000'	13"	50 lbs
LA-1950	2000'	14"	52 lbs
LA-1955	2000'	16"	60 lbs
LA-1960	2000'	18"	60 lbs
LA-1965	2000'	20"	59 lbs
LA-1967	1000'	22"	55 lbs
LA-1970	1000'	24"	60 lbs
LA-1972	1650'	26"	60 lbs
LA-1975	1650'	28"	64 lbs
LA-1977	1500'	30"	63 lbs
LA-1980	1500'	32"	67 lbs
LA-1985	1350'	36"	67 lbs
LA-1990	1200'	40"	67 lbs
LA-1995	900'	48"	59 lbs



## 4 Mil Poly Tubing

The 4 mil Poly tubing is considered a heavy tubing to be used in more demanding applications. It is ideal for packaging larger and heavier products with sharper edges and corners. Our 4 mil poly tubing is offered on rolls ranging from 450' to 1500'. We recommend the 4 mil tubing for products up to 150 lbs. in weight.



SKU	Length	Width	Weight
LA-2095	750'	1"	2 lbs
LA-3000	750'	1.5"	3 lbs
LA-3005	750'	2"	4 lbs
LA-3010	750'	2.5"	6 lbs
LA-3015	750'	3"	7 lbs
LA-3020	1500'	4"	17 lbs
LA-3025	1500'	5"	21 lbs
LA-3030	1500'	6"	25 lbs
LA-3032	1500'	7"	30 lbs
LA-3035	1500'	8"	34 lbs
LA-3040	1500'	9"	37 lbs
LA-3045	1500'	10"	41 lbs
LA-3050	1500'	12"	50 lbs
LA-3052	1350'	13"	49 lbs
LA-3055	1350'	14"	52 lbs
LA-3060	1350'	16"	60 lbs
LA-3065	1200'	18"	60 lbs
LA-3070	1050'	20"	59 lbs
LA-3072	900'	22"	55 lbs
LA-3075	900'	24"	60 lbs
LA-3077	825'	26"	60 lbs
LA-3080	825'	28"	64 lbs
LA-3082	750'	30"	63 lbs
LA-3085	750'	32"	67 lbs
LA-3090	675'	36"	67 lbs
LA-3095	600'	40"	67 lbs
LA-3100	450'	48"	59 lbs

## 6 Mil Poly Tubing

Heavy 6 mil poly tubing rolls are the strongest rolls we offer. They are ideal for packaging larger and heavier products. Our 6 mil poly tubing is offered on rolls ranging from 300' to 1000'. We recommend the 6 mil tubing for products up to a few hundred pounds in weight depending on external elements and the edges of the product.



SKU	Length	Width	Weight
LA-2105	500'	3"	7 lbs
LA-2106	1000'	4"	17 lbs
LA-2107	1000'	5"	21 lbs
LA-2108	1000'	6"	25 lbs
LA-2109	1000'	7"	30 lbs
LA-2110	1000'	8"	34 lbs
LA-2111	1000'	9"	37 lbs
LA-2112	1000'	10"	41 lbs
LA-2114	1000'	12"	50 lbs
LA-2115	900'	13"	49 lbs
LA-2116	900'	14"	52 lbs
LA-2118	900'	16"	60 lbs
LA-2119	800'	18"	60 lbs
LA-2120	700'	20"	59 lbs
LA-2122	600'	22"	55 lbs
LA-2124	600'	24"	60 lbs
LA-2126	550'	26"	60 lbs
LA-2128	550'	28"	64 lbs
LA-2130	500'	30"	63 lbs
LA-2132	500'	32"	67 lbs
LA-2135	450'	36"	67 lbs
LA-2140	400'	40"	67 lbs
LA-2145	300'	48"	59 lbs

# POLY SHEETING

Poly sheeting is a generic term also often referred to as construction and agricultural film or Visqueen. Poly sheeting is made from Low-density polyethylene and is most often offered in clear or black. Poly sheeting is often used as a vapor barrier or drop cloth. Poly sheeting is used in multiple industries by companies and individuals around the world. Polyethylene is the most common form of plastic used in a variety of packaging, industrial, and construction materials. Polyethylene comes in a variety of densities; poly sheeting is commonly made from a low-density polyethylene. The low density poly material promotes durability and flexibility in our poly sheeting. It is often used as vapor barriers in construction, for drop cloths, tarps, as well as lining for a variety of projects.

## Clear Poly Sheeting

Clear polyethylene sheeting comes on rolls up to 200 ft. in length. This plastic sheeting is commonly used as a vapor barrier, a drop cloth, or to cover and protect a variety of items. All rolls come on a 3" core, and up to a 6 mil thickness. Our clear sheeting comes with a milky transparency that is easy to see through. All sheeting comes folded in half on the roll. All orders over 5 rolls come with quantity based pricing that offers great discounts from msrp prices. We can have custom sizes made with a minimum order required. Call our sales department to inquire about custom sheeting.



SKU	Thickness	WidthxLength	Weight
LA-4380G	2 Mil	50"x200'	9 lbs
LA-4385G	2 Mil	100"x200'	16 lbs
LA-4405G	4 Mil	3'x100'	8 lbs
LA-4450G	6 Mil	3'x100'	9 lbs
LA-4410G	4 Mil	4'x100'	9 lbs
LA-4452G	6 Mil	4'x100'	12 lbs
LA-4415G	4 Mil	6'x100'	12 lbs
LA-4455G	6 Mil	6'x100'	19 lbs
LA-4420G	4 Mil	8'x100'	15 lbs
LA-4460G	6 Mil	8'x100'	26 lbs
LA-4425G	4 Mil	10'x100'	19 lbs
LA-4465G	6 Mil	10'x100'	30 lbs
LA-4390G	2 Mil	12'x200'	22 lbs
LA-4430G	4 Mil	12'x100'	25 lbs
LA-4395G	2 Mil	16'x200'	28 lbs
LA-4440G	4 Mil	16'x100'	30 lbs
LA-4480G	6 Mil	16'x100'	45 lbs
LA-4445G	4 Mil	20'x100'	36 lbs
LA-4485G	6 Mil	20'x100'	56 lbs

## Black Poly Sheeting

Black polyethylene sheeting offers the strength of clear poly sheeting with an opaque black to further protect products. Black poly sheeting is often used to cover and conceal a variety of products. It provides great protection from UV rays when used to protect loads in outdoor storage.



SKU	Thickness	WidthxLength	Weight
LA-11000	4 Mil	3'x100'	7 lbs
LA-11005	4 Mil	4'x100'	8 lbs
LA-11010	4 Mil	6'x100'	14 lbs
LA-11020	4 Mil	10'x100'	20 lbs
LA-11055	6 Mil	10'x100'	30 lbs
LA-11025	4 Mil	12'x100'	24 lbs
LA-11060	6 Mil	12'x100'	36 lbs
LA-11065	6 Mil	16'x100'	47 lbs
LA-11070	6 Mil	20'x100'	60 lbs



# PALLET COVERS

All of our pallet covers are made to protect products and shipments from exterior elements. Pallet covers can help prevent scattered loads and reduce damaged shipments. Our black pallet covers are ideal for concealing and protecting shipments. Our clear pallet covers are great to help protect shipments from moisture, dust, and exterior elements. We offer multiple sizes to fit most pallets. All of our covers come on a perforated roll. Most rolls range from 30 to 75 covers per roll. All covers come with gusseted sides to allow an easy and conforming fit over most pallet loads.

## Clear Pallet Covers

Clear Pallet Covers offer the ability to quickly cover a shipment and protect it from the elements. The pleated sides allow the covers to expand to fit most any pallet loads. Pallet covers are a great compliment to the proper stretch film when securing and protecting pallet loads.



SKU	Thickness	Dimensions	Weight	Quantity/Roll
LA-10240	1.5 Mil	51"x 49"x 85"	57 lbs	75
LA-10522	2 Mil	51"x49"x73"	57 lbs	55
LA-10242	1.5 Mil	51"x49"x85"	54 lbs	60
LA-10523	2 Mil	51"x49"x85"	58 lbs	50
LA-1815R	3 Mil	51"x49"x85"	57 lbs	35
LA-10245	1.5 Mil	51"x49"x97"	60 lbs	50
LA-10524	2 Mil	51"x49"x97"	70 lbs	40
LA-10230	1.5 Mil	54"x44"x72"	58 lbs	75
LA-10530	2 Mil	54"x44"x72"	55 lbs	60
LA-1825R	3 Mil	54"x44"x72"	57 lbs	40
LA-10235	1.5 Mil	54"x44"x96"	53 lbs	60
LA-10535	2 Mil	54"x44"x96"	57 lbs	45
LA-1820R	3 Mil	54"x44"x96"	57 lbs	30

## Black Pallet Covers

Black pallet covers are designed to help protect and conceal shipments. They conveniently come on a perforated roll for easy dispensing. The black opaque film also helps to protect products from UV rays. These pallet covers are designed for protecting products in outdoor storage. They are a great compliment to a proper stretch wrap to assist in protecting pallet loads.



SKU	Thickness	Dimensions	Weight
LA-10890	2 Mil	51"x49"x73"	55 lbs
LA-10910	3 Mil	51"x49"x73"	59 lbs
LA-10892	2 Mil	51"x49"x85"	60 lbs
LA-10912	3 Mil	51"x49"x85"	54 lbs
LA-10894	2 Mil	51"x49"x97"	57 lbs
LA-10914	3 Mil	51"x49"x97"	60 lbs

## Top Sheeting Pallet Covers

Top sheeting pallet covers are perforated plastic sheets used on pallet loads to protect shipments. Top sheeting is made from low-density polyethylene ranging from a 1-4 mil thickness. The most common top sheeting size is 60"x60".

Top sheeting pallet covers enable a full enclosure of palletized product loads when wrapped with stretch film. Top sheeting provides protection from dust, moisture, and additional external elements. Colored opaque top sheeting offers additional product protection from UV rays.



SKU	WidthxLength	Thickness	Qty./Roll	Color
LA-5982	60"x60"	1 Mil	400	Clear
LA-5984	60"x60"	1.25 Mil	250	Clear
WP-WPC01	60"x60"	1.5 Mil	150	Clear
LA-4973	60"x60"	2 Mil	175	Clear
LA-4972	60"x60"	2 Mil	175	White
WP-WPC02	60"x60"	1.5 Mil	150	Black
LA-5986	72"x72"	1 Mil	300	Clear
LA-5975	72"x72"	1.5 Mil	200	Clear
LA-5977	72"x72"	2 Mil	150	Clear

**INCREASE PRODUCT STORAGE LIFE  
WITH VACUUM PACKAGING!**



**Consumable and non-consumable products can  
store for longer with vacuum packaging!**



# VACUUM PACKAGING

Vacuum packaging is a form of modified atmosphere packaging. The overall goal of vacuum packaging is to eliminate some or all oxygen which commonly contributes to degradation. Depending on the type of products being wrapped, a combination of oxygen and nitrogen can be within the vacuum package to extend the life of a product. Vacuum packaging is not only limited to consumable products. There are a variety of other non-consumable products commonly wrapped with vacuum packaging. Any products sensitive to moisture, dust, or any other external elements can be a great fit for vacuum packaging.

## Vacuum Bags

Vacuum bags come with three enclosed sides and are commonly made from biaxially oriented polypropylene, biaxially oriented nylon, or multi-ply polyester film. Vacuum bags are specifically designed for reduced air permeability to hold and maintain a vacuum seal. Vacuum bag packaging is the most common form of vacuum packaging. Vacuum bags are used in homes and high volume commercial packaging facilities. Vacuum bags are available in multiple sizes, thicknesses, and types to accommodate a variety of products. The most common vacuum bag thickness is a 3 mil thickness or 3 thousandth of an inch. The 3 Mil thickness is thick enough to obtain a dependable seal for long term storage. Larger products with sharp edges and jagged corners commonly use a 5 mil bag thickness or higher.



## Advantages of Vacuum Packaging

- Increase in Shelf Life
- Affordable Cost
- Barrier from External Elements
- A non-Chemical Preservative
- A Professional Packaging Option Used Around the World

## Advantages of Vacuum Packaging vs Shrink Packaging

Though often confused, shrink packaging and vacuum packing are very different. Both forms of packaging appear to remove air from product packaging, but in very different ways.

Shrink packaging like vacuum packing uses a sealing bar and film to package a variety of products. Products are enclosed in film and heat is applied to the shrink film to form fit the film to the product. Air escapes the shrink wrapped package through tiny vent holes along the film surface. These vent holes prevent a shrink packaged product from being completely sealed from exterior elements.

Vacuum packing removes oxygen from the primary packaging using suction. Once the oxygen is removed from the package, the package is completely sealed off from exterior elements. This modifies the atmosphere within the package to extend the life of the packaged products.



### 3 Mil Vacuum Bags

3 Mil vacuum bags are considered a standard strength vacuum bag capable of handling most vacuum packaging applications. These 3 mil vacuum bags are strong poly-nylon bags made to increase shelf life and protect products. All 3 mil vacuum bags are FDA approved and ideal for food and non food applications. These bags will not work with home use vacuum sealers such as FoodSaver or Seal-a-Meal. We offer quotes on orders of 5 or more cases in mixed or the same size.



SKU	Quantity/Case	WidthxLength	Weight
SS-VB3-0507-1000	1000	5"x7"	1 lb
SS-VB3-0608-1000	1000	6"x8"	2 lbs
SS-VB3-0610-1000	1000	6"x10"	3 lbs
SS-VB3-0612-1000	1000	6"x12"	4 lbs
SS-VB3-0615-1000	1000	6"x15"	5 lbs
SS-VB3-0711-1000	1000	7"x11"	7 lbs
SS-VB3-0709-1000	1000	7"x9"	6 lbs
SS-VB3-0810-1000	1000	8"x10"	8 lbs
SS-VB3-0812-1000	1000	8"x12"	9 lbs
SS-VB3-0815-1000	1000	8"x15"	10 lbs
SS-VB3-1012-1000	1000	10"x12"	11 lbs
SS-VB3-1015-1000	1000	10"x15"	11 lbs
SS-VB3-1022-500	500	10"x22"	12 lbs
SS-VB3-1212-1000	1000	12"x12"	13 lbs
SS-VB3-1214-1000	1000	12"x14"	13 lbs
SS-VB3-1216-1000	1000	12"x16"	14 lbs
SS-VB3-1218-500	500	12"x18"	15 lbs
SS-VB3-1416-500	500	14"x16"	16 lbs
SS-VB3-1420-500	500	14"x20"	16 lbs
SS-VB3-1620-500	500	16"x20"	17 lbs
SS-VB3-1624-500	500	16"x24"	17 lbs
SS-VB3-1828-250	250	18"x28"	18 lbs
SS-VB3-2028-250	250	20"x28"	19 lbs
SS-VB3-2234-250	250	22"x34"	20 lbs

## 4 Mil Vacuum Bags

4 mil vacuum bags are considered heavy duty vacuum bags ideal for sharp edges and corners. Many meat packagers use 4 mil vacuum bags for bone-in meat products. All 4 mil vacuum bags are FDA approved poly-nylon bags perfect for consumable and non consumable products. We offer quotes on orders of 5 or more cases of mixed sizes or the same size. These bags will not work with home use vacuum sealers such as FoodSaver or Seal-a-Meal.

**Three mil vacuum bags are the most common bags found in food vacuum packaging. For heavier and sharper products, a four or five mil vacuum bag may be required.**



SKU	Quantity/Case	WidthxLength	Weight
SS-VB4-0608	1000	6"x8"	17 lbs
SS-VB4-0610	1000	6"x10"	21 lbs
SS-VB4-0810	1000	8"x10"	27 lbs
SS-VB4-0812	1000	8"x12"	31 lbs
SS-VB4-0815	500	8"x15"	28 lbs
SS-VB4-0822	500	8"x22"	28 lbs
SS-VB4-1012	1000	10"x12"	37 lbs
SS-VB4-1015	1000	10"x15"	45 lbs
SS-VB4-1016	1000	10"x16"	48 lbs
SS-VB4-1018	500	10"x18"	48 lbs
SS-VB4-1022	500	10"x22"	41 lbs
SS-VB4-1214	1000	12"x14"	50 lbs
SS-VB4-1218	500	12"x18"	32 lbs
SS-VB4-1222	500	12"x22"	42 lbs
SS-VB4-1420	500	14"x20"	40 lbs
SS-VB4-1620	500	16"x20"	49 lbs
SS-VB4-1626	250	16"x26"	33 lbs
SS-VB4-1828	250	18"x28"	38 lbs

## 5 Mil Vacuum Bags

Thick vacuum bags can provide extra puncture protection for hard, rigid objects. A 5 mil vacuum bag is thicker than standard 3 mil bags to offer increased protection against busted seal seams, punctures, and bag tears. The smooth texture provides excellent clarity to display products for retail sales. They are a perfect option for packaging heavy dense objects including: metals, meats, sharp objects, heavy parts, and more. All 5 mil bags are smooth without channels and not recommended for home use vacuum sealers. Most home use vacuum sealers require channeled vacuum bags.



SKU	Quantity/Case	WidthxLength	Weight	Qty./Case
SS-VB5-0610-600	600	6"x10"	15 lbs	600
SS-VB5-0810-1000	1000	8"x10"	31 lbs	1000
SS-VB5-0812-1000	1000	8"x12"	36 lbs	1000
SS-VB5-0815-1000	1000	8"x15"	45 lbs	1000
SS-VB5-1014-1000	1000	10"x14"	52 lbs	1000
SS-VB5-1214-1000	1000	12"x14"	62 lbs	1000

## Channeled Vacuum Bags – For Home Use Vacuum Sealers

Channeled vacuum bags are textured vacuum bags designed to allow air to escape easily from each bag. Textured bags also offer an extra oxygen barrier to preserve packaged products. All of our channeled vacuum bags are standard 3 Mil thicknesses. We offer quotes on orders of 5 or more cases of the same or different sizes.



SKU	WidthxLength	Weight	Qty./Case
SS-MR-0612K-100	6"X12"	4 lbs	100
SS-MR-0612K-1000	6"X12"	24 lbs	1000
SS-MR-0812K-100	8"x12"	4 lbs	100
SS-MR-0812K-1000	8"x12"	30 lbs	1000
SS-MK-1014K-100	10"x14"	6 lbs	100
SS-MR-1014K-500	10"x14"	23 lbs	500
SS-MR-1216K-100	12"x16"	7 lbs	100
SS-MR-1216K-500	12"x16"	30 lbs	500
SS-MR-1624K-100	16"x24"	14 lbs	100
SS-MR-1624K-400	16"x24"	62 lbs	500

# BLACK VACUUM BAGS (4MIL)

Black vacuum seal bags are made from a Nylon/LLDPE combination capable of holding a long-term vacuum. The black opaque bags block out light from degrading food quality. Commonly used for wrapping cheeses, butters, and other dairy products. The high nylon content provides extra puncture resistance and strength when used in demanding environments. The materials are FDA approved for direct food contact. We have many customers using black vacuum bags with a nitrogen flush to preserve flower, herbs, and many other degradable products. The high barrier and low light are perfect for preserving smell, moisture, and quality. Call or request a quote for quantities over 5 cases. We also offer a large range of custom capabilities. Custom sizes and printing are available with low minimums and fast turnarounds. These bags are not for use with home vacuum sealers.

**Call 1-800-441-5090 to inquire about our custom capabilities.**

## Black Vacuum Bags (4Mil)



SKU	WidthxLength	Weight	Qty./Case
SP-8x12NP400K	8"x12"	28 lbs	1000
SP-10x15NP400K	10"x15"	43 lbs	1000
SP-12x18NP400K	12"x18"	31 lbs	500
SP-16x20NP400K	16"x20"	57 lbs	500
SP-18x28NP400K	18"x28"	39 lbs	250



## Vacuum Zipper Bags

Vacuum zipper bags are designed with consumers in mind. Easy to open, reclosable vacuum zipper bags come with an open end to insert products and create an air tight seal for increased shelf life. All of our vacuum zipper bags are a standard 3 mil thickness perfect for most vacuum sealing applications. These bags will not work with home use vacuum sealers such as FoodSaver or Seal-a-Meal. We offer pricing discounts on orders of 5 or more cases of the same or different sizes.



Reclosable packaging costs more than standard packaging, but customers often prefer it. Products that will be used or consumed more than once will last longer with re-closable packaging.

SKU	WidthxLength	Weight	Qty./Case
SS-VBZP-0610-1000	6"x10"	18 lbs	1000
SS-VBZP-0612-1000	6"x12"	20 lbs	1000
SS-VBZP-0810-1000	8"x10"	23 lbs	1000
SS-VBZP-0812-1000	8"x12"	26 lbs	1000
SS-VBZP-0815-1000	8"x15"	35 lbs	1000
SS-VBZP-1016-500	10"x16"	20 lbs	500
SS-VBZP-1214-500	12"x14"	22 lbs	500



## Notched Vacuum Bags

Notched vacuum bags are designed for consumers to be easy-to-open vacuum bags. The small tear notch enables easy package opening without knives or scissors. All of our notched vacuum bags are available in standard 3 mil thicknesses. These bags will not work with home use vacuum sealers such as FoodSaver or Seal-a-Meal. Request a discounted quote for orders of 5 or more cases.

## Bundle and save!

**Discounts start at 5 or more cases of any size!**

**Call or requests quantity quotes online.**

SKU	WidthxLength	Weight	Qty./Case
SS-VBZP-5-7-300	5"x7"	4 lbs	300
SS-VBZP-0610-1000	6"x10"	18 lbs	1000
SS-VBZP-0612-1000	6"x12"	20 lbs	1000
SS-VBZP-0810-1000	8"x10"	23 lbs	1000
SS-VBZP-0812-1000	8"x12"	26 lbs	1000
SS-VBZP-0815-1000	8"x15"	35 lbs	1000
SS-VBZP-1016-500	10"x16"	20 lbs	500
SS-VBZP-1214-500	12"x14"	22 lbs	500

## Meat Vacuum Bags w/Black Background

Meat vacuum bags are an excellent option for packaging sliced meats, sliced cheese, and a variety of other edible products. All bags feature a crystal-clear front with a black opaque backing. The black/metallic bag backing helps keep light from the packaged product. All bags come in a 4 mil thickness with an additional tear notch for easy opening. Price breaks begin at orders of 5 or more cases. Meat vacuum bags are not recommended for home use vacuum sealers.



SKU	WidthxLength	Weight	Qty./Case
SS-VB414-0610-2000	6"x10"	14 lbs	2000
SS-VB414-0810-1000	8"x10"	21 lbs	1000
SS-VB414-0812-1000	8"x12"	23 lbs	1000

## 3 Mil Vacuum Tubing

Vacuum tubing is an excellent choice for vacuum packaging different product sizes both consumable and non-consumable. Tubing allows users to cut desired lengths as needed. FDA approved 3 Mil vacuum tubing is BPA free and ideal for direct food contact. Grocery stores, butchers, manufacturers, and more use vacuum tubing to create vacuum bags as needed. Poly/nylon vacuum tubing provides excellent clarity with strong durable seals. Users should use a minimum of ¼" wide seal when sealing open tubing ends. Heavier products and liquids can require thicker seals to ensure an air tight vacuum.



SKU	WidthxLength	Quantity/Case
SS-VT-8-300-500	8"x500'	1 Roll
SS-VT-10-300-500	10"x500'	1 Roll
SS-VT-12-300-500	12"x500'	1 Roll
SS-VT-16-300-500	16"x500'	1 Roll
SS-VT-18-300-500	18"x500'	1 Roll
SS-VT-20-300-500	20"x500'	1 Roll

## Barrier Bags

Reclosable barrier bags are a customer-friendly packaging option allowing customers to close products after opening and usage quickly. Most standup pouches are made with a K-style seal configuration. The K-style design allows room for more product at the bottom of the bag. Each bag features a hanger hole or standup option for display. The K-Style seals feature a backward K sloping toward the bottom of the bag. A K-style sealed bag is made from one continuous web of film with seals angled toward the bottom center of the bag. This angle toward the bottom of the bag helps create the stand-up pouch by centering products in the bottom of the bag.

### Reclosable Clear Barrier Bags

A crystal clear display will enable customers to see products within the packaging. Clear standup pouches extend product shelf life while displaying products. Each size of clear reclosable pouches is made from a co-extruded poly-nylon 3 mil material. The bottom K-style seal helps to center products for upright shelf display. Pre-cut hanger holes offer the option of hanging display as well. All bags can be sealed above the reclosable zipper with an easy tear notch to quickly open the package.

#### Features Include:

- \*Barrier Properties for MAP (Modified Atmosphere Packaging)
- \*Puncture Resistant
- \*K-Style Seal for Bottom Stability
- \*Reclosable Zipper for Fresh Storage
- \*3 Mil Material Thickness
- \*Co-Extruded Materials for Increased Barrier Properties
- \*Superior Seal Strength
- \*Transparent Retail Packaging & Customization Options
- \*Tear Notch for Easy Opening
- \*Stand-up or Hanger Hole Display Option
- \*All Bags are USDA, FDA Approved for Food Contact



SKU	WidthxLength	Color	Weight	Qty./Case
LA6400	4"x6"	Clear	11lbs	1000
LA-6405	5"x8.5"	Clear	15 lbs	1000
LA-6410	6"x9.5"	Clear	20 lbs	1000
LA-6415	7.5"x11.5"	Clear	14 lbs	500

## Reclosable White Barrier Bags

A reclosable pouch or bag is a customer-friendly option for keeping products fresh after being opened. White foil pouches feature foil as a barrier for superior protection from spoilage. All white foil bags are opaque and block light and oxygen from deprecating the contents of the bag. All sizes of our reclosable white barrier bags feature a 4 mil foil laminated material. Each bag has a hanger hole ½" from the top of the bag. The K-style seals help stabilize the bottom of the pouch for upright shelf storage.

### Features Include:

- \*Superior Barrier Properties for Longer Shelf Life
- \*Excellent Puncture Resistance
- \*K-style Seal for Bottom Stability
- \*Reclosable Zipper for Fresh Storage Display Option
- \*4 Mil Thickness for Durable Strength
- \*Lower Oxygen Transmittal Rate than Co-Extruded Materials
- \*Superior Seal Strength
- \*Attractive Exterior for Retail Packaging & Customization
- \*Tear Notch for Easy Opening
- \*Stand-up or Hanger Hole
- \*USDA and FDA Approved for Direct Food Contact



SKU	WidthxLength	Color	Weight	Qty./Case
LA-6440	4"x6"	White	11 lbs	1000
LA-6445	5"x8.5"	White	18 lbs	1000
LA-6450	6"x9.5"	White	27 lbs	1000
LA-6455	7.5"x11.5"	White	20 lbs	500

## Reclosable Metalized Barrier Bags

Metalized bags offer similar characteristics to foil barrier bags at a lower cost. The metalized pouch features stronger barrier properties than co-extruded poly/nylon bags. The full opaque material conceals products from exterior elements. Extended barrier properties help to keep products fresh for longer. A shiny exterior surface is perfect for print, contact us for options.

### Features Include:

- \*Increased Barrier Properties for Longer Shelf Life
- \*Made From LLDPE & Metallized PET
- \*More Puncture Resistance than co-extruded barrier bags
- \*K-style Seal for Bottom Stability
- \*Reclosable Zipper for Fresh Storage
- \*Lower Cost Than Foil Barrier Bags
- \*Lower Oxygen Transmittal Rate than Co-Extruded Materials
- \*Superior Seal Strength
- \*Attractive Exterior for Retail Packaging
- \*Tear Notch for Easy Opening
- \*Stand-up or Hanger Hole Display Option
- \*USDA, FDA Approved for Direct Food Contact



SKU	WidthxLength	Color	Weight	Qty./Case
LA-6420	4"x6"	Silver	10 lbs	1000
LA-6425	5"x8.5"	Silver	14 lbs	1000
LA-6430	6"x9.5"	Silver	21 lbs	1000
LA-6435	7.5"x11.5"	Silver	15 lbs	500



# DON'T SEE A SIZE FOR YOU?

We offer a large selection of custom sizes and printing options.



We can provide custom vacuum bags with a large selection of materials and widths up to 48 inches wide!

Common custom materials include:

- ★ Foil
- ★ PET
- ★ COEX
- ★ Polypropylene
- ★ Nylon and more

- ★ Ask about the printing options we offer.
- ★ Low minimums and fast turn arounds!
- ★ Call 1-800-441-5090 for details about your custom bags!

# VACUUM SEALERS

A vacuum sealer is a machine designed to remove oxygen from a package. After oxygen is removed to the desired level, heat closes and seals off the package. Vacuum sealers can come in a variety of different forms and offer diverse features. Most all vacuum sealers offer the basic function of removing oxygen and sealing open packages. A vacuum sealer is important to any vacuum packaging operation. The right vacuum sealer will enable the desired efficiency and packaging settings to meet the needs of each specific goal. The products being wrapped will help determine the type of vacuum sealer needed. The sealers we offer are vacuum sealers, vacuum sealers with gas purge, and self contained vacuum sealers. Each vacuum sealer is Made in America and designed for commercial use.



## Commercial/Industrial Vacuum Sealer

The AVS series vacuum sealers are commercial grade vacuum sealers proudly built in America! Designed to handle high output production lines across multiple industries. All vacuum sealers are backed by a 2 year limited warranty. All AVS vacuum sealers require an external air tank of 15 gallons or larger. The required external compressor allows faster vacuum times. View vacuum sealer features below.

- \*Made in the USA
- \*20 Inch Sealing Bar
- \*Seals up to 360 Packages per Hour
- \*Seals Smooth or Embossed Bags up to 8 Mils Thick
- \* Ideal For Food, Medical, Electronics, and Other Applications
- \* 120 Volt system will Work with Standard 110 Plug In
- \* In Stock

SKU	Seal Length	Weight
AV-AVS20	20"	60 lbs

## Vacuum Sealer w/Gas Flush

The AVN series vacuum sealers with gas purge is comparable to the AVS vacuum sealer. The gas purge option enables users to provide modified atmosphere packaging to consumable products. Modified atmosphere packaging uses an inert gas (commonly nitrogen) inside the package to increase shelf life. The AVN vacuum sealers with gas purge requires an external air tank and tank for gas purge. The external air tank and compressor should be at least a 15 gallon tank or larger. Nitrogen gas bottles can be purchased at a local welding supply or medical supply store. View the features for this sealer below.

- \*Made in the USA
- \*Sealing Bar up to 50 Inches Wide
- \*Seals up to 360 Packages per Hour
- \*Seals Smooth or Embossed Bags up to 8 Mils Thick
- \*Ideal For Food, Medical, Electronics, and Other Applications
- \*120 Volt system will Work with Standard 110 Plug In
- \*In Stock
- \*Foot Pedal and cable

SKU	Seal Length	Weight
AV-AVN-20	20"	50 lbs
AV-AVN-25	25"	55 lbs
AV-AVN-30	30"	60 lbs
AV-AVN-35	35"	65 lbs
AV-AVN-50	50"	80 lbs



**Call us if you have any questions about our vacuum sealers with gas purge. Our sales staff would be happy to assist.**



## Self Contained Vacuum Sealer

Self contained vacuum sealers include a built in air compressor. They are a perfect fit for facilities with constrained production space. The self contained vacuum sealers are ready out of the box for high output packaging. The self contained vacuum sealers with gas purge require the purchase of an additional inert gas tank. The most common gas used for gas purge is nitrogen which can be purchased at most local welding stores. View features of all self contained vacuum sealers below.



- \*Made in the USA
- \*Self Contained Unit to Save on Production Space
- \*Seals up to 360 Packages per Hour
- \*Seals Smooth or Embossed Bags up to 8 Mils Thick
- \*Ideal For Food, Medical, Electronics, and Other Applications
- \*120 Volt system will Work with Standard 110 Plug In
- \*In Stock Let us know if you have any further questions about any of our vacuum sealers.

SKU	Gas Purge	Seal Length	Weight
AV-CAVS-20	No	20"	66 lbs
AV-CAVS-30	Yes	30"	84 lbs
AV-CAVN-20	No	20"	66 lbs
AV-CAVN-30	Yes	30"	84 lbs

## Chamber Vacuum Sealer

Chamber vacuum sealers create an air vacuum within the chamber to remove air. A vacuum sealer that is capable of vacuum packaging multiple bags at one time. Perfect for sealing vacuum bags full of liquids. The chamber vacuum sealer creates a wrinkle-free seal before the vacuum bag is distorted. See product specifications below.

Product Specifications:

- \* Max Bag Size - 20"x20"x4"
- \* Air Requirements - 18 Cubic Ft. per Minute at 90 PSI
- \* Recommended External Compressor - 60 gallons or larger
- \* Sealer - 1 included with the option of an additional sealer available (\$380)
- \* Power - 120V
- \* Machine Weight - 118 Lbs.
- \* Shipping Weight - 143 Lbs.
- \* Seal Width - 1/4"




**Call us for questions and quote requests at 1-800-441-5090. Most chamber vacuum sealers ship within 2-3 business days of a completed order.**

SKU	Gas Purge	Seal Length	Weight
AV-AVC-20	No	22"x22"x4"	118 lbs
AV-AVCG-20	Yes	22"x22"x4"	118 lbs

## Vacuum Sealer Options

Shop different vacuum sealer add-ons for all sealer models. Use the chart below to choose any specific add-on you are interested in. Let us know if you do not see a specific add-on you require. These items are only to be used during the purchase of a new machine from U.S. Packaging & Wrapping LLC.

### Vacuum Sealer Sealing Tray



The sealing tray is a perfect option for bags longer than 12 inches or heavy products. The tray helps to keep the bag level with the nozzle, increasing vacuum performance.

SKU	Compatible Models	Weight
AV-TRAY	AV, AVN, CAVS, CAVN	1 lbs

### Vacuum Sealer Filter

Vacuum filters are added to more than 70% of the vacuum sealers we sell. Any products capable of allowing small particles to be lodged within the vacuum sealer should use a filter. Filters can easily be removed and cleaned. Common products that require filters are: Cannabis, baked goods, nuts, liquids, powders, and other fine particles.

SKU	Compatible Models	Price	Weight
AV-VF	AV, AVN, CAVS, CAVN	\$168	1 lb

### Vacuum Sealer Stand

SKU	Compatible Models	Weight
AV-STAND	AV, AVN, CAVS, CAVN	65 lbs





# FOOD PACKAGING

Food packaging is a large industry consisting of thousands of machines, products, and supplies. Companies spend billions of dollars annually to improve and perfect food packaging. Proper food packaging products and supplies can increase shelf life as well as increase sales and marketing appeal. Some of the food packaging supplies we offer include aluminum foil, food plastic wrap, meat wrap, produce wrap, disposable foil pans, catering trays, and more.

## Aluminum Foil

Aluminum foil is aluminum prepared in thin metal leaves. The thin sheets can be produced in continuous rolls, folded sheets, and more. Most aluminum foil has a thickness of less than 8 mils. Aluminum foil rolls and sheets are used in a variety of industries including: aerospace, industrial, geochemicals, food, and more. The flexibility of the metal and the ability to withstand high temperatures makes foil a preferred material for many industries around the world.

## WP Aluminum Foil

Western Plastics aluminum foil rolls are a superior grade aluminum foil with exact length rolls. Western Plastics aluminum foil is very comparable to many other aluminum foils on the market for a fraction of the price. Rolls come in a variety of lengths, widths, and strengths. Many users have found that it is an ideal aluminum foil for their needs.



SKU	Strength	WidthxLength	Weight	Quantity Per Case
WP-225	Standard	12"x500'	4.9 lbs	1 Roll
WP-226	Heavy Duty	12"x500'	7.2 lbs	1 Roll
WP-224	Xtra Heavy Duty	12"x500'	11 lbs	1 Roll
WP-221	Standard	12"x1000'	10 lbs	1 Roll
WP-222	Heavy Duty	12"x1000'	14 lbs	1 Roll
WP-253	Standard	15"x500'	6.9 lbs	1 Roll
WP-255	Heavy Duty	15"x500'	9 lbs	1 Roll
WP-251	Standard	15"x1000'	12.7 lbs	1 Roll
WP-252	Heavy Duty	15"x1000'	17.7 lbs	1 Roll
WP-285	Standard	18"x500'	7.7 lbs	1 Roll
WP-286	Heavy Duty	18"x500'	10.7 lbs	1 Roll
WP-287	Xtra Heavy Duty	18"x500'	16.7 lbs	1 Roll
WP-281	Standard	18"x1000'	15.2 lbs	1 Roll
WP-282	Heavy Duty	18"x1000'	21.2 lbs	1 Roll
WP-245	Standard	24"x500'	10.9 lbs	1 Roll
WP-246	Heavy Duty	24"x500'	14.5 lbs	1 Roll
WP-247	Xtra Heavy Duty	24"x500'	20 lbs	1 Roll
WP-241	Standard	24"x1000'	21 lbs	1 Roll
WP-242	Heavy Duty	24"x1000'	28 lbs	1 Roll

### El Dorado Aluminum Foil

El Dorado has an aluminum foil roll that is durable and a great value for the price. El Dorado aluminum foil is available in a variety of lengths, widths, and gauges. It is Kosher approved and great for any kitchen or individual looking for value in aluminum foil.



SKU	Strength	WidthxLength	Weight	Quantity Per Case
WP-244	Standard	12"x1000'	8.5 lbs	1 Roll
WP-294	Standard	18"x500'	6.5 lbs	1 Roll
WP-297	Heavy Duty	18"x500'	9.5 lbs	1 Roll
WP-293	Standard	18"x1000'	12.9 lbs	1 Roll
WP-299	Heavy Duty	18"x1000'	18 lbs	1 Roll

## Wrapmaster Dispenser

Wrapmaster aluminum foil and film dispenser is an easy to use cutter box dispenser that makes cutting aluminum foil and film easy and safe. No more dealing with unsanitary boxes and blades. The Wrapmaster Dispenser will only accept the wrapmaster aluminum foil and plastic wrap refills. Wrapmaster dispensers fit 12" and 18" rolls, they are easy to replace and affordable to order. The one step push and cut design offers a quick and smooth cut for the busiest of kitchens.



SKU	Size	Price	Weight
WP-179D	12"	\$41.99	6 lbs
WP-180D	18"	\$52.49	8 lbs

## Wrapmaster Refill Rolls

Wrapmaster aluminum foil refills are easy to change aluminum foil rolls that offer superior quality at an affordable price. These easy to change aluminum foil refill rolls are made to fit our Commercial Wrapmaster Dispenser. If you do not already have a wrapmaster aluminum foil dispenser be sure to check and see how it can benefit your needs. Call our sales team for assistance if you have any questions.



All refill rolls are for commercial Wrapmaster dispensers. They will not fit home use Wrapmaster Dispensers.

SKU	Strength	WidthxLength	Weight	Quantity Per Case
WP-820	Standard	12"x500'	9.4 lbs	2 Rolls
WP-821	Standard	12"x1000'	18.4 lbs	2 Rolls
WP-822	Standard	12"x500'	12.6 lbs	2 Rolls
WP-823	Heavy Duty	18"x500'	18.2 lbs	2 Rolls

## Folded Foil Sheets

Western Plastics folded aluminum foil sheets are ideal for a variety of applications. Great for use in restaurant kitchens, catered events, schools, and much more. Western Plastics aluminum foil sheets come in a variety of sizes to enable quick and easy foil wrapping.



SKU	Sheets Per Box	WidthxLength	Weight	Boxes Per Case
WP-631	200	9x10 3/4 Silver Foil Sheets	13 lbs	12
WP-632	500	9x10 3/4 Silver Foil Sheets	15 lbs	6
WP-630	200	9x10 3/4 Gold Foil Sheets	13 lbs	12
WP-633	200	12x10 3/4 Silver Foil Sheets	22 lbs	12
WP-634	500	12x10 3/4 Silver Foil Sheets	28 lbs	6

## How Thick is Aluminum Foil?

### 1 Mil Numerically = .001

**Standard Duty Aluminum Foil** - The majority of foil rolls labeled as "Standard Duty" are between .0004 thick and .0007 thick. Which at best is slightly over or one half of a mil in thickness

**Heavy Duty Aluminum Foil** - By far the most common aluminum foil used for home and commercial use. Most Aluminum foil rolls labeled "Heavy Duty" are between .0008 thick and .001 thick. The extra three thousandths of an inch makes a big difference for many applications.

**Extra Heavy Duty Foil** - A harder thickness to find, but some manufacturers do produce extra heavy duty foil. Most aluminum foil labeled "Extra Heavy Duty" are between .0011 thick and .0016 thick. Finding a stock aluminum foil much thicker than this is often hard to find and requires a custom order.



# FOOD CLING WRAP

Food cling wrap is available in continuous rolls or pre-cut sheets. All food cling is made for direct food contact. Most materials are used for short term food storage and display. All of our cling rolls are commercial sized rolls. Rolls are commonly 2000 ft. long and the boxes are much larger than standard household cling rolls. We also offer a large selection of overwrapping film. Rolls are made for manual and automated overwrappers. We offer discounts on any cling wrap orders of five or more rolls. Call today for discounts.

## Food Cling Wrap w/Cutterbox

Food plastic wrap with a cutter box is made to be used in commercial kitchens, bakeries, butcher shops, and more! The cutter box refers to the serrated cutting edge on the front of the box. Users can easily tear wrap as needed with the cutterbox blade. We offer discounted pricing on orders of five rolls or more. Call 1-800-441-5090 or request quotes online today!



SKU	WidthxLength	Weight
WP-121	12"x1000'	3.8 lbs
WP-122	12"x2000'	6.5 lbs
WP-123	12"x3000'	9 lbs
WP-152	15"x2000'	7.7 lbs
WP-181	18"x1000'	5.5 lbs
WP-182	18"x2000'	9.5 lbs
WP-183	18"x3000'	13.3 lbs
WP-142	24"x2000'	12.8 lbs



## Food Cling Wrap w/Slidecutter

The food cling film with a slide cutter is designed for easy and efficient food packaging and storage. The slide cutter quickly attaches to the front of box. The concealed blade can easily be slid back and forth for fast film cutting. Discounts are offered on orders of five or more rolls. Call with questions and quote requests!

SKU	WidthxLength	Weight
WP-122Z	12"x2000'	6.5 lbs
WP-182Z	18"x2000'	9.5 lbs
WP-142Z	24"x2000'	12.8 lbs

# MEAT FILM & MACHINES

Meat film and produce film rolls are also commonly referred to as meat or produce wrap. Most meat film or produce film is made from FDA approved PVC film. Meat film is commonly used with a heat pad and tray to melt the bottom of the film together to form a seal. Rolls are available for semi-automatic machines and fully automatic machine. Free shipping is available for orders of 60 rolls or more.

## Performance Meat Film (57 Gauge)

SKU	WidthxLength	Weight
WP-MWL14	14"x5000'	23.3 lbs
WP-MWL15	15"x5000'	24.9 lbs
WP-MWL17	17"x5000'	28 lbs
WP-MWL18	18"x5000'	29.8 lbs

## Performance Meat Film (62 Gauge)

SKU	WidthxLength	Weight
WP-MW12	12"x5000'	22.2 lbs
WP-MW14	14"x5000'	25.9 lbs
WP-MW15	15"x5000'	27.7 lbs
WP-MW16	16"x5000'	29.6 lbs
WP-MW17	17"x5000'	31.5 lbs
WP-MW18	18"x5000'	33.2 lbs
WP-MW20	20"x5000'	37 lbs

## Performance Meat Film (70 Gauge)

SKU	WidthxLength	Weight
WP-MWH13	13"x4000'	24.5 lbs
WP-MWH15	15"x4000'	26.5 lbs
WP-MWH17	17"x4000'	29.8 lbs
WP-MWH18	18"x4000'	31.6 lbs

## Performance Meat Film (100 Gauge)

SKU	Width xLength	Weight
WP-MWF15	15"x4000'	33 lbs
WP-MWF18	18"x4000'	40 lbs

## Performance Meat Film (125 Gauge)

SKU	Width xLength	Weight
WP-MWF15125	15"x3100'	33 lbs
WP-WMF18125	18"x3100'	40 lbs



## All Purpose Produce Film (62 Gauge)

SKU	WidthxLength	Weight
WP-PW15	15"x5000'	26 lbs
WP-PW17	17"x5000'	29.4 lbs
WP-PW18	18"x5000'	31.1 lbs



## Single Roll Food & Meat Wrapping Machine

The stainless tabletop meat wrapping machine is the ideal machine for delis, butcher shops, grocery stores, and more! Each meat wrapper offers an electric heat blade to neatly and easily cut film from the film roll. The heated fabric plate shrinks produce or meat film close to the tray for a neat professional look. The body of the meat wrapper is made from durable stainless steel to ensure a healthy and easily cleanable surface. Machines can accommodate rolls up to 18 inches wide. This machine has a 90 day manufacturer's warranty.

Specifications:

Heated Fabric Plate: 15"x5"

Heater Power: 240 Watt

Cutting Wire Power: 110 Volt 80 Watt

Machine Dimensions: 24"x22"x6.2"

Total Machine Weight: 30 lb.

SKU	Weight
HI-AIE-HW500	20 lbs



**We offer several custom options for meat wrapping machines upon request. Call us if you have any questions about this machine or any other products.**

## Double Roll Food & Meat Wrapping Machine

The American made double axle mount food and meat wrapping machine can be found in meat shops and delis across the United States. The machine comes with an 115V power supply and is small enough to fit in most tight areas. The double axle mount provides users quick access to more than one wrapping roll.

See machine specifications below:

Standard 115V Power Supply

Thermostatically controlled Hot Plate with Non-Stick,  
Replaceable Cover

Heavy Gauge Aluminum Base

201 -16 Gauge Stainless Steel Wrapping Bridge Constructed of NSF/  
ANSI 51-2012 Approved Material

6"x15" Hot Plate Double Axle Rollers Fit Rolls Up to 18 Inches Wide



**Call our sales department with questions and quote requests. Additional options are available upon request.**

SKU	Weight
HS-825A	33 lbs

# PIZZA PACKAGING

Pizza packaging helps to protect pizzas for bake at-home options. The pizza cappers are a favorite with pizza parlors, grocery stores, and quick-stop convenience stores. The shrink film is quick and easy to apply. Toppings will stay in place, and customers will be able to reach their homes without making a mess.

## Pizza Capper

The American made PC-1318 pizza capper is made to quickly overwrap and protect pizza with perforated pizza sheets. A perfect option to protect pizzas for display or take-and-bake options. The 115v machine works with standard three-prong plugins capable of heating to the desired temperature within minutes. A turn-knob timer ensures the machine will not be left on. The heat settings can quickly be adjusted to accommodate the shrink material being used. The durable aluminum construction makes cleaning quick and easy. An easy-pull stainless steel crumb tray can quickly be cleaned and placed back in the machine. Wrap pizzas from twelve to twenty inches.



### Machine Specifications:

Power Supply: 115V, 11 amps, 1250 Watts

Machine Dimensions: 15"Wx15"Lx13"H

Machine Weight: 15 lbs

Machine Construction: Aluminum with Stainless Steel

Pizza Disc Size: 6 inches with Optional 11 inch available

Max Disc Height: 5 inches

SKU	Dimensions	Weight
HS-PC-1318	15x15x13	15 lbs

## Pizza Shrink Film

Pizza shrink film rolls are flat easy-tear sheets made for us with pizza cappers and comparable to traditional Robbie wrap. Users simply place the shrink film over a pizza, and film conforms to the bottom with a tight fit. Pizza capper have a platform for a pizza to sit on with a corrugated roll while a pizza shrink film conforms in seconds to protect and preserve. Pizza sizes from 8 inches to 20 inches in diameter can be wrapped. Use the chart to determine which size of sheets is needed for your pizzas. Seal out exterior elements and extend the life of pre-made pizzas with a transparent, anti-fogging, food-safe pizza shrink film. All film rolls are a 60 gauge thickness ideal for delis, supermarkets, and pizzerias. The film sheets shrink quickly and easily.



SKU	Pizza Size	Weight	Sheets/ Roll	Qty
TC-171	8"-9"	7 lbs	1000	1 Roll
TC-174	10"	8 lbs	900	1 Roll
TC-177	12"	9 lbs	800	1 Roll
TC-181	13"-14"	8 lbs	700	1 Roll
TC-183	14"	8 lbs	500	1 Roll
TC-186	16"-20"	6 lbs	200	1 Roll

**For quantity discounts of five or more rolls, request a quote or call 1-800-441-5090.**





**MADE IN  
AMERICA**

**These Products are Proudly Made in the  
UNITED STATES OF AMERICA!**

Unsure of the supplies you need? Call us at **1-800-441-5090**.  
We would be happy to provide you with the right information to make an informed decision!





MADE IN THE USA

## Packing Machines



**HSE100  
SHRINK COMBO SYSTEM**  
Pg 31



**T2016 Shrink Tunnel**  
Pg 33



**HDX250  
SHRINK COMBO SYSTEM**  
Call for lead  
times & pricing!



**HDX350  
SHRINK COMBO SYSTEM**  
Call for lead  
times & pricing!



**Shrink Bundling Sealer**  
Pg 36



**Shrink Bundling Tunnel**  
Pg 37



**Laundry Wrapping Table**  
Pg 87



**AVS Vacuum Sealer**  
Pg 120



**AVN Vacuum Sealer**  
Pg 120



**Self Container  
Vacuum Sealer**  
Pg 121



**Chamber  
Vacuum Sealer**  
Pg 121



**Dual Axle Tabletop  
Meat Wrapper**  
Pg 129



**Floor Model  
Meat Wrapper**  
Call for lead  
times & pricing!



**Pizza Copper**  
Pg 130



**Pizza Shrink Film**  
Pg 131



**Automatic Flow  
Wrapping Machine**  
Call for lead  
times & pricing!

## Packaging Materials



**Poly Bags**  
Pg 95



**Poly Tubing**  
Pg 105



**Poly Sheeting**  
Pg 108



**Pallet covers**  
Pg 110



**3 Mil Vacuum Bags**  
Pg 111



**4 Mil Vacuum Bags**  
Pg 112



**Channeled Home  
Use Vacuum Bags**  
Pg 113

**CUSTOMER SERVICE AVAILABLE  
8 – 5 CENTRAL TIME • M-F**

We take pride in our stock selection of materials,  
but we excel in our custom capabilities!

**CALL 1-800-441-5090  
with your request!**

**PRINTED FILMS  
CUSTOM SIZES  
UV RESISTANCE • CLEAN SAFE ROOM  
MIL SPEC • LOW LEAD TIMES  
LOW MINIMUMS  
UPFRONT PRICING**



**1-800-441-5090 | 4781 Highway 319 West • Austin, Arkansas 72007**

QUANTITY DISCOUNTS ON  
**EVERYTHING!**

**CALL 1-800-441-5090**

for quotes or fill out our  
online quote at

**[uspackagingandwrapping.com](http://uspackagingandwrapping.com)**

**ALL ORDERS  
ARE ELIGIBLE FOR  
QUANTITY DISCOUNTS  
WITH 5 OR MORE  
PRODUCTS!**



1-800-441-5090 | 4781 Highway 319 West • Austin, Arkansas 72007



**EARN PACKAGING POINTS FOR  
ALL ONLINE PURCHASES!**


# **PACKAGING POINTS**

- ★ Up to 5% of every dollar spent goes towards your packaging points.
- ★ For every \$100 spent there will be up to 5 packaging points credited to your account.
- ★ When redeeming your packaging points,  
**1 Packaging Point = 1 Dollar**
- ★ You can redeem your packaging points once you have reached a minimum of 10 packaging points.



**ALL MACHINES AND MATERIALS  
COME WITH UNMATCHED SERVICE!**



 **U.S. PACKAGING  
& WRAPPING L**

**Quick and easy phone troubleshooting on  
machines, materials, and processes!**



4781 Highway 319 West  
Austin, Arkansas 72007

## **4 EASY WAYS TO ORDER:**

ORDER ONLINE AT  
**[uspackagingandwrapping.com](http://uspackagingandwrapping.com)**

CALL  
**1-800-441-5090**

EMAIL PURCHASE ORDERS TO  
**[customerservice@uspackagingandwrapping.com](mailto:customerservice@uspackagingandwrapping.com)**

FAX PURCHASE ORDERS TO  
**1-855-969-6766**



Payments Accepted: Credit Cards, PayPal, Net 30 Terms, Check, and Bank